

thm_2Ewords_2Eword_eq_0 (TMML-WFSX9tMwW9jTfaAEioMqWTJgGA6zpC7)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap \ (ap \ (c_2Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_{\text{Ebool_E_21}}$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_{\text{Emin_E_3D}}\ (2^{A-27a})\ V)\ P)\ 0)$

Definition 4 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 5 We define c_2 to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 6 We define $c_{\text{CBool}} : \mathbf{Type} \rightarrow \mathbf{Type}$ to be $(\lambda V. 0t_1 \in 2. (\lambda V1. t_2 \in 2. (ap (c_{\text{CBool}}) V1) 2)) (\lambda V2. t_2 \in 2)$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty} (\text{ty_2Efcp_2Ecart } A0 \ A1) \quad (1)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (2)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

nonempty *ty_2Enum_2Enum* (3)

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (4)$$

Definition 7 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EAABS_num\ c_2Enum_2EZERO_REP)$.

Definition 8 We define $c_2EArithmetic_2EZERO$ to be c_2Enum_2EO .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (6)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 10 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))$

Definition 11 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 12 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))$

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Definition 13 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EEEXP\ x\ n))$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 14 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EMOD\ x\ n))$

Definition 15 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V2m \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EDIV\ h\ l\ m))$

Definition 16 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EDIV\ b\ n))$

Let $ty_2Efcp_2Efinit_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2Efcp_2Efinit_image\ A0) \quad (12)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. nonempty\ A \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A) \quad (13)$$

Let $c_2Ebool_2Ethethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ebool_2Ethethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (14)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Efcp_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (15)$$

Definition 17 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E))$

Definition 18 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge P(x))) \text{ of type } \iota \Rightarrow \iota$.

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a)\ V0P)))$

Definition 20 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (c_2Eprim_rec\ V0m\ V1n)$

Definition 21 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ c_2Ebool_2E_3F\ A_27a)\ V0P)))$

Definition 22 We define $c_2Efcp_2Efinit_index$ to be $\lambda A_27a : \iota. (ap\ (c_2Emin_2E_40\ (A_27a^{ty_2Enum_2Enum})))$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Efcp_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efcp_2Efinit_image\ A_27b)})^{(ty_2Efcp_2Ecart\ A_27a\ A_27b)}) \quad (16)$$

Definition 23 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in (ty_2Efcp_2Ecart\ A_27a\ A_27b). (c_2Efcp_2Efcp_index\ A_27a\ A_27b\ V0x)$

Definition 24 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_2Enum_2Enum}). (ap\ (c_2Efcp_2Efcp_index\ A_27a\ A_27b)\ V0g)))$

Definition 25 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota. \lambda V0n \in ty_2Enum_2Enum. (ap\ (c_2Efcp_2EFCP\ A_27a)\ V0n))$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0x \in A_{\text{27a}}. ((V0x = V0x) \Leftrightarrow \text{True})) \quad (20)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0x \in A_{\text{27a}}. (\forall V1y \in A_{\text{27a}}. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((\text{True} \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow \text{True}) \Leftrightarrow (p V0t)) \wedge (((\text{False} \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow \text{False}) \Leftrightarrow (\neg(p V0t))))))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))) \quad (23)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{\text{27}} \in 2. (\forall V2y \in 2. (\forall V3y_{\text{27}} \in 2. (((p V0x) \Leftrightarrow (p V1x_{\text{27}})) \wedge ((p V1x_{\text{27}}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{\text{27}})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{\text{27}}) \Rightarrow (p V3y_{\text{27}}))))))) \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow \forall A_{\text{27b}}. \text{nonempty } A_{\text{27b}} \Rightarrow \\ & \forall V0x \in (ty_{\text{2Efcp_2Ecart}} A_{\text{27a}} A_{\text{27b}}). (\forall V1y \in (ty_{\text{2Efcp_2Ecart}} A_{\text{27a}} A_{\text{27b}}). ((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_{\text{2Enum_2Enum}}. ((p (ap (ap c_{\text{2Eprim_rec_2E_3C}} V2i) (ap (c_{\text{2Efcp_2Edimindex}} A_{\text{27b}}) (c_{\text{2Ebool_2Ethe_value}} A_{\text{27b}}))) \Rightarrow ((ap (ap (c_{\text{2Efcp_2Efcp_index}} A_{\text{27a}} A_{\text{27b}}) V0x) V2i) = (ap (ap (c_{\text{2Efcp_2Efcp_index}} A_{\text{27a}} A_{\text{27b}}) V1y) V2i))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0i \in ty_{\text{2Enum_2Enum}}. ((p (ap (ap c_{\text{2Eprim_rec_2E_3C}} V0i) (ap (c_{\text{2Efcp_2Edimindex}} A_{\text{27a}}) (c_{\text{2Ebool_2Ethe_value}} A_{\text{27a}}))) \Rightarrow (\neg(p (ap (ap (c_{\text{2Efcp_2Efcp_index}} A_{\text{27a}}) (ap (c_{\text{2Ewords_2En2w}} A_{\text{27a}}) c_{\text{2Enum_2E0}}) V0i))))))) \end{aligned} \quad (26)$$

Theorem 1

$$\begin{aligned} & \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0w \in (ty_{\text{2Efcp_2Ecart}} A_{\text{27a}}). ((V0w = (ap (c_{\text{2Ewords_2En2w}} A_{\text{27a}}) c_{\text{2Enum_2E0}})) \Leftrightarrow (\forall V1i \in ty_{\text{2Enum_2Enum}}. ((p (ap (ap c_{\text{2Eprim_rec_2E_3C}} V1i) (ap (c_{\text{2Efcp_2Edimindex}} A_{\text{27a}}) (c_{\text{2Ebool_2Ethe_value}} A_{\text{27a}}))) \Rightarrow (\neg(p (ap (ap (c_{\text{2Efcp_2Efcp_index}} A_{\text{27a}}) V0w) V1i))))))) \end{aligned}$$