

thm_2Ewords_2Eword__extract__n2w
(TMQVQL3fV8vnjkoUWuAcYvieQehceiUjERE)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))))$

Definition 4 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2EF))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 8 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Let $ty_2Efc_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Efc_2Efinite_image\ A0) \tag{3}$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \tag{4}$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2Ethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (5)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Efcp_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (6)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (8)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (9)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (V0m))$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a)\ V0P)))$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ V0m\ (ap\ V1n\ (c_2Emin_2E_40\ V1n)))$

Definition 13 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ c_2Ebool_2E_2F_5C\ A_27a)\ V0P))$

Definition 14 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_27a : \iota.(ap\ (c_2Emin_2E_40\ A_27a)\ (ty_2Enum_2Enum\ A_27a))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efcp_2Ecart\ A0\ A1) \quad (10)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efcp_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efcp_2Efinite_image\ A_27b)})^{(ty_2Efcp_2Ecart\ A_27a\ A_27b)}) \quad (11)$$

Definition 15 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart\ A_27a\ A_27b).(ap\ V0x\ (c_2Efcp_2Efcp_index\ A_27a\ A_27b))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (12)$$

Definition 16 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 17 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 18 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E0\ n))$.

Definition 19 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (13)$$

Definition 20 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ (ap\ c_2Ebool_2E_21\ t1\ t2))))$

Definition 21 We define $c_2Earithmetic_2EMIN$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2D\ m\ n))$

Definition 22 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ t1\ t2)))$

Definition 23 We define $c_2Earithmetic_2E_3C_2D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2D\ m\ n))$

Definition 24 We define c_2Efcf_2EFCF to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap\ (ap\ c_2Efcf_2E_21\ g\ A_27b)))$

Definition 25 We define $c_2Ewords_2Eword_bits$ to be $\lambda A_27a : \iota.\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.(ap\ (ap\ c_2Ewords_2E_21\ A_27a\ h\ l))$

Definition 26 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2D\ n\ n))$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (14)$$

Definition 27 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ c_2Ebool_2E_21\ b\ n)))$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (15)$$

Definition 28 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efcf_2Ecart\ 2\ A_27a).(ap\ (ap\ c_2Ewords_2E_21\ A_27a\ w))$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (16)$$

Definition 29 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Ebit_2ESBIT\ x\ n))$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (17)$$

Definition 30 We define $c_Ebit_EMOD_EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2E$

Definition 31 We define c_Ebit_EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 32 We define c_Ebit_EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Definition 33 We define c_Ewords_En2w to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_Efcp_2EFC$

Definition 34 We define c_Ewords_Ew2w to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w \in (ty_2Efcpcart\ 2\ A_27$

Definition 35 We define $c_Ewords_Eword_extract$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0h \in ty_2Enum_2Enum$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((ap (ap\ c_Earithmetic_2E_2B\ V0m) \quad (18)$$

$$c_2Enum_2E0) = V0m))$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\quad (19)$$

$$(ap (ap\ c_Earithmetic_2E_2B\ V0m)\ V1n) = (ap (ap\ c_Earithmetic_2E_2B$$

$$V1n)\ V0m))))$$

Assume the following.

$$(\forall V0h1 \in ty_2Enum_2Enum.(\forall V1l1 \in ty_2Enum_2Enum. \quad (20)$$

$$(\forall V2h2 \in ty_2Enum_2Enum.(\forall V3l2 \in ty_2Enum_2Enum.$$

$$(\forall V4n \in ty_2Enum_2Enum.((ap (ap (ap\ c_Ebit_2EBITS\ V2h2)$$

$$V3l2) (ap (ap (ap\ c_Ebit_2EBITS\ V0h1)\ V1l1)\ V4n)) = (ap (ap (ap\ c_Ebit_2EBITS$$

$$(ap (ap\ c_Earithmetic_2EMIN\ V0h1) (ap (ap\ c_Earithmetic_2E_2B$$

$$V2h2)\ V1l1))) (ap (ap\ c_Earithmetic_2E_2B\ V3l2)\ V1l1))\ V4n))))))$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \quad (21)$$

$$A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\quad (22)$$

$$\forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27b^{A_27a}).((V0f =$$

$$V1g) \Leftrightarrow (\forall V2x \in A_27a.((ap\ V0f\ V2x) = (ap\ V1g\ V2x))))))$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \quad (23)$$

$$((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3))))))$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\
& (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
& V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\
& V5y_27)))))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27a^{A_27c}). \\
& (\forall V2x \in A_27c. ((ap\ (ap\ (ap\ (c_2Ecombin_2Eo\ A_27c\ A_27b\ A_27a) \\
& V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0h \in ty_2Enum_2Enum.(\\
& \forall V1l \in ty_2Enum_2Enum. (\forall V2n \in ty_2Enum_2Enum. ((\\
& ap\ (ap\ (ap\ (c_2Ewords_2Eword_bits\ A_27a)\ V0h)\ V1l)\ (ap\ (c_2Ewords_2En2w \\
& A_27a)\ V2n)) = (ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ (ap\ (ap\ c_2Ebit_2EBITS \\
& (ap\ (ap\ c_2Earithmetic_2EMIN\ V0h)\ (ap\ (ap\ c_2Earithmetic_2E_2D \\
& (ap\ (c_2Efcf_2Edimindex\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a)))) \\
& (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))) \\
& V1l)\ V2n))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0n \in ty_2Enum_2Enum. ((ap\ (c_2Ewords_2Ew2w\ A_27a\ A_27b) \\
& (ap\ (c_2Ewords_2En2w\ A_27a)\ V0n)) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND \\
& (ty_2Efcf_2Ecart\ 2\ A_27b))\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (\\
& ap\ (c_2Efcf_2Edimindex\ A_27b)\ (c_2Ebool_2Ethe_value\ A_27b)))) \\
& (ap\ (c_2Efcf_2Edimindex\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a)))) \\
& (ap\ (c_2Ewords_2En2w\ A_27b)\ V0n))\ (ap\ (c_2Ewords_2En2w\ A_27b) \\
& (ap\ (ap\ (ap\ c_2Ebit_2EBITS\ (ap\ (ap\ c_2Earithmetic_2E_2D\ (ap\ (c_2Efcf_2Edimindex \\
& A_27a)\ (c_2Ebool_2Ethe_value\ A_27a))))\ (ap\ c_2Earithmetic_2ENUMERAL \\
& (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))\ c_2Enum_2E0) \\
& V0n))))))
\end{aligned} \tag{27}$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad \forall V0h \in ty_2Enum_2Enum. (\forall V1l \in ty_2Enum_2Enum. (\forall V2n \in \\ & \quad ty_2Enum_2Enum. ((ap\ (ap\ (ap\ (c_2Ewords_2Eword_extract\ A.27a \\ & \quad A.27b)\ V0h)\ V1l)\ (ap\ (c_2Ewords_2En2w\ A.27a)\ V2n))) = (ap\ (ap\ (ap\ (\\ & \quad c_2Ebool_2ECOND\ (ty_2Efc_2Ecart\ 2\ A.27b))\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\ & \quad (ap\ (c_2Efc_2Edimindex\ A.27b)\ (c_2Ebool_2Ethe_value\ A.27b))) \\ & \quad (ap\ (c_2Efc_2Edimindex\ A.27a)\ (c_2Ebool_2Ethe_value\ A.27a)))) \\ & (ap\ (c_2Ewords_2En2w\ A.27b)\ (ap\ (ap\ (ap\ c_2Ebit_2EBITS\ (ap\ (ap\ c_2Earithmetic_2EMIN \\ & \quad V0h)\ (ap\ (ap\ c_2Earithmetic_2E_2D\ (ap\ (c_2Efc_2Edimindex\ A.27a) \\ & \quad (c_2Ebool_2Ethe_value\ A.27a))))\ (ap\ c_2Earithmetic_2ENUMERAL \\ & \quad (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))))\ V1l)\ V2n))) \\ & (ap\ (c_2Ewords_2En2w\ A.27b)\ (ap\ (ap\ (ap\ c_2Ebit_2EBITS\ (ap\ (ap\ c_2Earithmetic_2EMIN \\ & \quad (ap\ (ap\ c_2Earithmetic_2EMIN\ V0h)\ (ap\ (ap\ c_2Earithmetic_2E_2D \\ & \quad (ap\ (c_2Efc_2Edimindex\ A.27a)\ (c_2Ebool_2Ethe_value\ A.27a)))) \\ & (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))) \\ & \quad (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ (ap\ c_2Earithmetic_2E_2D\ (ap \\ & \quad (c_2Efc_2Edimindex\ A.27a)\ (c_2Ebool_2Ethe_value\ A.27a)))) \\ & (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))) \\ & \quad V1l)))\ V1l)\ V2n)))))) \end{aligned}$$