

thm\_2Ewords\_2Eword\_\_le\_\_n2w  
(TMYUu9TkWethScKuKvbdmecJNtrLU5oSUcW)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b^{A\_27a}).(\lambda V1x \in A\_27a$

**Definition 3** We define  $c\_2Ebool\_2EET$  to be  $(ap (ap (c\_2Emin\_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V$

**Definition 4** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 5** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}$

**Definition 6** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A\_27a}) A$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 7** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 8** We define  $c\_2Ebool\_2E21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E3D (2^{A\_27a}$

**Definition 9** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 10** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \quad (8)$$

Let  $c\_2Ewords\_2Edimword : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2Edimword\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (9)$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

**Definition 11** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 12** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 13** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethe\_value\ A\_27a \in (ty\_2Ebool\_2Eitself\ A\_27a) \quad (11)$$

Let  $c\_2EfcP\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2EfcP\_2Edimindex\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (12)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (14)$$

**Definition 14** We define  $c\_2Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 15** We define `c_2Ebit_2EMOD_2EXP` to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 16** We define `c_2Ebit_2EBITS` to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V$

**Definition 17** We define `c_2Ebit_2EBIT` to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap$

Let  $ty\_2Efc\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Efc\_2Efinite\_image\ A0) \quad (15)$$

**Definition 18** We define `c_2Ebool_2EF` to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 19** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 20** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E$

**Definition 21** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t)$

**Definition 22** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A \wedge p\ x))$  of type  $\iota$ .

**Definition 23** We define `c_2Ebool_2E_3F` to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 24** We define `c_2Eprim\_rec_2E_3C` to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 25** We define `c_2Ebool_2E_3F_21` to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ c\_2Ebool\_2E\_2F\_5C$

**Definition 26** We define `c_2Efc\_2Efinite\_index` to be  $\lambda A\_27a : \iota.(ap\ (c\_2Emin\_2E\_40\ (A\_27a^{ty\_2Enum\_2Enum}$

Let  $ty\_2Efc\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efc\_2Ecart\ A0\ A1) \quad (16)$$

Let  $c\_2Efc\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efc\_2Edest\_cart\ A\_27a\ A\_27b \in ((A\_27a^{(ty\_2Efc\_2Efinite\_image\ A\_27b)})^{(ty\_2Efc\_2Ecart\ A\_27a\ A\_27b)}) \quad (17)$$

**Definition 27** We define `c_2Efc\_2Efc\_index` to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efc\_2Ecart\ A\_27a\ A\_27b)$

**Definition 28** We define `c_2Efc\_2EFCP` to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}).(ap\ (c\_2Efc\_2Efc\_index$

**Definition 29** We define `c_2Ewords_2En2w` to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (c\_2Efc\_2EFCP$

**Definition 30** We define `c_2Ebool_2ECOND` to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap\ (c\_2Ebool\_2E\_7E$

**Definition 31** We define `c_2Ebit_2ESBIT` to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (c\_2Ebool\_2E\_7E$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})})^{ty\_2Enum\_2Enum}) \quad (18)$$

**Definition 32** We define  $c\_2Ewords\_2Ew2n$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). (ap\ (ap\ c\_2Ew2n\ w)\ V0w)$

**Definition 33** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ V1t2)\ V0t1))$

**Definition 34** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (c\_2Earithmetic\_2E\_3C\_3D\ m\ n)$

**Definition 35** We define  $c\_2Ewords\_2Eword\_msb$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). (ap\ (ap\ c\_2Eword\_msb\ w)\ V0w)$

**Definition 36** We define  $c\_2Ewords\_2Eword\_2comp$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). (ap\ (ap\ c\_2Eword\_2comp\ w)\ V0w)$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (19)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (20)$$

**Definition 37** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Epair\_2E\_2C\ x)\ V1y)$

**Definition 38** We define  $c\_2Ewords\_2Eenzcv$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). \lambda V1b \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). (c\_2Ewords\_2Eenzcv\ a\ b)$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (21)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (22)$$

**Definition 39** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c)^{A\_27b})^{A\_27a}$

**Definition 40** We define  $c\_2Ewords\_2Eword\_le$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). \lambda V1b \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). (c\_2Ewords\_2Eword\_le\ a\ b)$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0f \in (A\_27b^{A\_27a}).(\forall V1x \in A\_27a.((ap\ (ap\ (c\_2Ebool\_2ELET \\ A\_27a\ A\_27b)\ V0f)\ V1x) = (ap\ V0f\ V1x)))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow \\ True)) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((ap\ (c\_2Ecombin\_2EI \\ A\_27a)\ V0x) = V0x)) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow ((ap\ (c\_2Ewords\_2Edimword\ A\_27a) \\ (c\_2Ebool\_2Ethe\_value\ A\_27a)) = (ap\ (ap\ c\_2Earithmetic\_2EEXP \\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO))) \\ (ap\ (c\_2EfcP\_2Edimindex\ A\_27a)\ (c\_2Ebool\_2Ethe\_value\ A\_27a)))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum.( \\ (ap\ (c\_2Ewords\_2Ew2n\ A\_27a)\ (ap\ (c\_2Ewords\_2En2w\ A\_27a)\ V0n)) = \\ (ap\ (ap\ c\_2Earithmetic\_2EMOD\ V0n)\ (ap\ (c\_2Ewords\_2Edimword\ A\_27a) \\ (c\_2Ebool\_2Ethe\_value\ A\_27a)))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum.( \\ (p\ (ap\ (c\_2Ewords\_2Eword\_msb\ A\_27a)\ (ap\ (c\_2Ewords\_2En2w\ A\_27a) \\ V0n))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Ebit\_2EBIT\ (ap\ (ap\ c\_2Earithmetic\_2E\_2D\ ( \\ ap\ (c\_2EfcP\_2Edimindex\ A\_27a)\ (c\_2Ebool\_2Ethe\_value\ A\_27a))) \\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))) \\ V0n)))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0a \in (ty\_2EfcP\_2Ecart \\
& \quad 2\ A_{.27a}).(\forall V1b \in (ty\_2EfcP\_2Ecart\ 2\ A_{.27a}).((p\ (ap\ (ap \\
& (c\_2Ewords\_2Eword\_le\ A_{.27a})\ V0a)\ V1b)) \Leftrightarrow (((p\ (ap\ (c\_2Ewords\_2Eword\_msb \\
& \quad A_{.27a})\ V0a)) \Leftrightarrow (p\ (ap\ (c\_2Ewords\_2Eword\_msb\ A_{.27a})\ V1b))) \wedge (p\ ( \\
& \quad ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ (ap\ (c\_2Ewords\_2Ew2n\ A_{.27a})\ V0a)) \\
& \quad (ap\ (c\_2Ewords\_2Ew2n\ A_{.27a})\ V1b)))) \vee ((p\ (ap\ (c\_2Ewords\_2Eword\_msb \\
& \quad A_{.27a})\ V0a)) \wedge (\neg(p\ (ap\ (c\_2Ewords\_2Eword\_msb\ A_{.27a})\ V1b))))))
\end{aligned} \tag{31}$$

**Theorem 1**

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0a \in ty\_2Enum\_2Enum.( \\
& \quad \forall V1b \in ty\_2Enum\_2Enum.((p\ (ap\ (ap\ (c\_2Ewords\_2Eword\_le \\
& \quad A_{.27a})\ (ap\ (c\_2Ewords\_2En2w\ A_{.27a})\ V0a))\ (ap\ (c\_2Ewords\_2En2w \\
& \quad A_{.27a})\ V1b))) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2ELET\ 2\ 2)\ (ap\ (ap\ (c\_2Ebool\_2ELET \\
& \quad 2\ (2^2))\ (\lambda V2sa \in 2.(\lambda V3sb \in 2.(ap\ (ap\ c\_2Ebool\_2E\_5C\_2F \\
& \quad (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ 2)\ V2sa)\ V3sb)) \\
& \quad (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ (ap\ (ap\ c\_2Earithmetic\_2EMOD \\
& \quad V0a)\ (ap\ (c\_2Ewords\_2Edimword\ A_{.27a})\ (c\_2Ebool\_2Ethe\_value \\
& \quad A_{.27a))))\ (ap\ (ap\ c\_2Earithmetic\_2EMOD\ V1b)\ (ap\ (c\_2Ewords\_2Edimword \\
& \quad A_{.27a})\ (c\_2Ebool\_2Ethe\_value\ A_{.27a))))))\ (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C \\
& \quad V2sa)\ (ap\ c\_2Ebool\_2E\_7E\ V3sb))))))\ (ap\ (ap\ c\_2Ebit\_2EBIT\ (ap\ ( \\
& \quad ap\ c\_2Earithmetic\_2E\_2D\ (ap\ (c\_2EfcP\_2Edimindex\ A_{.27a})\ (c\_2Ebool\_2Ethe\_value \\
& \quad A_{.27a))))\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))))\ V0a)))\ (ap\ (ap\ c\_2Ebit\_2EBIT\ (ap\ (ap \\
& \quad c\_2Earithmetic\_2E\_2D\ (ap\ (c\_2EfcP\_2Edimindex\ A_{.27a})\ (c\_2Ebool\_2Ethe\_value \\
& \quad A_{.27a))))\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))))\ V1b))))))
\end{aligned}$$