

thm_2Ewords_2Eword__lt__n2w (TM-
cMQefHNbP3qFQsBwYAsnLDiXV52Hg69mW)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ELET` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. (\lambda V0 f \in (A. 27b^{A. 27a}). (\lambda V1 x \in A. 27a$

Definition 3 We define `c_2Ebool_2EET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0 x \in 2. V0x)) (\lambda V1 x \in 2. V$

Definition 4 We define `c_2Ecombin_2EK` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. (\lambda V0 x \in A. 27a. (\lambda V1 y \in A. 27b. V0x))$

Definition 5 We define `c_2Ecombin_2ES` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. (\lambda V0 f \in ((A. 27c^{A. 27b})^{A. 27a})$

Definition 6 We define `c_2Ecombin_2EI` to be $\lambda A. 27a : \iota. (\text{ap } (\text{ap } (\text{c_2Ecombin_2ES } A. 27a (A. 27a^{A. 27a}) A.$

Let `c_2Enum_2EZERO__REP` : ι be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \text{omega} \tag{1}$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } ty_2Enum_2Enum \tag{2}$$

Let `c_2Enum_2EABS__num` : ι be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\text{omega}}) \tag{3}$$

Definition 7 We define `c_2Enum_2E0` to be $(\text{ap } c_2Enum_2EABS_num \ c_2Enum_2EZERO_REP)$.

Let `c_2Enum_2EREP__num` : ι be given. Assume the following.

$$c_2Enum_2EREP_num \in (\text{omega}^{ty_2Enum_2Enum}) \tag{4}$$

Let `c_2Enum_2ESUC__REP` : ι be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\text{omega}^{\text{omega}}) \tag{5}$$

Definition 8 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0 P \in (2^{A. 27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A. 27$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 10 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \quad (8)$$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (9)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 11 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 12 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 13 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2Ethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (11)$$

Let $c_2EfcP_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2EfcP_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (12)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (14)$$

Definition 14 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 15 We define `c_2Ebit_2EMOD_2EXP` to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 16 We define `c_2Ebit_2EBITS` to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 17 We define `c_2Ebit_2EBIT` to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Let $ty_2Efc_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Efc_2Efinite_image\ A0) \quad (15)$$

Definition 18 We define `c_2Ebool_2EF` to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 19 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 20 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E$

Definition 21 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2$

Definition 22 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A \wedge p\ x))$ of type ι .

Definition 23 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 24 We define `c_2Eprim_rec_2E_3C` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 25 We define `c_2Ebool_2E_3F_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ c_2Ebool_2E_2F_5C$

Definition 26 We define `c_2Efc_2Efinite_index` to be $\lambda A_27a : \iota.(ap\ (c_2Emin_2E_40\ (A_27a^{ty_2Enum_2Enum$

Let $ty_2Efc_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efc_2Ecart\ A0\ A1) \quad (16)$$

Let $c_2Efc_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efc_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efc_2Efinite_image\ A_27b)})^{(ty_2Efc_2Ecart\ A_27a\ A_27b)}) \quad (17)$$

Definition 27 We define `c_2Efc_2Efc_index` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efc_2Ecart\ A_27a\ A_27b)$

Definition 28 We define `c_2Efc_2EFCP` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap\ (ap\ (ap\ (c_2Efc_2Efc_index\ A_27a\ A_27b)\ g)$

Definition 29 We define `c_2Ewords_2En2w` to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap\ (c_2Efc_2EFCP\ A_27a\ A_27a\ n))$

Definition 30 We define `c_2Ebool_2ECOND` to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ (ap\ (ap\ (c_2Ebool_2E_7E$

Definition 31 We define `c_2Ebit_2ESBIT` to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \quad (18)$$

Definition 32 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a). (ap\ (ap\ c_2Ew2n\ V0w))$

Definition 33 We define $c_2Ewords_2Eword_msb$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a). (ap\ (ap\ c_2Eword_msb\ V0w))$

Definition 34 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ V1t2)\ V0t1))$

Definition 35 We define $c_2Ewords_2Eword_2comp$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a). (ap\ (ap\ c_2Eword_2comp\ V0w))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (19)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (20)$$

Definition 36 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2E_2C\ V0x\ V1y))$

Definition 37 We define $c_2Ewords_2Eenzcv$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2EfcP_2Ecart\ 2\ A_27a). \lambda V1b \in (ty_2EfcP_2Ecart\ 2\ A_27a). (ap\ (c_2Eword_enzcv\ V0a\ V1b))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (21)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (22)$$

Definition 38 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c)^{A_27b})^{A_27a}$

Definition 39 We define $c_2Ewords_2Eword_lt$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2EfcP_2Ecart\ 2\ A_27a). \lambda V1b \in (ty_2EfcP_2Ecart\ 2\ A_27a). (ap\ (c_2Eword_lt\ V0a\ V1b))$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b)^{A_27a}. (\forall V1x \in A_27a. ((ap\ (ap\ (c_2Ebool_2ELET\ A_27a\ A_27b)\ V0f)\ V1x) = (ap\ V0f\ V1x)))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI\ A_27a)\ V0x) = V0x)) \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & ((ap\ (c_2Ewords_2Edimword\ A_27a) \\ & (c_2Ebool_2Ethe_value\ A_27a)) = (ap\ (ap\ c_2Earithmetic_2EEXP \\ & (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO)))) \\ & (ap\ (c_2EfcP_2Edimindex\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a)))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & (\forall V0n \in ty_2Enum_2Enum. (\\ & (ap\ (c_2Ewords_2Ew2n\ A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ V0n)) = \\ & (ap\ (ap\ c_2Earithmetic_2EMOD\ V0n)\ (ap\ (c_2Ewords_2Edimword\ A_27a) \\ & (c_2Ebool_2Ethe_value\ A_27a)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & (\forall V0n \in ty_2Enum_2Enum. (\\ & (p\ (ap\ (c_2Ewords_2Eword_msb\ A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a) \\ & V0n))) \Leftrightarrow (p\ (ap\ (ap\ c_2Ebit_2EBIT\ (ap\ (ap\ c_2Earithmetic_2E_2D\ (\\ & ap\ (c_2EfcP_2Edimindex\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a))) \\ & (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))) \\ & V0n)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & (\forall V0a \in (ty_2EfcP_2Ecart \\ & 2\ A_27a). (\forall V1b \in (ty_2EfcP_2Ecart\ 2\ A_27a). ((p\ (ap\ (ap \\ & (c_2Ewords_2Eword_lt\ A_27a)\ V0a)\ V1b)) \Leftrightarrow (((p\ (ap\ (c_2Ewords_2Eword_msb \\ & A_27a)\ V0a)) \Leftrightarrow (p\ (ap\ (c_2Ewords_2Eword_msb\ A_27a)\ V1b))) \wedge (p\ (\\ & ap\ (ap\ c_2Eprim_rec_2E_3C\ (ap\ (c_2Ewords_2Ew2n\ A_27a)\ V0a))\ (\\ & ap\ (c_2Ewords_2Ew2n\ A_27a)\ V1b)))) \vee ((p\ (ap\ (c_2Ewords_2Eword_msb \\ & A_27a)\ V0a)) \wedge (\neg (p\ (ap\ (c_2Ewords_2Eword_msb\ A_27a)\ V1b)))))))))) \end{aligned} \quad (31)$$

Theorem 1

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0a \in ty_2Enum_2Enum. (\\ & \quad \forall V1b \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ (c_2Ewords_2Eword_lt \\ & \quad A_{.27a})\ (ap\ (c_2Ewords_2En2w\ A_{.27a})\ V0a))\ (ap\ (c_2Ewords_2En2w \\ & \quad A_{.27a})\ V1b))) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2ELET\ 2\ 2)\ (ap\ (ap\ (c_2Ebool_2ELET \\ & \quad 2\ (2^2))\ (\lambda V2sa \in 2. (\lambda V3sb \in 2. (ap\ (ap\ c_2Ebool_2E_5C_2F \\ & \quad (ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (ap\ (c_2Emin_2E_3D\ 2)\ V2sa)\ V3sb)) \\ & \quad (ap\ (ap\ c_2Eprim_rec_2E_3C\ (ap\ (ap\ c_2Earithmetic_2EMOD\ V0a) \\ & \quad (ap\ (c_2Ewords_2Edimword\ A_{.27a})\ (c_2Ebool_2Ethe_value\ A_{.27a)))) \\ & \quad (ap\ (ap\ c_2Earithmetic_2EMOD\ V1b)\ (ap\ (c_2Ewords_2Edimword\ A_{.27a}) \\ & \quad (c_2Ebool_2Ethe_value\ A_{.27a))))))\ (ap\ (ap\ c_2Ebool_2E_2F_5C \\ & \quad V2sa)\ (ap\ c_2Ebool_2E_7E\ V3sb))))\ (ap\ (ap\ c_2Ebit_2EBIT\ (ap\ (\\ & \quad ap\ c_2Earithmetic_2E_2D\ (ap\ (c_2Efc_2Edimindex\ A_{.27a})\ (c_2Ebool_2Ethe_value \\ & \quad A_{.27a)))\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\ & \quad c_2Earithmetic_2EZERO))))\ V0a)))\ (ap\ (ap\ c_2Ebit_2EBIT\ (ap\ (ap \\ & \quad c_2Earithmetic_2E_2D\ (ap\ (c_2Efc_2Edimindex\ A_{.27a})\ (c_2Ebool_2Ethe_value \\ & \quad A_{.27a)))\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\ & \quad c_2Earithmetic_2EZERO))))\ V1b)))))) \end{aligned}$$