

thm_2Ewords_2Eword_modify_n2w
 (TMFGtco7kuJJhBRHHv4JGY3eBAhU6hyZojk)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $c_2Ebit_2EBIT_MODIFY : \iota$ be given. Assume the following.

$$c_2Ebit_2EBIT_MODIFY \in (((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{(2^2)^{ty_2Enum_2Enum}})^{ty_2Enum_2Enum}) \quad (2)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (V0t1 = V1t2))))$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \quad (3)$$

Let $c_2Ebool_2Ethethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ebool_2Ethethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (4)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Efcp_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (5)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Definition 12 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 13 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 14 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B$

Definition 15 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 16 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B$

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Definition 17 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let c_2 be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum ty_2Enum_2Enum) ty_2Enum_2Enum) \\ (13)$$

Let c_2 be given. Assume the following

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (14)$$

Definition 18 We define `c_2EBit_2EMOD_2EXP` to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2E$

Definition 19 We define c_2EBit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum. \lambda V1l \in ty_2Enum_2Enum. \lambda V2m \in ty_2Enum_2Enum. \lambda V3n \in ty_2Enum_2Enum. \lambda V4o \in ty_2Enum_2Enum. \lambda V5p \in ty_2Enum_2Enum. \lambda V6q \in ty_2Enum_2Enum. \lambda V7r \in ty_2Enum_2Enum. \lambda V8s \in ty_2Enum_2Enum. \lambda V9t \in ty_2Enum_2Enum. \lambda V10u \in ty_2Enum_2Enum. \lambda V11v \in ty_2Enum_2Enum. \lambda V12w \in ty_2Enum_2Enum. \lambda V13x \in ty_2Enum_2Enum. \lambda V14y \in ty_2Enum_2Enum. \lambda V15z \in ty_2Enum_2Enum.$

Definition 20 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.(ap$

Let $ty_2Efc_{finite_image} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_}2Efc\text{p_}2Efinite_image } A0) \quad (15)$$

Definition 21 We define $c_2Ebool_2E_3F_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^A_\underline{27}a)).(ap\ (ap\ c_2Ebool_2E_2F_5C\ P\ V)\ 0)$

Definition 22 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_27a : \iota.(ap (c_2Emin_2E_40 (A_27a^{ty_2Enum_2Enum}))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty}(\text{ty_}2E\text{fcp_}2Ec\text{art}_A A0 A1)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Efc_2Edest_cart \\ & A_{27a}\ A_{27b} \in ((A_{27a}^{(ty_2Efc_2Efinite_image\ A_{27b})})^{(ty_2Efc_2Ecart\ A_{27a}\ A_{27b})}) \end{aligned} \quad (17)$$

Definition 23 We define $c_2Efcp_2Efcp_index$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart\ A_27a)$

Definition 24 We define c_2Efcp_2EFCP to be $\lambda A._27a : \iota.\lambda A._27b : \iota.(\lambda V0g \in (A._27a^{ty_2Enum_2Enum}).(ap$

Definition 25 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap\ (c_2Efcp_2EFC\ A_27a)\ V0n)$

Definition 26 We define $c_2Ewords_2Eword_modify$ to be $\lambda A.\lambda 27a:\iota.\lambda V0f\in((2^2)^{ty_2Enum_2Enum}).\lambda V1w$

Assume the following.

Assume the following.

$$True \quad (19)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1y \in A_{27a}.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))) \quad (23)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27}))))))) \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\ & \forall V0x \in (ty_2Efcp_2Ecart A_{27a} A_{27b}).(\forall V1y \in (ty_2Efcp_2Ecart A_{27a} A_{27b}).((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C V2i) (ap (c_2Efcp_2Edimindex A_{27b}) (c_2Ebool_2Ethe_value A_{27b})))) \Rightarrow ((ap (ap (c_2Efcp_2Efcp_index A_{27a} A_{27b}) V0x) V2i) = (ap (ap (c_2Efcp_2Efcp_index A_{27a} A_{27b}) V1y) V2i))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\ & \forall V0g \in (A_{27a}^{ty_2Enum_2Enum}).(\forall V1i \in ty_2Enum_2Enum. \\ & ((p (ap (ap c_2Eprim_rec_2E_3C V1i) (ap (c_2Efcp_2Edimindex A_{27b}) (c_2Ebool_2Ethe_value A_{27b})))) \Rightarrow ((ap (ap (c_2Efcp_2Efcp_index A_{27a} A_{27b}) (ap (c_2Efcp_2EFCP A_{27a} A_{27b}) V0g)) V1i) = (ap V0g V1i)))) \end{aligned} \quad (26)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0f \in ((2^2)^{ty_2Enum_2Enum}). \\ & (\forall V1n \in ty_2Enum_2Enum.((ap (ap (c_2Ewords_2Eword_modify \\ & A_27a) V0f) (ap (c_2Ewords_2En2w A_27a) V1n)) = (ap (c_2Ewords_2En2w \\ & A_27a) (ap (ap (ap c_2Ebit_2EBIT_MODIFY (ap (c_2Efcp_2Edimindex \\ & A_27a) (c_2Ebool_2Ethe_value A_27a))) V0f) V1n)))))) \end{aligned}$$