

l121_toprealb (TMTLggzzURsc- CWKzD64LQeRgdYiRdqxsHb1)

October 27, 2020

Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $k8_funcop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $np_1 : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$m1_subset_1 \ np_1 \ k1_numbers \tag{1}$$

Assume the following.

$$\neg v1_xboole_0 \ k1_numbers \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((\neg v1_xboole_0 \ X0) \wedge (m1_subset_1 \\ & X2 \ X0)) \Rightarrow ((v1_funct_1 \ (k8_funcop_1 \ X0 \ X1 \ X2)) \wedge ((v1_funct_2 \ (k8_funcop_1 \\ & X0 \ X1 \ X2) \ X1 \ X0) \wedge (m1_subset_1 \ (k8_funcop_1 \ X0 \ X1 \ X2) \ (k1_zfmisc_1 \\ & (k2_zfmisc_1 \ X1 \ X0)))))) \end{aligned} \tag{3}$$

Theorem 1

$$\begin{aligned} & (v1_funct_1 \ (k8_funcop_1 \ k1_numbers \ k1_numbers \ np_1)) \wedge (m1_subset_1 \\ & (k8_funcop_1 \ k1_numbers \ k1_numbers \ np_1) \ (k1_zfmisc_1 \ (k2_zfmisc_1 \\ & k1_numbers \ k1_numbers))) \end{aligned}$$