

l13_jordan24

(TMdLDt9Qz4abLWVhZnmJCvRpkxELgLnwiyT)

October 27, 2020

Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $g1_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_pre_topc : \iota \Rightarrow \iota$ be given. Let $v3_tops_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_pre_topc : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k2_tops_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_funct_1 : \iota \Rightarrow o$ be given. Let $v2_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.((v2_pre_topc X0) \wedge (l1_pre_topc X0)) \Rightarrow (\forall X1. \\
 & ((v2_pre_topc X1) \wedge (l1_pre_topc X1)) \Rightarrow (\forall X2.((v1_funct_1 \\
 & X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 \\
 & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow \\
 & (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 X3 (u1_struct_0 (g1_pre_topc \\
 & (u1_struct_0 X0) (u1_pre_topc X0))) (u1_struct_0 (g1_pre_topc \\
 & (u1_struct_0 X1) (u1_pre_topc X1)))) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
 & (k2_zfmisc_1 (u1_struct_0 (g1_pre_topc (u1_struct_0 X0) (u1_pre_topc \\
 & X0))) (u1_struct_0 (g1_pre_topc (u1_struct_0 X1) (u1_pre_topc \\
 & X1)))))) \Rightarrow ((X2 = X3) \Rightarrow ((v5_pre_topc X2 X0 X1) \Leftrightarrow (v5_pre_topc X3 \\
 & (g1_pre_topc (u1_struct_0 X0) (u1_pre_topc X0)) (g1_pre_topc \\
 & (u1_struct_0 X1) (u1_pre_topc X1))))))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\
 & X0))) \Rightarrow (\forall X2. \forall X3. (g1_pre_topc X0 X1 = g1_pre_topc \\
 & X2 X3) \Rightarrow ((X0 = X2) \wedge (X1 = X3)))
 \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
 & \forall X0.((v2_pre_topc X0) \wedge (l1_pre_topc X0)) \Rightarrow ((v1_pre_topc \\
 & (g1_pre_topc (u1_struct_0 X0) (u1_pre_topc X0))) \wedge (v2_pre_topc \\
 & (g1_pre_topc (u1_struct_0 X0) (u1_pre_topc X0))))
 \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.(l1_pre_topc\ X0)\Rightarrow(m1_subset_1\ (u1_pre_topc\ X0)\ (k1_zfmisc_1\ (k1_zfmisc_1\ (u1_struct_0\ X0)))) \quad (4)$$

Assume the following.

$$\forall X0.(l1_pre_topc\ X0)\Rightarrow(l1_struct_0\ X0) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v1_funct_1\ X2)\wedge((v1_funct_2\ X2\ X0\ X1)\wedge(m1_subset_1\ X2\ (k1_zfmisc_1\ (k2_zfmisc_1\ X0\ X1))))\Rightarrow \\ & ((v1_funct_1\ (k2_tops_2\ X0\ X1\ X2))\wedge((v1_funct_2\ (k2_tops_2\ X0\ X1\ X2)\ X1\ X0)\wedge(m1_subset_1\ (k2_tops_2\ X0\ X1\ X2)\ (k1_zfmisc_1\ (k2_zfmisc_1\ X1\ X0)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1\ X1\ (k1_zfmisc_1\ (k1_zfmisc_1\ X0)))\Rightarrow((v1_pre_topc\ (g1_pre_topc\ X0\ X1))\wedge(l1_pre_topc\ (g1_pre_topc\ X0\ X1))) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_pre_topc\ X0)\Rightarrow(\forall X1.(l1_pre_topc\ X1)\Rightarrow(\forall X2. \\ & ((v1_funct_1\ X2)\wedge((v1_funct_2\ X2\ (u1_struct_0\ X0)\ (u1_struct_0\ X1))\wedge(m1_subset_1\ X2\ (k1_zfmisc_1\ (k2_zfmisc_1\ (u1_struct_0\ X0)\ (u1_struct_0\ X1))))\Rightarrow((v3_tops_2\ X2\ X0\ X1)\Leftrightarrow((k1_reset_1\ (u1_struct_0\ X0)\ X2 = k2_struct_0\ X0)\wedge((k2_reset_1\ (u1_struct_0\ X1)\ X2 = k2_struct_0\ X1)\wedge((v2_funct_1\ X2)\wedge((v5_pre_topc\ X2\ X0\ X1)\wedge(v5_pre_topc\ (k2_tops_2\ (u1_struct_0\ X0)\ (u1_struct_0\ X1)\ X2)\ X1\ X0)))))))))) \end{aligned} \quad (8)$$

Assume the following.

$$\forall X0.(l1_struct_0\ X0)\Rightarrow(k2_struct_0\ X0 = u1_struct_0\ X0) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((l1_pre_topc\ X0)\wedge(l1_pre_topc\ X1))\Rightarrow(\\ & \forall X2.(m1_subset_1\ X2\ (k1_zfmisc_1\ (k2_zfmisc_1\ (u1_struct_0\ X0)\ (u1_struct_0\ X1))))\Rightarrow(((v1_funct_1\ X2)\wedge((v1_funct_2\ X2\ (u1_struct_0\ X0)\ (u1_struct_0\ X1))\wedge(v3_tops_2\ X2\ X0\ X1)))\Rightarrow((v1_funct_1\ X2)\wedge((v2_funct_1\ X2)\wedge((v1_funct_2\ X2\ (u1_struct_0\ X0)\ (u1_struct_0\ X1))\wedge((v2_funct_2\ X2\ (u1_struct_0\ X1))\wedge(v5_pre_topc\ X2\ X0\ X1)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.(l1_pre_topc\ X0)\Rightarrow((v1_pre_topc\ X0)\Rightarrow(X0 = g1_pre_topc\ (u1_struct_0\ X0)\ (u1_pre_topc\ X0))) \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall X0.((v2_pre_topc\ X0)\wedge(l1_pre_topc\ X0))\Rightarrow(\forall X1. \\ & ((v2_pre_topc\ X1)\wedge(l1_pre_topc\ X1))\Rightarrow(\forall X2.((v1_funct_1 \\ & X2)\wedge((v1_funct_2\ X2\ (u1_struct_0\ X0)\ (u1_struct_0\ X1))\wedge(m1_subset_1 \\ & X2\ (k1_zfmisc_1\ (k2_zfmisc_1\ (u1_struct_0\ X0)\ (u1_struct_0\ X1))))))\Rightarrow \\ & (\forall X3.((v1_funct_1\ X3)\wedge((v1_funct_2\ X3\ (u1_struct_0\ (g1_pre_topc \\ & (u1_struct_0\ X0)\ (u1_pre_topc\ X0)))\ (u1_struct_0\ (g1_pre_topc \\ & (u1_struct_0\ X1)\ (u1_pre_topc\ X1))))\wedge(m1_subset_1\ X3\ (k1_zfmisc_1 \\ & (k2_zfmisc_1\ (u1_struct_0\ (g1_pre_topc\ (u1_struct_0\ X0)\ (u1_pre_topc \\ & X0)))\ (u1_struct_0\ (g1_pre_topc\ (u1_struct_0\ X1)\ (u1_pre_topc \\ & X1))))))\Rightarrow(((X3 = X2)\wedge(v3_tops_2\ X3\ (g1_pre_topc\ (u1_struct_0 \\ & X0)\ (u1_pre_topc\ X0))\ (g1_pre_topc\ (u1_struct_0\ X1)\ (u1_pre_topc \\ & X1))))\Rightarrow(v3_tops_2\ X2\ X0\ X1)))))) \end{aligned}$$