

# l16\_vectsp\_5

(TMXVjNg2ry2TQfT2yfH6UnourLcbRfZ3McE)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v8\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v9\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v10\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v11\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_vectsp\_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_vectsp\_5 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v7\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.((v7\_vectsp\_1 X3 X0) \wedge (m1\_vectsp\_4 X3 X0 X1) \Rightarrow ((m1\_vectsp\_4 \\
& X2 X0 X3) \Leftrightarrow (k1\_vectsp\_5 X0 X1 X2 X3 = X3))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.(m1\_vectsp\_4 X3 X0 X1) \Rightarrow ((m1\_vectsp\_4 X2 X0 (k1\_vectsp\_5 \\
& X0 X1 X2 X3) \wedge (m1\_vectsp\_4 X3 X0 (k1\_vectsp\_5 X0 X1 X2 X3))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.(m1\_vectsp\_4 X3 X0 X1) \Rightarrow (\forall X4.(m1\_vectsp\_4 X4 \\
& X0 X1) \Rightarrow (k1\_vectsp\_5 X0 X1 X2 (k1\_vectsp\_5 X0 X1 X3 X4) = k1\_vectsp\_5 \\
& X0 X1 (k1\_vectsp\_5 X0 X1 X2 X3) X4))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.(m1\_vectsp\_4 X3 X0 X1) \Rightarrow (k1\_vectsp\_5 X0 X1 X2 X3 = k1\_vectsp\_5 \\
& X0 X1 X3 X2))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.((v7\_vectsp\_1 X3 X0) \wedge (m1\_vectsp\_4 X3 X0 X1) \Rightarrow ((r1\_tarski \\
& (u1\_struct\_0 X2) (u1\_struct\_0 X3) \Rightarrow (k1\_vectsp\_5 X0 X1 X2 X3 = X3))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.(m1\_vectsp\_4 X3 X0 X1) \Rightarrow (r1\_tarski (u1\_struct\_0 X2) \\
& (u1\_struct\_0 (k1\_vectsp\_5 X0 X1 X2 X3)))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((\neg v2\_struct\_0 \\
& X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge \\
& ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 \\
& X0) \wedge (l6\_algstr\_0 X0)))))))))) \wedge (((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 \\
& X1) \wedge ((v8\_vectsp\_1 X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 \\
& X1 X0) \wedge ((v11\_vectsp\_1 X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 \\
& X1) \wedge ((v4\_rlvect\_1 X1) \wedge (l1\_vectsp\_1 X1 X0)))))))))) \wedge ((m1\_vectsp\_4 \\
& X2 X0 X1) \wedge (m1\_vectsp\_4 X3 X0 X1))) \Rightarrow ((v7\_vectsp\_1 (k1\_vectsp\_5 \\
& X0 X1 X2 X3) X0) \wedge (m1\_vectsp\_4 (k1\_vectsp\_5 X0 X1 X2 X3) X0 X1))
\end{aligned} \tag{7}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.(m1\_vectsp\_4 X3 X0 X1) \Rightarrow (\forall X4.(m1\_vectsp\_4 X4 \\
& X0 X1) \Rightarrow ((u1\_struct\_0 X2 = u1\_struct\_0 X3) \Rightarrow ((k1\_vectsp\_5 X0 X1 X4 \\
& X2 = k1\_vectsp\_5 X0 X1 X4 X3) \wedge (k1\_vectsp\_5 X0 X1 X2 X4 = k1\_vectsp\_5 \\
& X0 X1 X3 X4)))))
\end{aligned}$$