

# l17\_vectsp\_5

(TMSYNCFnjSkPiigN8b8gWq8Uteb5eMH4sjy)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v8\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v9\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v10\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v11\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_vectsp\_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_vectsp\_4 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $m2\_vectsp\_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v7\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k3\_vectsp\_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_algstr\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_realset1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u1\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1. ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (m2\_vectsp\_4 (u1\_struct\_0 X1) X0 X1 (k2\_vectsp\_4 X0 X1)))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1. ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2. (m1\_vectsp\_4 X2 X0 X1) \Rightarrow (m2\_vectsp\_4 (u1\_struct\_0 X2) X0 X1 X2)))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.((v7\_vectsp\_1 X2 X0) \wedge \\
& (m1\_vectsp\_4 X2 X0 X1)) \Rightarrow (\forall X3.((v7\_vectsp\_1 X3 X0) \wedge (m1\_vectsp\_4 \\
& X3 X0 X1)) \Rightarrow (\forall X4.(m2\_vectsp\_4 X4 X0 X1 X2) \Rightarrow (\forall X5.(m2\_vectsp\_4 \\
& X5 X0 X1 X3) \Rightarrow ((X4 = X5) \Rightarrow (X2 = X3))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (m1\_vectsp\_4 X1 X0 X1))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (k4\_struct\_0 X2 = k4\_struct\_0 X1))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (k3\_vectsp\_4 X0 X1 (k4\_struct\_0 X1) X2 = u1\_struct\_0 X2))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (\exists X3.((v7\_vectsp\_1 X3 X0) \wedge (m1\_vectsp\_4 X3 X0 X1) \wedge (u1\_struct\_0 \\
& X2 = u1\_struct\_0 X3))))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.(((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge \\
& ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \wedge \\
& ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 X1 X0) \wedge \\
& ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 X1 \\
& X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 \\
& X1) \Rightarrow ((\neg v2\_struct\_0 X2) \wedge ((v13\_algstr\_0 X2) \wedge ((v8\_vectsp\_1 X2 \\
& X0) \wedge ((v9\_vectsp\_1 X2 X0) \wedge ((v10\_vectsp\_1 X2 X0) \wedge ((v11\_vectsp\_1 \\
& X2 X0) \wedge ((v2\_rlvect\_1 X2) \wedge ((v3\_rlvect\_1 X2) \wedge ((v4\_rlvect\_1 X2) \wedge \\
& (l1\_vectsp\_1 X2 X0))))))))))
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.(((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge \\
& ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \wedge \\
& ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 X1 X0) \wedge \\
& ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 X1 \\
& X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow ((v7\_vectsp\_1 (k2\_vectsp\_4 X0 \\
& X1) X0) \wedge (m1\_vectsp\_4 (k2\_vectsp\_4 X0 X1) X0 X1))
\end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.((\neg v2\_struct\_0 X2) \wedge \\
& ((v13\_algstr\_0 X2) \wedge ((v8\_vectsp\_1 X2 X0) \wedge ((v9\_vectsp\_1 X2 X0) \wedge \\
& ((v10\_vectsp\_1 X2 X0) \wedge ((v11\_vectsp\_1 X2 X0) \wedge ((v2\_rlvect\_1 X2) \wedge \\
& ((v3\_rlvect\_1 X2) \wedge ((v4\_rlvect\_1 X2) \wedge (l1\_vectsp\_1 X2 X0)))))))))) \Rightarrow \\
& ((m1\_vectsp\_4 X2 X0 X1) \Leftrightarrow ((r1\_tarski (u1\_struct\_0 X2) (u1\_struct\_0 \\
& X1)) \wedge ((k4\_struct\_0 X2 = k4\_struct\_0 X1) \wedge ((u1\_algstr\_0 X2 = k1\_realset1 \\
& (u1\_algstr\_0 X1) (u1\_struct\_0 X2)) \wedge (u1\_vectsp\_1 X0 X2 = k5\_relat\_1 \\
& (u1\_vectsp\_1 X0 X1) (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 \\
& X2))))))))))
\end{aligned} \tag{10}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (m1\_vectsp\_4 X2 X0 (k2\_vectsp\_4 X0 X1)))
\end{aligned}$$