

l18_group_4

(TMGjD3A3AmaGakTnNKgeaAoPiadbqsgSbbr)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k4_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k2_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $v1_int_1 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $np_0 : \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_card_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (1)$$

Assume the following.

$$\forall X0.(v1_xcmplx_0 X0) \Rightarrow (k6_xcmplx_0 X0 \ k6_numbers = X0) \quad (2)$$

Assume the following.

$$\forall X0.(v1_int_1 X0) \Rightarrow ((r1_xxreal_0 \ k6_numbers X0) \Rightarrow (X0 \in k5_numbers)) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & (\forall X1.(v7_ordinal1 X1) \Rightarrow ((X1 \in k1_relset_1 \ k5_numbers X0) \Leftrightarrow \\ & ((r1_xxreal_0 \ np_1 X1) \wedge (r1_xxreal_0 X1 (k3_finseq_1 X0)))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.(v1_xreal_0 X1) \Rightarrow (\forall X2. \\ & (v1_xreal_0 X2) \Rightarrow ((r1_xxreal_0 X0 (k2_xcmplx_0 X1 X2)) \Leftrightarrow (r1_xxreal_0 \\ & (k6_xcmplx_0 X0 X1) X2)))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.(X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.(v1_xreal_0 X1) \Rightarrow (\forall X2. \\ (v1_xreal_0 X2) \Rightarrow ((r1_xxreal_0 (k2_xcmplx_0 X0 X1) X2) \Leftrightarrow (r1_xxreal_0 \\ X0 (k6_xcmplx_0 X2 X1)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.(v1_xreal_0 X1) \Rightarrow (\forall X2. \\ (v1_xreal_0 X2) \Rightarrow (\forall X3.(v1_xreal_0 X3) \Rightarrow (((r1_xxreal_0 \\ X0 X1) \wedge (r1_xxreal_0 X2 X3)) \Rightarrow (r1_xxreal_0 (k6_xcmplx_0 X0 X3) (\\ k6_xcmplx_0 X1 X2)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.(v7_ordinal1 X1) \Rightarrow (\forall X2. \\ (v7_ordinal1 X2) \Rightarrow ((r1_xxreal_0 X0 X1) \Rightarrow (r1_xxreal_0 X0 (k2_xcmplx_0 \\ X1 X2)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (10)$$

Assume the following.

$$(m2_subset_1 np_0 k1_numbers k5_numbers) \wedge ((m1_subset_1 np_0 \\ k5_numbers) \wedge (m1_subset_1 np_0 k1_numbers)) \quad (11)$$

Assume the following.

$$v1_xboole_0 np_0 \quad (12)$$

Assume the following.

$$k6_xcmplx_0 np_1 np_1 = np_0 \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.((v1_xxreal_0 X0) \wedge (v1_xxreal_0 X1)) \Rightarrow (\\ r1_xxreal_0 X0 X0) \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\ X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (15)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (16)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (17)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (k4_finseq_1 X0 = k9_xtuple_0 X0) \quad (18)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (k3_finseq_1 X0 = k1_card_1 X0) \quad (19)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)) \Rightarrow (k1_relset_1 X0 X1 = k9_xtuple_0 X1) \quad (20)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (21)$$

Assume the following.

$$\forall X0. (v1_finset_1 X0) \Rightarrow ((v1_finset_1 (k1_card_1 X0)) \wedge (v1_card_1 (k1_card_1 X0))) \quad (22)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_int_1 X0) \wedge (v1_int_1 X1)) \Rightarrow (v1_int_1 (k6_xcmplx_0 X0 X1)) \quad (23)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_int_1 X0) \wedge (v1_int_1 X1)) \Rightarrow (v1_int_1 (k2_xcmplx_0 X0 X1)) \quad (24)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 X2 X0 X1) \Rightarrow (m1_subset_1 X2 X0)) \quad (25)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (26)$$

Assume the following.

$$\forall X0.v1_card_1 (k1_card_1 X0) \quad (27)$$

Assume the following.

$$\forall X0.\forall X1.((v1_xcmplx_0 X0)\wedge(v1_xcmplx_0 X1))\Rightarrow(\quad (28)$$

$$k2_xcmplx_0 X0 X1 = k2_xcmplx_0 X1 X0)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1)\Rightarrow(v7_ordinal1 X0) \quad (29)$$

Assume the following.

$$\forall X0.((v3_ordinal1 X0)\wedge(v1_finset_1 X0))\Rightarrow(v7_ordinal1 X0) \quad (30)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finseq_1 X0)))\Rightarrow \quad (31)$$

$$((v1_relat_1 X0)\wedge((v4_relat_1 X0 k5_numbers)\wedge((v1_funct_1 X0)\wedge$$

$$(v1_finseq_1 X0))))$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0)\Rightarrow(v1_xxreal_0 X0) \quad (32)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0)\Rightarrow(v1_xcmplx_0 X0) \quad (33)$$

Assume the following.

$$\forall X0.(v1_int_1 X0)\Rightarrow(v1_xreal_0 X0) \quad (34)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0)\Rightarrow(v1_int_1 X0) \quad (35)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finseq_1 X0)))\Rightarrow \quad (36)$$

$$((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finset_1 X0)))$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers)\Rightarrow(v1_xreal_0 X0) \quad (37)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \quad (38)$$

$$X0))\Rightarrow(v1_xboole_0 X1))$$

Assume the following.

$$\forall X0.(v1_card_1 X0)\Rightarrow(v3_ordinal1 X0) \quad (39)$$

Theorem 1

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & (\forall X1.(m2_subset_1 X1 k1_numbers k5_numbers) \Rightarrow ((X1 \in k4_finseq_1 \\ & X0) \Rightarrow ((m2_subset_1 (k2_xcmplx_0 (k6_xcmplx_0 (k3_finseq_1 X0) \\ & X1) np_1) k1_numbers k5_numbers) \wedge ((r1_xxreal_0 np_1 (k2_xcmplx_0 \\ & (k6_xcmplx_0 (k3_finseq_1 X0) X1) np_1)) \wedge (r1_xxreal_0 (k2_xcmplx_0 \\ & (k6_xcmplx_0 (k3_finseq_1 X0) X1) np_1) (k3_finseq_1 X0)))))) \end{aligned}$$