

l19_hurwitz

(TMK GK3py4X2cokdqYrE4cjhWTHnhLz7eJ2f)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_algseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k14_polynom3 : \iota \Rightarrow \iota$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k11_polynom3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_fvsum_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v36_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k9_polynom3 : \iota \Rightarrow \iota$ be given. Let $k5_struct_0 : \iota \Rightarrow \iota$ be given. Let $k10_polynom3 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v5_vectsp_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow \\ & (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m2_finseq_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow (k6_algstr_0 X0 X1 (k4_rlvect_1 X0 X2) = k4_rlvect_1 \\ & X0 (k9_fvsum_1 X0 X2 X1)))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v5_vectsp_1 \\ & X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\ & (l6_algstr_0 X0)))))))) \Rightarrow ((\neg v2_struct_0 (k14_polynom3 X0)) \wedge \\ & (v36_algstr_0 (k14_polynom3 X0)) \wedge (v5_vectsp_1 (k14_polynom3 \\ & X0)))) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} \forall X0. (& \neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v5_vectsp_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow \\ & ((\neg v2_struct_0 (k14_polynom3 X0)) \wedge ((v13_algstr_0 (k14_polynom3 \\ & X0)) \wedge (v36_algstr_0 (k14_polynom3 X0)))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0. (& \neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v5_vectsp_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow \\ & ((\neg v2_struct_0 (k14_polynom3 X0)) \wedge ((v36_algstr_0 (k14_polynom3 \\ & X0)) \wedge (v4_rlvect_1 (k14_polynom3 X0)))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0. (& \neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v5_vectsp_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow \\ & ((\neg v2_struct_0 (k14_polynom3 X0)) \wedge ((v36_algstr_0 (k14_polynom3 \\ & X0)) \wedge (v3_rlvect_1 (k14_polynom3 X0)))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0. (& \neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v5_vectsp_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow \\ & ((\neg v2_struct_0 (k14_polynom3 X0)) \wedge ((v36_algstr_0 (k14_polynom3 \\ & X0)) \wedge (l6_algstr_0 (k14_polynom3 X0)))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v5_vectsp_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v36_algstr_0 X1) \wedge (l6_algstr_0 \\
& X1)))) \Rightarrow ((X1 = k14_polynom3 X0) \Leftrightarrow ((\forall X2.(X2 \in u1_struct_0 X1) \Leftrightarrow \\
& ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 X0)) \wedge \\
& ((v1_algseq_1 X2 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0)))))))))) \wedge ((\forall X2.(m1_subset_1 \\
& X2 (u1_struct_0 X1)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X4.((v1_funct_1 X4) \wedge ((v1_funct_2 X4 k5_numbers \\
& (u1_struct_0 X0)) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0)))))) \Rightarrow (\forall X5.((v1_funct_1 X5) \wedge \\
& ((v1_funct_2 X5 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X5 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& (((X2 = X4) \wedge (X3 = X5)) \Rightarrow (k1_algstr_0 X1 X2 X3 = k2_normsp_1 X0 X4 X5)))))) \wedge \\
& ((\forall X2.(m1_subset_1 X2 (u1_struct_0 X1)) \Rightarrow (\forall X3.(\\
& m1_subset_1 X3 (u1_struct_0 X1)) \Rightarrow (\forall X4.((v1_funct_1 X4) \wedge \\
& ((v1_funct_2 X4 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X4 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& (\forall X5.((v1_funct_1 X5) \wedge ((v1_funct_2 X5 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (((X2 = X4) \wedge (X3 = X5)) \Rightarrow (k6_algstr_0 X1 X2 X3 = k11_polynom3 \\
& X0 X4 X5)))))) \wedge ((k4_struct_0 X1 = k9_polynom3 X0) \wedge (k5_struct_0 \\
& X1 = k10_polynom3 X0))))))
\end{aligned} \tag{8}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v5_vectsp_1 \\
& X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\
& (l6_algstr_0 X0)))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 \\
& X1 k5_numbers (u1_struct_0 X0)) \wedge ((v1_algseq_1 X1 X0) \wedge (m1_subset_1 \\
& X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\
& X0)) \wedge ((v1_algseq_1 X2 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0)))))) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 (k14_polynom3 X0)) \Rightarrow ((X3 = X2) \Rightarrow (\forall X4.(m2_finseq_1 \\
& X4 (u1_struct_0 (k14_polynom3 X0)) \Rightarrow ((X1 = k4_rlvect_1 (k14_polynom3 \\
& X0) X4) \Rightarrow (k11_polynom3 X0 X2 X1 = k4_rlvect_1 (k14_polynom3 X0) (\\
& k9_fvsun_1 (k14_polynom3 X0) X4 X3)))))))))
\end{aligned}$$