

l1_rsspace4

(TMLq9sW4PFus4XhmAVMHHN5m3CRBTrittm4)

October 27, 2020

Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_xreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_seq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_seq_4 : \iota \Rightarrow \iota$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_seq_2 : \iota \Rightarrow o$ be given. Let $k1_rinf sup1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 \\ & X1 k5_numbers k1_numbers) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & k5_numbers k1_numbers)))))) \Rightarrow ((\forall X2.(m2_subset_1 X2 k1_numbers \\ & k5_numbers) \Rightarrow (r1_xreal_0 (k1_seq_1 X1 X2) X0)) \Leftrightarrow ((v1_seq_2 X1) \wedge \\ & (r1_xreal_0 (k1_rinf sup1 X1) X0)))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & (k1_rinf sup1 X0 = k4_seq_4 (k2_relset_1 k1_numbers X0)) \end{aligned} \tag{2}$$

Theorem 1

$$\begin{aligned} & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & (\forall X1.(v1_xreal_0 X1) \Rightarrow ((\forall X2.(m2_subset_1 X2 k1_numbers \\ & k5_numbers) \Rightarrow (r1_xreal_0 (k1_seq_1 X0 X2) X1)) \Rightarrow (r1_xreal_0 \\ & (k4_seq_4 (k2_relset_1 k1_numbers X0) X1))) \end{aligned}$$