

## l22\_papdesaf

(TMb21WVQbCcwu6aMRzfJMm6NjXmYc95iGnC)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k5\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k1\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_rlvect\_1 \\ & X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l2\_algstr\_0 X0)))) \Rightarrow (\forall X1. (m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0)) \Rightarrow (\forall X3. (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow ((X1 = k1\_algstr\_0 \\ & X0 X2 X3) \Leftrightarrow (X2 = k5\_algstr\_0 X0 X1 X3)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_rlvect\_1 \\ & X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l2\_algstr\_0 X0)))) \Rightarrow (\forall X1. (m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0)) \Rightarrow (\forall X3. (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow (k5\_algstr\_0 \\ & X0 X1 (k1\_algstr\_0 X0 X2 X3) = k5\_algstr\_0 X0 (k5\_algstr\_0 X0 X1 X3) \\ & X2)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0. (l1\_rlvect\_1 X0) \Rightarrow (l2\_algstr\_0 X0) \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((l2\_algstr\_0 X0) \wedge ((m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (m1\_subset\_1 \\ & (k5\_algstr\_0 X0 X1 X2) (u1\_struct\_0 X0)) \end{aligned} \tag{4}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\ & (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\ & X3 (u1\_struct\_0 X0)) \Rightarrow (k5\_algstr\_0 X0 (k5\_algstr\_0 X0 X1 X3) (k5\_algstr\_0 \\ & X0 X2 X3) = k5\_algstr\_0 X0 X1 X2)))) \end{aligned}$$