

l24\_topreal2  
(TMc1a3BDtyFuk9Cx89uVvV84ZJBbELRGL32)

October 27, 2020

Let  $k19\_euclid : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $np\_1 : \iota$  be given. Let  $k6\_numbers : \iota$  be given. Let  $k1\_rltopsp1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k15\_euclid : \iota \Rightarrow \iota$  be given. Let  $np\_2 : \iota$  be given. Let  $v1\_xreal\_0 : \iota \Rightarrow o$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v3\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $v2\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k17\_euclid : \iota \Rightarrow \iota$  be given. Let  $k18\_euclid : \iota \Rightarrow \iota$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $v1\_xcmplx\_0 : \iota \Rightarrow o$  be given. Let  $v1\_xxreal\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0.(v1\_xreal\_0 X0) \Rightarrow (\forall X1.(v1\_xreal\_0 X1) \Rightarrow (\neg(\neg r1\_xxreal\_0 X0 X1) \wedge (\neg v3\_xxreal\_0 X1) \wedge (\neg v2\_xxreal\_0 X0)))) \quad (1)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 X0) \Rightarrow (X0 = k1\_xboole\_0) \quad (2)$$

Assume the following.

$$\begin{aligned}
& (k1\_rltopsp1 (k15\_euclid np\_2) (k19\_euclid k6\_numbers k6\_numbers) \\
& (k19\_euclid k6\_numbers np\_1) = ReplSep (toset (\lambda X0 : \iota.m1\_subset\_1 \\
& \quad X0 (u1\_struct\_0 (k15\_euclid np\_2)))) (\lambda X0 : \iota.(k17\_euclid \\
& X0 = k6\_numbers) \wedge ((r1\_xxreal\_0 (k18\_euclid X0) np\_1) \wedge (r1\_xxreal\_0 \\
& \quad k6\_numbers (k18\_euclid X0)))) (\lambda X0 : \iota.X0) \wedge ((k1\_rltopsp1 \\
& \quad (k15\_euclid np\_2) (k19\_euclid k6\_numbers np\_1) (k19\_euclid \\
& np\_1 np\_1) = ReplSep (toset (\lambda X0 : \iota.m1\_subset\_1 X0 (u1\_struct\_0 \\
& \quad (k15\_euclid np\_2)))) (\lambda X0 : \iota.(r1\_xxreal\_0 (k17\_euclid \\
& X0) np\_1) \wedge ((r1\_xxreal\_0 k6\_numbers (k17\_euclid X0)) \wedge (k18\_euclid \\
& \quad X0 = np\_1))) (\lambda X0 : \iota.X0) \wedge ((k1\_rltopsp1 (k15\_euclid np\_2) \\
& (k19\_euclid k6\_numbers k6\_numbers) (k19\_euclid np\_1 k6\_numbers) = \\
& \quad ReplSep (toset (\lambda X0 : \iota.m1\_subset\_1 X0 (u1\_struct\_0 (k15\_euclid \\
& \quad np\_2)))) (\lambda X0 : \iota.(r1\_xxreal\_0 (k17\_euclid X0) np\_1) \wedge \\
& (r1\_xxreal\_0 k6\_numbers (k17\_euclid X0)) \wedge (k18\_euclid X0 = k6\_numbers))) \\
& \quad (\lambda X0 : \iota.X0) \wedge (k1\_rltopsp1 (k15\_euclid np\_2) (k19\_euclid \\
& np\_1 k6\_numbers) (k19\_euclid np\_1 np\_1) = ReplSep (toset (\lambda X0 : \\
& \quad \iota.m1\_subset\_1 X0 (u1\_struct\_0 (k15\_euclid np\_2)))) (\lambda X0 : \\
& \quad \iota.(k17\_euclid X0 = np\_1) \wedge ((r1\_xxreal\_0 (k18\_euclid X0) np\_1) \wedge \\
& \quad (r1\_xxreal\_0 k6\_numbers (k18\_euclid X0)))) (\lambda X0 : \iota.X0)))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& ((v2\_xxreal\_0 np\_1) \wedge (m2\_subset\_1 np\_1 k1\_numbers k5\_numbers)) \wedge \\
& ((m1\_subset\_1 np\_1 k5\_numbers) \wedge (m1\_subset\_1 np\_1 k1\_numbers))
\end{aligned} \tag{4}$$

Assume the following.

$$r1\_xxreal\_0 np\_1 np\_1 \tag{5}$$

Assume the following.

$$k6\_numbers = k1\_xboole\_0 \tag{6}$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \tag{7}$$

Assume the following.

$$\begin{aligned}
& \exists X0.(v1\_xboole\_0 X0) \wedge ((v1\_xcmplx\_0 X0) \wedge ((v1\_xxreal\_0 \\
& \quad X0) \wedge (v1\_xreal\_0 X0)))
\end{aligned} \tag{8}$$

Assume the following.

$$k18\_euclid (k19\_euclid np\_1 k6\_numbers) = k6\_numbers \tag{9}$$

Assume the following.

$$k17\_euclid (k19\_euclid np\_1 k6\_numbers) = np\_1 \tag{10}$$

Assume the following.

$$\forall X0.\forall X1.((v1\_xreal\_0 X0)\wedge(v1\_xreal\_0 X1))\Rightarrow(m1\_subset\_1 (k19\_euclid X0 X1) (u1\_struct\_0 (k15\_euclid np\_2))) \quad (11)$$

Assume the following.

$$k1\_xboole\_0 = the (\lambda X0 : \iota.v1\_xboole\_0 X0) \quad (12)$$

Assume the following.

$$\forall X0.((v1\_xxreal\_0 X0)\wedge(v2\_xxreal\_0 X0))\Rightarrow((\neg v1\_xboole\_0 X0)\wedge((v1\_xxreal\_0 X0)\wedge(\neg v3\_xxreal\_0 X0))) \quad (13)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k5\_numbers)\Rightarrow(\neg v3\_xxreal\_0 X0) \quad (14)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k1\_numbers)\Rightarrow(v1\_xreal\_0 X0) \quad (15)$$

**Theorem 1**

$$k19\_euclid np\_1 k6\_numbers \in k1\_rltopsp1 (k15\_euclid np\_2) (k19\_euclid k6\_numbers k6\_numbers) (k19\_euclid np\_1 k6\_numbers)$$