

# l27\_binop\_2

(TMZd8fTU3fH4Gy7MeDSX7im7YPiQpV89g2w)

October 27, 2020

Let  $r3\_binop\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_numbers : \iota$  be given. Let  $c1\_binop\_2 : \iota$  be given. Let  $k27\_binop\_2 : \iota$  be given. Let  $v1\_xcmplx\_0 : \iota \Rightarrow o$  be given. Let  $k2\_xcmplx\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_numbers : \iota$  be given. Let  $k3\_binop\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k3\_binop\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_binop\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $r1\_binop\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r2\_binop\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0.(v1\_xcmplx\_0 X0) \Rightarrow (k2\_xcmplx\_0 X0 k6\_numbers = X0) \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_xcmplx\_0 X0) \wedge (v1\_xcmplx\_0 X1)) \Rightarrow (k3\_binop\_2 X0 X1 = k2\_xcmplx\_0 X0 X1) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1\_funct\_1 X1) \wedge \\ & ((v1\_funct\_2 X1 (k2\_zfmisc\_1 X0 X0) X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0) X0)))))) \wedge ((m1\_subset\_1 X2 X0) \wedge \\ & (m1\_subset\_1 X3 X0))) \Rightarrow (k3\_binop\_1 X0 X1 X2 X3 = k1\_binop\_1 X1 X2 X3) \end{aligned} \quad (3)$$

Assume the following.

$$\neg v1\_xboole\_0 k2\_numbers \quad (4)$$

Assume the following.

$$\begin{aligned} & (v1\_funct\_1 k27\_binop\_2) \wedge ((v1\_funct\_2 k27\_binop\_2 (k2\_zfmisc\_1 \\ & k2\_numbers k2\_numbers) k2\_numbers) \wedge (m1\_subset\_1 k27\_binop\_2 \\ & (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 k2\_numbers k2\_numbers) \\ & k2\_numbers)))) \end{aligned} \quad (5)$$

Assume the following.

$$m1\_subset\_1 c1\_binop\_2 k2\_numbers \quad (6)$$

Assume the following.

$$c1\_binop\_2 = k6\_numbers \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1\_subset\_1 X1 X0) \Rightarrow (\forall X2. ((v1\_funct\_1 \\ & X2) \wedge ((v1\_funct\_2 X2 (k2\_zfmisc\_1 X0 X0) X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0) X0)))))) \Rightarrow ((r3\_binop\_1 X0 X1 X2) \Leftrightarrow \\ & ((r1\_binop\_1 X0 X1 X2) \wedge (r2\_binop\_1 X0 X1 X2))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1\_funct\_1 X0) \wedge ((v1\_funct\_2 X0 (k2\_zfmisc\_1 k2\_numbers \\ & k2\_numbers) k2\_numbers) \wedge (m1\_subset\_1 X0 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & (k2\_zfmisc\_1 k2\_numbers k2\_numbers) k2\_numbers)))))) \Rightarrow ((X0 = k27\_binop\_2) \Leftrightarrow \\ & (\forall X1. (v1\_xcmplx\_0 X1) \Rightarrow (\forall X2. (v1\_xcmplx\_0 X2) \Rightarrow ( \\ & k1\_binop\_1 X0 X1 X2 = k3\_binop\_2 X1 X2)))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1\_xboole\_0 X0) \Rightarrow (\forall X1. (m1\_subset\_1 X1 X0) \Rightarrow \\ & (\forall X2. ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (k2\_zfmisc\_1 X0 \\ & X0) X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X0) X0)))))) \Rightarrow ((r2\_binop\_1 X0 X1 X2) \Leftrightarrow (\forall X3. (m1\_subset\_1 \\ & X3 X0) \Rightarrow (k3\_binop\_1 X0 X2 X3 X1 = X3)))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1\_xboole\_0 X0) \Rightarrow (\forall X1. (m1\_subset\_1 X1 X0) \Rightarrow \\ & (\forall X2. ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (k2\_zfmisc\_1 X0 \\ & X0) X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X0) X0)))))) \Rightarrow ((r1\_binop\_1 X0 X1 X2) \Leftrightarrow (\forall X3. (m1\_subset\_1 \\ & X3 X0) \Rightarrow (k3\_binop\_1 X0 X2 X1 X3 = X3)))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0. \forall X1. ((v1\_xcmplx\_0 X0) \wedge (v1\_xcmplx\_0 X1)) \Rightarrow (k2\_xcmplx\_0 X0 X1 = k2\_xcmplx\_0 X1 X0) \quad (12)$$

Assume the following.

$$\forall X0. (m1\_subset\_1 X0 k2\_numbers) \Rightarrow (v1\_xcmplx\_0 X0) \quad (13)$$

**Theorem 1**  $r3\_binop\_1 k2\_numbers c1\_binop\_2 k27\_binop\_2$ .