

l27_yellow_1

(TMamj3JV Ba5p9iSCPbE4LZrRz1duMTf9yNm)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $v1_yellow_0 : \iota \Rightarrow o$ be given. Let $k2_yellow_1 : \iota \Rightarrow \iota$ be given. Let $u1_pre_topc : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r3_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $r1_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $g1_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_orders_2 : \iota \Rightarrow o$ be given. Let $v4_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $v1_relat_2 : \iota \Rightarrow o$ be given. Let $k1_yellow_1 : \iota \Rightarrow \iota$ be given. Let $v4_relat_2 : \iota \Rightarrow o$ be given. Let $v8_relat_2 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_lattice3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_orders_2 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 \\ (k2_yellow_1 X0))) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\ (k2_yellow_1 X0))) \Rightarrow ((r3_orders_2 (k2_yellow_1 X0) X1 X2) \Leftrightarrow (r1_tarski \\ X1 X2)))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. r1_tarski k1_xboole_0 X0 \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (4)$$

Assume the following.

$$\forall X0. ((v2_pre_topc X0) \wedge (l1_pre_topc X0)) \Rightarrow (k1_xboole_0 \in u1_pre_topc X0) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(v3_orders_2 X0)\wedge(l1_orders_2 X0)))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0)))\Rightarrow((r3_orders_2 X0 X1 X2)\Leftrightarrow(r1_orders_2 X0 X1 X2)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0)))\Rightarrow(\forall X2.\forall X3.(g1_orders_2 X0 X1 = g1_orders_2 X2 X3)\Rightarrow((X0 = X2)\wedge(X1 = X3))) \quad (7)$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 X0)\Rightarrow((\neg v2_struct_0 (k2_yellow_1 X0))\wedge(v1_orders_2 (k2_yellow_1 X0))) \quad (8)$$

Assume the following.

$$\forall X0.(v1_orders_2 (k2_yellow_1 X0))\wedge((v3_orders_2 (k2_yellow_1 X0))\wedge((v4_orders_2 (k2_yellow_1 X0))\wedge(v5_orders_2 (k2_yellow_1 X0)))) \quad (9)$$

Assume the following.

$$\forall X0.(v1_orders_2 (k2_yellow_1 X0))\wedge(l1_orders_2 (k2_yellow_1 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(v1_relat_2 (k1_yellow_1 X0))\wedge((v4_relat_2 (k1_yellow_1 X0))\wedge((v8_relat_2 (k1_yellow_1 X0))\wedge((v1_partfun1 (k1_yellow_1 X0) X0)\wedge(m1_subset_1 (k1_yellow_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 X0 X0)))))) \quad (11)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0)\Rightarrow(\forall X1.\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow((r1_lattice3 X0 X1 X2)\Leftrightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow((X3 \in X1)\Rightarrow(r1_orders_2 X0 X2 X3)))))) \quad (12)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0)\Rightarrow((v1_yellow_0 X0)\Leftrightarrow(\exists X1.(m1_subset_1 X1 (u1_struct_0 X0))\wedge(r1_lattice3 X0 (u1_struct_0 X0) X1))) \quad (13)$$

Assume the following.

$$\forall X0.k2_yellow_1 X0 = g1_orders_2 X0 (k1_yellow_1 X0) \quad (14)$$

Assume the following.

$$\forall X0. (l1_orders_2 X0) \Rightarrow ((v1_orders_2 X0) \Rightarrow (X0 = g1_orders_2 (u1_struct_0 X0) (u1_orders_2 X0))) \quad (15)$$

Theorem 1

$$\forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc X0))) \Rightarrow (v1_yellow_0 (k2_yellow_1 (u1_pre_topc X0)))$$