

l28_grnilp_1 (TMbpWP- tRR9TnvkNpHSJWVesc43UnJPtZoGT)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_group_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_group_2 : \iota \Rightarrow \iota$ be given. Let $g3_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k10_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u2_algstr_0 : \iota \Rightarrow \iota$ be given. Let $v15_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_group_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_realset1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1. (m1_group_2 X1 X0) \Rightarrow (\forall X2. \\ & (m1_group_2 X2 X0) \Rightarrow ((m1_group_2 X2 X1) \Leftrightarrow (g3_algstr_0 (u1_struct_0 \\ & (k10_group_2 X0 X2 X1)) (u2_algstr_0 (k10_group_2 X0 X2 X1)) = g3_algstr_0 \\ & (u1_struct_0 X2) (u2_algstr_0 X2)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 \\ & X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge (((v15_algstr_0 X1) \wedge \\ & (m1_group_2 X1 X0) \wedge ((v15_algstr_0 X2) \wedge (m1_group_2 X2 X0)))) \Rightarrow \\ & ((r1_group_2 X0 X1 X2) \Leftrightarrow (X1 = X2)) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 \\ & X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge (((v1_group_3 X1 X0) \wedge \\ & (m1_group_2 X1 X0) \wedge (m1_group_2 X2 X0))) \Rightarrow (k3_group_6 X0 X1 X2 = \\ & k9_group_2 X0 X1 X2)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 \\ & X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge ((m1_group_2 X1 X0) \wedge \\ & (m1_group_2 X2 X0))) \Rightarrow (k10_group_2 X0 X1 X2 = k9_group_2 X0 X1 X2) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (k2_zfmisc_1 \\ & X0 X0) X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 \\ & X0 X0) X0)))))) \Rightarrow (\forall X2. \forall X3. (g3_algstr_0 X0 X1 = g3_algstr_0 \\ & X2 X3) \Rightarrow ((X0 = X2) \wedge (X1 = X3))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow ((v15_algstr_0 (k7_group_2 X0)) \wedge (v1_group_3 \\ & (k7_group_2 X0) X0)) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0. (l3_algstr_0 X0) \Rightarrow ((v1_funct_1 (u2_algstr_0 X0)) \wedge \\ & ((v1_funct_2 (u2_algstr_0 X0) (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)) \wedge (m1_subset_1 (u2_algstr_0 \\ & X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge (l3_algstr_0 \\ & X0))) \Rightarrow (\forall X1. (m1_group_2 X1 X0) \Rightarrow ((\neg v2_struct_0 X1) \wedge ((v2_group_1 \\ & X1) \wedge (l3_algstr_0 X1)))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 \\ & X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge ((m1_group_2 X1 X0) \wedge \\ & (m1_group_2 X2 X0))) \Rightarrow ((v15_algstr_0 (k9_group_2 X0 X1 X2)) \wedge (m1_group_2 \\ & (k9_group_2 X0 X1 X2) X0)) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow ((v15_algstr_0 (k7_group_2 X0)) \wedge (m1_group_2 \\ & (k7_group_2 X0) X0)) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (k7_group_2 X0 = g3_algstr_0 (u1_struct_0 X0) (u2_algstr_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge (l3_algstr_0 X0))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_group_1 X1) \wedge (l3_algstr_0 X1)))) \Rightarrow ((m1_group_2 X1 X0) \Leftrightarrow ((r1_tarski (u1_struct_0 X1) (u1_struct_0 X0) \wedge (u2_algstr_0 X1 = k1_realset1 (u2_algstr_0 X0) (u1_struct_0 X1)))))) \quad (12)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge ((m1_group_2 X1 X0) \wedge (m1_group_2 X2 X0))) \Rightarrow (k10_group_2 X0 X1 X2 = k10_group_2 X0 X2 X1) \quad (13)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (v3_group_1 X1)) \quad (14)$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0) \Rightarrow ((v15_algstr_0 X0) \Rightarrow (X0 = g3_algstr_0 (u1_struct_0 X0) (u2_algstr_0 X0))) \quad (15)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (r1_group_2 X1 (k3_group_6 X0 (k7_group_2 X0) X1) (k7_group_2 X1)))$$