

l30_rlsb_2

(TMZvMd4uGRvtXcmh9E8XV4rbeBu5HPBNdu3)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_rlsub_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_rlsub_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_rlsub_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k1_rlsub_1 : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $k1_realset1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_rlvect_1 : \iota \Rightarrow \iota$ be given. Let $k5_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1. ((v1_rlvect_1 X1) \wedge (m1_rlsub_1 X1 X0)) \Rightarrow \\ & ((k1_rlsub_2 X0 (k1_rlsub_1 X0) X1 = X1) \wedge (k1_rlsub_2 X0 X1 (k1_rlsub_1 \\ & X0) = X1))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1. (m1_rlsub_1 X1 X0) \Rightarrow (\forall X2. ((v1_rlvect_1 \\ & X2) \wedge (m1_rlsub_1 X2 X0)) \Rightarrow ((m1_rlsub_1 X1 X2) \Leftrightarrow (k1_rlsub_2 X0 X1 \\ & X2 = X2)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.(m1_rlsub_1 \\ & X2 X0) \Rightarrow ((m1_rlsub_1 X1 (k1_rlsub_2 X0 X1 X2)) \wedge (m1_rlsub_1 X2 (k1_rlsub_2 \\ & X0 X1 X2)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.(m1_rlsub_1 \\ & X2 X0) \Rightarrow (\forall X3.(m1_rlsub_1 X3 X0) \Rightarrow (k1_rlsub_2 X0 X1 (k1_rlsub_2 \\ & X0 X2 X3) = k1_rlsub_2 X0 (k1_rlsub_2 X0 X1 X2) X3)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (m1_rlsub_1 (k1_rlsub_1 \\ & X0) X1)) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. (r1_tarski X0 X1) \Rightarrow (k3_xboole_0 X0 X1 = X0) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (m1_rlsub_1 X0 X0) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((r1_tarski X0 X1) \wedge (r1_tarski X1 X2)) \Rightarrow (r1_tarski X0 X2) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.((v1_rlvect_1 \\ & X2) \wedge (m1_rlsub_1 X2 X0) \Rightarrow ((m1_rlsub_1 X2 X1) \Leftrightarrow (k2_rlsub_2 X0 X2 \\ & X1 = X2)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.(m1_rlsub_1 \\ & X2 X0) \Rightarrow ((m1_rlsub_1 (k2_rlsub_2 X0 X1 X2) X1) \wedge (m1_rlsub_1 (k2_rlsub_2 \\ & X0 X1 X2) X2)))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.(m1_rlsub_1 \\ & X2 X0) \Rightarrow (k2_rlsub_2 X0 X1 X2 = k2_rlsub_2 X0 X2 X1))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.((v1_rlvect_1 \\ & X2) \wedge (m1_rlsub_1 X2 X0) \Rightarrow ((r1_tarski (u1_struct_0 X1) (u1_struct_0 \\ & X2)) \Rightarrow (k1_rlsub_2 X0 X1 X2 = X2)))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.(m1_rlsub_1 \\ & X2 X0) \Rightarrow (r1_tarski (u1_struct_0 X1) (u1_struct_0 (k1_rlsub_2 X0 \\ & X1 X2)))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.(m1_rlsub_1 \\ & X2 X0) \Rightarrow (k1_rlsub_2 X0 X1 X2 = k1_rlsub_2 X0 X2 X1))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.(m1_rlsub_1 \\ & X2 X0) \Rightarrow (r1_tarski (u1_struct_0 (k2_rlsub_2 X0 X1 X2)) (u1_struct_0 \\ & X1)))) \end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow ((\neg v2_struct_0 \\ & X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge \\ & ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 \\ & X1) \wedge ((v8_rlvect_1 X1) \wedge (l1_rlvect_1 X1)))))))))) \end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\ & ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 \\ & X0) \wedge (l1_rlvect_1 X0)))))))))) \wedge ((m1_rlsub_1 X1 X0) \wedge (m1_rlsub_1 \\ & X2 X0))) \Rightarrow ((v1_rlvect_1 (k2_rlsub_2 X0 X1 X2)) \wedge (m1_rlsub_1 (k2_rlsub_2 \\ & X0 X1 X2) X0)) \end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\ & ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 \\ & X0) \wedge (l1_rlvect_1 X0)))))))))) \wedge ((m1_rlsub_1 X1 X0) \wedge (m1_rlsub_1 \\ & X2 X0))) \Rightarrow ((v1_rlvect_1 (k1_rlsub_2 X0 X1 X2)) \wedge (m1_rlsub_1 (k1_rlsub_2 \\ & X0 X1 X2) X0)) \end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow ((v1_rlvect_1 (k1_rlsub_1 X0)) \wedge (m1_rlsub_1 (k1_rlsub_1 \\ & X0) X0)) \end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.(m1_rlsub_1 \\
& X2 X0) \Rightarrow (\forall X3.((v1_rlvect_1 X3) \wedge (m1_rlsub_1 X3 X0)) \Rightarrow ((X3 = \\
& k2_rlsub_2 X0 X1 X2) \Leftrightarrow (u1_struct_0 X3 = k3_xboole_0 (u1_struct_0 \\
& X1) (u1_struct_0 X2))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 \\
& X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 \\
& X1) \wedge (l1_rlvect_1 X1)))))))))) \Rightarrow ((m1_rlsub_1 X1 X0) \Leftrightarrow ((r1_tarski \\
& (u1_struct_0 X1) (u1_struct_0 X0)) \wedge ((k4_struct_0 X1 = k4_struct_0 \\
& X0) \wedge ((u1_algstr_0 X1 = k1_realset1 (u1_algstr_0 X0) (u1_struct_0 \\
& X1)) \wedge (u1_rlvect_1 X1 = k5_relat_1 (u1_rlvect_1 X0) (k2_zfmisc_1 \\
& k1_numbers (u1_struct_0 X1))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\forall X0. \forall X1. k3_xboole_0 X0 X1 = k3_xboole_0 X1 X0 \tag{22}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.(m1_rlsub_1 \\
& X2 X0) \Rightarrow (u1_struct_0 (k1_rlsub_2 X0 (k2_rlsub_2 X0 X1 X2) X2) = u1_struct_0 \\
& X2)))
\end{aligned}$$