

l3_limfunc1

(TMWKSCZK4Bg2HDi8f86fWyYV9ZCerX2j8Ro)

October 27, 2020

Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k20_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Let $k18_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v1_valued_0 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_membered : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. ((r1_tarski X0 X1) \wedge (r1_tarski X1 X2)) \Rightarrow (r1_tarski X0 X2) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. r1_tarski (k3_xboole_0 X0 X1) X0 \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \quad (3)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v5_relat_1 X1 X0)) \Rightarrow (k2_relset_1 X0 X1 = k10_xtuple_0 X1) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((v3_membered X1)\wedge((v3_membered X2)\wedge(((v1_funct_1 X3)\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\wedge((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 X2)))))))\Rightarrow(k20_valued_1 X0 X1 X2 X3 X4 = k18_valued_1 X3 X4) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(k1_relset_1 X0 X1 = k9_xtuple_0 X1) \quad (7)$$

Assume the following.

$$v3_membered k1_numbers \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_valued_0 X0)))\wedge((v1_relat_1 X1)\wedge((v1_funct_1 X1)\wedge(v1_valued_0 X1))))\Rightarrow(((v1_relat_1 (k18_valued_1 X0 X1))\wedge((v1_funct_1 (k18_valued_1 X0 X1))\wedge(v1_valued_0 (k18_valued_1 X0 X1)))) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((v3_membered X1)\wedge((v3_membered X2)\wedge(((v1_funct_1 X3)\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\wedge((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 X2)))))))\Rightarrow((v1_funct_1 (k20_valued_1 X0 X1 X2 X3 X4))\wedge(m1_subset_1 (k20_valued_1 X0 X1 X2 X3 X4) (k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(m1_subset_1 (k1_relset_1 X0 X1) (k1_zfmisc_1 X0)) \quad (11)$$

Assume the following.

$$\forall X0.(((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_valued_0 X0)))\Rightarrow((\forall X1.(((v1_relat_1 X1)\wedge((v1_funct_1 X1)\wedge(v1_valued_0 X1))))\Rightarrow((\forall X2.(((v1_relat_1 X2)\wedge(v1_funct_1 X2))\Rightarrow((X2 = k18_valued_1 X0 X1)\Leftrightarrow((k9_xtuple_0 X2 = k3_xboole_0 (k9_xtuple_0 X0) (k9_xtuple_0 X1))\wedge(\forall X3.(X3 \in k9_xtuple_0 X2)\Rightarrow(k1_funct_1 X2 X3 = k3_xcmplx_0 (k1_funct_1 X0 X3) (k1_funct_1 X1 X3)))))))))) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.(((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_valued_0 X0)))\wedge((v1_relat_1 X1)\wedge((v1_funct_1 X1)\wedge(v1_valued_0 X1))))\Rightarrow(k18_valued_1 X0 X1 = k18_valued_1 X1 X0) \quad (13)$$

Assume the following.

$$\forall X0.(v3_membered\ X0)\Rightarrow(v1_membered\ X0) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1\ X2\ (k1_zfmisc_1\ (k2_zfmisc_1\ X0\ X1)))\Rightarrow((v4_relat_1\ X2\ X0)\wedge(v5_relat_1\ X2\ X1)) \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1\ X2\ (k1_zfmisc_1\ (k2_zfmisc_1\ X0\ X1)))\Rightarrow(v1_relat_1\ X2) \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.(v1_membered\ X1)\Rightarrow(\forall X2.(m1_subset_1\ X2\ (k1_zfmisc_1\ (k2_zfmisc_1\ X0\ X1)))\Rightarrow(v1_valued_0\ X2)) \quad (17)$$

Theorem 1

$$\begin{aligned} & \forall X0.((v1_funct_1\ X0)\wedge((v1_funct_2\ X0\ k5_numbers\ k1_numbers)\wedge \\ & (m1_subset_1\ X0\ (k1_zfmisc_1\ (k2_zfmisc_1\ k5_numbers\ k1_numbers))))\Rightarrow \\ & (\forall X1.((v1_funct_1\ X1)\wedge(m1_subset_1\ X1\ (k1_zfmisc_1\ (k2_zfmisc_1\ k1_numbers\ k1_numbers))))\Rightarrow(\forall X2.((v1_funct_1\ X2)\wedge(m1_subset_1 \\ & X2\ (k1_zfmisc_1\ (k2_zfmisc_1\ k1_numbers\ k1_numbers))))\Rightarrow((r1_tarski \\ & (k2_relset_1\ k1_numbers\ X0)\ (k1_relset_1\ k1_numbers\ (k20_valued_1 \\ & k1_numbers\ k1_numbers\ k1_numbers\ X1\ X2)))\Rightarrow((k1_relset_1\ k1_numbers \\ & (k20_valued_1\ k1_numbers\ k1_numbers\ k1_numbers\ X1\ X2) = k9_subset_1 \\ & k1_numbers\ (k1_relset_1\ k1_numbers\ X1)\ (k1_relset_1\ k1_numbers \\ & X2))\wedge((r1_tarski\ (k2_relset_1\ k1_numbers\ X0)\ (k1_relset_1\ k1_numbers \\ & X1))\wedge(r1_tarski\ (k2_relset_1\ k1_numbers\ X0)\ (k1_relset_1\ k1_numbers \\ & X2)))))) \end{aligned}$$