

l3_polyeq_2

(TMZpe4Cx Dify JHvoc YCz VGFtg CK8Sj AGwrZ)

October 27, 2020

Let $v1_abian : \iota \Rightarrow o$ be given. Let $np_4 : \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $np_2 : \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $k3_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_int_1 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 \ np_2) \wedge (m2_subset_1 \ np_2 \ k1_numbers \ k5_numbers)) \wedge \\ & ((m1_subset_1 \ np_2 \ k5_numbers) \wedge (m1_subset_1 \ np_2 \ k1_numbers)) \end{aligned} \quad (1)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (2)$$

Assume the following.

$$np_4 = k3_xcmplx_0 \ np_2 \ np_2 \quad (3)$$

Assume the following.

$$\forall X0. (v1_int_1 \ X0) \Rightarrow (v1_abian \ (k3_xcmplx_0 \ np_2 \ X0)) \quad (4)$$

Assume the following.

$$\forall X0. (m1_subset_1 \ X0 \ k4_ordinal1) \Rightarrow (v7_ordinal1 \ X0) \quad (5)$$

Assume the following.

$$\forall X0. (v7_ordinal1 \ X0) \Rightarrow (v1_int_1 \ X0) \quad (6)$$

Theorem 1 $v1_abian \ np_4$.