

l41_matrlin

(TMX6Hy1rEAN4UFUn7vhJZ729N1dCBYo6dYw)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_matrlin : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_matrlin : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k9_matrlin : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_numbers : \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_vectsp_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_vectsp_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_vectsp_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $np_1 : \iota$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & (\forall X1.((v1_relat_1 X1) \wedge (v1_funct_1 X1) \wedge (v1_finseq_1 \\ & X1))) \Rightarrow ((k3_finseq_1 X0 = k3_finseq_1 X1) \Leftrightarrow (k1_relset_1 k5_numbers \\ & X0 = k1_relset_1 k5_numbers X1))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)) \Rightarrow (k1_relset_1 X0 X1 = k9_xtuple_0 X1) \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0)\Rightarrow((v1_funct_1 X1)\wedge((v1_finseq_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))))) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(\neg v6_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v33_algstr_0 X0)\wedge((v3_group_1 X0)\wedge((v5_group_1 X0)\wedge((v4_vectsp_1 X0)\wedge((v5_vectsp_1 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge(l6_algstr_0 X0))))))))))\wedge((\neg v2_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge((v8_vectsp_1 X1 X0)\wedge((v9_vectsp_1 X1 X0)\wedge((v10_vectsp_1 X1 X0)\wedge((v11_vectsp_1 X1 X0)\wedge((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge((v1_matrlin X1 X0)\wedge(l1_vectsp_1 X1 X0))))))))))\Rightarrow(\forall X2.(m1_matrlin X2 X0 X1)\Rightarrow(m2_finseq_1 X2 (u1_struct_0 X1))) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 X0)\wedge(\neg v6_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v33_algstr_0 X0)\wedge((v3_group_1 X0)\wedge((v5_group_1 X0)\wedge((v4_vectsp_1 X0)\wedge((v5_vectsp_1 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge(l6_algstr_0 X0))))))))))\wedge((\neg v2_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge((v8_vectsp_1 X1 X0)\wedge((v9_vectsp_1 X1 X0)\wedge((v10_vectsp_1 X1 X0)\wedge((v11_vectsp_1 X1 X0)\wedge((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge((v1_matrlin X1 X0)\wedge(l1_vectsp_1 X1 X0))))))))))\wedge((m1_matrlin X2 X0 X1)\wedge(m1_subset_1 X3 (u1_struct_0 X1))))\Rightarrow(m2_finseq_1 (k9_matrlin X0 X1 X2 X3) (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge \\
& (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 \\
& X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\
& X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& ((v1_matrlin X1 X0) \wedge (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2. \\
& (m1_matrlin X2 X0 X1) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\
& X1) \Rightarrow (\forall X4.(m2_finseq_1 X4 (u1_struct_0 X0) \Rightarrow ((X4 = k9_matrlin \\
& X0 X1 X2 X3) \Leftrightarrow ((k3_finseq_1 X4 = k3_finseq_1 X2) \wedge (\exists X5.(m1_vectsp_6 \\
& X5 X0 X1) \wedge ((X3 = k4_vectsp_6 X0 X1 X5) \wedge ((r1_tarski (k1_vectsp_6 \\
& X0 X1 X5) (k10_xtuple_0 X2)) \wedge (\forall X6.(v7_ordinal1 X6) \Rightarrow (((\\
& r1_xxreal_0 np_1 X6) \wedge (r1_xxreal_0 X6 (k3_finseq_1 X4)) \Rightarrow (k7_partfun1 \\
& (u1_struct_0 X0) X4 X6 = k3_funct_2 (u1_struct_0 X1) (u1_struct_0 \\
& X0) X5 (k7_partfun1 (u1_struct_0 X1) X2 X6))))))))))))) \tag{6}
\end{aligned}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow ((v4_relat_1 X2 X0) \wedge (v5_relat_1 X2 X1)) \tag{7}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \tag{8}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge \\
& (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 \\
& X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\
& X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& ((v1_matrlin X1 X0) \wedge (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2. \\
& (m1_matrlin X2 X0 X1) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\
& X1) \Rightarrow (k9_xtuple_0 (k9_matrlin X0 X1 X2 X3) = k9_xtuple_0 X2)))
\end{aligned}$$