

# l43\_sprect\_5 (TMQxGBcFt- fwN7K5uPNnqdGRJRFwXVkJZAvRZ)

October 27, 2020

Let  $v3\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $v1\_finseq\_6 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k15\_euclid : \iota \Rightarrow \iota$  be given. Let  $np\_2 : \iota$  be given. Let  $v1\_topreal1 : \iota \Rightarrow o$  be given. Let  $v2\_topreal1 : \iota \Rightarrow o$  be given. Let  $v1\_goboard5 : \iota \Rightarrow o$  be given. Let  $v2\_goboard5 : \iota \Rightarrow o$  be given. Let  $v1\_sprect\_2 : \iota \Rightarrow o$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k7\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $np\_1 : \iota$  be given. Let  $k18\_pscomp\_1 : \iota \Rightarrow \iota$  be given. Let  $k3\_topreal1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_finseq\_4 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k24\_pscomp\_1 : \iota \Rightarrow \iota$  be given. Let  $k20\_pscomp\_1 : \iota \Rightarrow \iota$  be given. Let  $v1\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $m1\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $k22\_pscomp\_1 : \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_finseq\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0.(v1\_xxreal\_0 X0) \Rightarrow (\forall X1.(v1\_xxreal\_0 X1) \Rightarrow (\forall X2. \\ & (v1\_xxreal\_0 X2) \Rightarrow (((r1\_xxreal\_0 X0 X1) \wedge (r1\_xxreal\_0 X1 X2)) \Rightarrow \\ & (r1\_xxreal\_0 X0 X2)))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.(m2\_finseq\_1 X1 X0) \Leftrightarrow (m1\_finseq\_1 X1 X0) \quad (2)$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v3\_funct\_1 X0) \wedge ((\neg v1\_xboole\_0 X0) \wedge ((v1\_finseq\_6 \\ & X0 (u1\_struct\_0 (k15\_euclid np\_2))) \wedge ((v1\_topreal1 X0) \wedge ((v2\_topreal1 \\ & X0) \wedge ((v1\_goboard5 X0) \wedge ((v2\_goboard5 X0) \wedge ((v1\_sprect\_2 X0) \wedge \\ & (m2\_finseq\_1 X0 (u1\_struct\_0 (k15\_euclid np\_2)))))))))) \Rightarrow ( \\ & \neg(k7\_partfun1 (u1\_struct\_0 (k15\_euclid np\_2)) X0 np\_1 = k18\_pscomp\_1 \\ & (k3\_topreal1 np\_2 X0)) \wedge (r1\_xxreal\_0 (k4\_finseq\_4 X0 (k22\_pscomp\_1 \\ & (k3\_topreal1 np\_2 X0))) (k4\_finseq\_4 X0 (k20\_pscomp\_1 (k3\_topreal1 \\ & np\_2 X0)))))) \end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v3\_funct\_1 X0) \wedge ((\neg v1\_xboole\_0 X0) \wedge ((v1\_finseq\_6 \\ & X0 (u1\_struct\_0 (k15\_euclid np\_2))) \wedge ((v1\_topreal1 X0) \wedge ((v2\_topreal1 \\ & X0) \wedge ((v1\_goboard5 X0) \wedge ((v2\_goboard5 X0) \wedge ((v1\_sprect\_2 X0) \wedge \\ & (m2\_finseq\_1 X0 (u1\_struct\_0 (k15\_euclid np\_2)))))))))) \Rightarrow ( \\ & \neg(k7\_partfun1 (u1\_struct\_0 (k15\_euclid np\_2)) X0 np\_1 = k18\_pscomp\_1 \\ & (k3\_topreal1 np\_2 X0)) \wedge (r1\_xxreal\_0 (k4\_finseq\_4 X0 (k24\_pscomp\_1 \\ & (k3\_topreal1 np\_2 X0))) (k4\_finseq\_4 X0 (k22\_pscomp\_1 (k3\_topreal1 \\ & np\_2 X0)))))) \end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m2\_finseq\_1 X1 X0) \Rightarrow ((v1\_funct\_1 X1) \wedge ( \\ & (v1\_finseq\_1 X1) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers \\ & X0)))))) \end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1\_finseq\_1 X1 X0) \Rightarrow ((v1\_relat\_1 X1) \wedge ( \\ & (v1\_funct\_1 X1) \wedge (v1\_finseq\_1 X1))) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 \\ & X0))) \Rightarrow (m1\_subset\_1 (k4\_finseq\_4 X0 X1) k5\_numbers) \end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1\_xxreal\_0 X0) \wedge (v1\_xxreal\_0 X1)) \Rightarrow ( \\ & (r1\_xxreal\_0 X0 X1) \vee (r1\_xxreal\_0 X1 X0)) \end{aligned} \tag{9}$$

Assume the following.

$$\forall X0. (m1\_subset\_1 X0 k4\_ordinal1) \Rightarrow (v7\_ordinal1 X0) \tag{10}$$

Assume the following.

$$\forall X0. (v7\_ordinal1 X0) \Rightarrow (v1\_xxreal\_0 X0) \tag{11}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v3\_funct\_1 X0) \wedge ((\neg v1\_xboole\_0 X0) \wedge ((v1\_finseq\_6 \\ & X0 (u1\_struct\_0 (k15\_euclid np\_2))) \wedge ((v1\_topreal1 X0) \wedge ((v2\_topreal1 \\ & X0) \wedge ((v1\_goboard5 X0) \wedge ((v2\_goboard5 X0) \wedge ((v1\_sprect\_2 X0) \wedge \\ & (m2\_finseq\_1 X0 (u1\_struct\_0 (k15\_euclid np\_2)))))))))) \Rightarrow ( \\ & \neg(k7\_partfun1 (u1\_struct\_0 (k15\_euclid np\_2)) X0 np\_1 = k18\_pscomp\_1 \\ & (k3\_topreal1 np\_2 X0) \wedge (r1\_xxreal\_0 (k4\_finseq\_4 X0 (k24\_pscomp\_1 \\ & (k3\_topreal1 np\_2 X0))) (k4\_finseq\_4 X0 (k20\_pscomp\_1 (k3\_topreal1 \\ & np\_2 X0)))))) \end{aligned}$$