

## l46\_scmpds\_2

(TMGnfoDzrgyQQFW5TYU3Fohc7RshKvq5r1n)

October 27, 2020

Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_compos\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_scmpds\_2 : \iota$  be given. Let  $k7\_card\_1 : \iota \Rightarrow \iota$  be given. Let  $np\_15 : \iota$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_ami\_2 : \iota$  be given. Let  $k2\_ami\_2 : \iota$  be given. Let  $k4\_numbers : \iota$  be given. Let  $k3\_xtuple\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $k3\_scmpds\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_tarski : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $np\_2 : \iota$  be given. Let  $np\_3 : \iota$  be given. Let  $k2\_compos\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $v1\_compos\_0 : \iota \Rightarrow o$  be given. Let  $k4\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k4\_tarski : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_compos\_0 : \iota \Rightarrow o$  be given. Let  $v3\_compos\_0 : \iota \Rightarrow o$  be given. Let  $v5\_compos\_0 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_partfun1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_card\_3 : \iota \Rightarrow \iota$  be given. Let  $k3\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $g1\_extpro\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_scmpds\_i : \iota$  be given. Let  $k6\_scmpds\_1 : \iota$  be given. Let  $k3\_ami\_2 : \iota$  be given. Let  $k4\_ami\_2 : \iota$  be given. Let  $v1\_extpro\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_extpro\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_funct\_7 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_numbers : \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $u2\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $u1\_memstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u2\_memstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u1\_extpro\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge (v1\_compos\_0 X0)) \wedge \\ & (m1\_subset\_1 X1 X0) \Rightarrow (k2\_compos\_0 X0 X1 = k4\_xtuple\_0 X1) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. k1\_xtuple\_0 (k4\_tarski X0 X1) = X0 \quad (2)$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\
& \forall X6.((m1\_subset\_1 X2 X1)\wedge(((v1\_compos\_0 X3)\wedge((v2\_compos\_0 \\
& X3)\wedge((v3\_compos\_0 X3)\wedge(v5\_compos\_0 X3))))\wedge(((v1\_funct\_1 X4)\wedge \\
& ((v1\_funct\_2 X4 X1 X0)\wedge(m1\_subset\_1 X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& X1 X0))))\wedge(((v1\_relat\_1 X5)\wedge((v4\_relat\_1 X5 X0)\wedge((v1\_funct\_1 \\
& X5)\wedge(v1\_partfun1 X5 X0))))\wedge((v1\_funct\_1 X6)\wedge((v1\_funct\_2 X6 \\
& X3 (k1\_funct\_2 (k4\_card\_3 (k3\_relat\_1 X4 X5)) (k4\_card\_3 (k3\_relat\_1 \\
& X4 X5))))\wedge(m1\_subset\_1 X6 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X3 (k1\_funct\_2 \\
& (k4\_card\_3 (k3\_relat\_1 X4 X5)) (k4\_card\_3 (k3\_relat\_1 X4 X5))))))))))\Rightarrow \\
& (\forall X7.\forall X8.\forall X9.\forall X10.\forall X11.\forall X12. \\
& \forall X13.(g1\_extpro\_1 X0 X1 X2 X3 X4 X5 X6 = g1\_extpro\_1 X7 X8 X9 \\
& X10 X11 X12 X13)\Rightarrow((X0 = X7)\wedge((X1 = X8)\wedge((X2 = X9)\wedge((X3 = X10)\wedge((X4 = \\
& X11)\wedge((X5 = X12)\wedge(X6 = X13))))))))))
\end{aligned} \tag{3}$$

Assume the following.

$$v5\_compos\_0 k1\_scmpds\_i \tag{4}$$

Assume the following.

$$v3\_compos\_0 k1\_scmpds\_i \tag{5}$$

Assume the following.

$$v2\_compos\_0 k1\_scmpds\_i \tag{6}$$

Assume the following.

$$v1\_compos\_0 k1\_scmpds\_i \tag{7}$$

Assume the following.

$$\neg v1\_xboole\_0 k1\_scmpds\_i \tag{8}$$

Assume the following.

$$\begin{aligned}
& (v1\_funct\_1 k6\_scmpds\_1)\wedge((v1\_funct\_2 k6\_scmpds\_1 k1\_scmpds\_i \\
& (k1\_funct\_2 (k4\_card\_3 (k3\_relat\_1 k3\_ami\_2 k4\_ami\_2)) (k4\_card\_3 \\
& (k3\_relat\_1 k3\_ami\_2 k4\_ami\_2))))\wedge(m1\_subset\_1 k6\_scmpds\_1 \\
& (k1\_zfmisc\_1 (k2\_zfmisc\_1 k1\_scmpds\_i (k1\_funct\_2 (k4\_card\_3 \\
& (k3\_relat\_1 k3\_ami\_2 k4\_ami\_2)) (k4\_card\_3 (k3\_relat\_1 k3\_ami\_2 \\
& k4\_ami\_2))))))
\end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned}
& (v1\_relat\_1 k4\_ami\_2)\wedge((v4\_relat\_1 k4\_ami\_2 np\_2)\wedge((v1\_funct\_1 \\
& k4\_ami\_2)\wedge(v1\_partfun1 k4\_ami\_2 np\_2)))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& (v1\_funct\_1 k3\_ami\_2)\wedge((v1\_funct\_2 k3\_ami\_2 k1\_ami\_2 np\_2)\wedge \\
& (m1\_subset\_1 k3\_ami\_2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k1\_ami\_2 np\_2))))
\end{aligned} \tag{11}$$

Assume the following.

$$(v1\_extpro\_1\ k1\_scmpds\_2\ np\_2) \wedge (l1\_extpro\_1\ k1\_scmpds\_2\ np\_2) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.m1\_subset\_1\ (k1\_funct\_7\ X0\ X1)\ X1 \quad (13)$$

Assume the following.

$$\forall X0.k4\_xtuple\_0\ X0 = k1\_xtuple\_0\ (k1\_xtuple\_0\ X0) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.k3\_xtuple\_0\ X0\ X1\ X2 = k4\_tarski\ (k4\_tarski\ X0\ X1)\ X2 \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(X2 = k2\_tarski\ X0\ X1) \Leftrightarrow (\forall X3. (X3 \in X2) \Leftrightarrow ((X3 = X0) \vee (X3 = X1))) \quad (16)$$

Assume the following.

$$k1\_scmpds\_2 = g1\_extpro\_1\ np\_2\ k1\_ami\_2\ (k1\_funct\_7\ k5\_numbers\ k1\_ami\_2)\ k1\_scmpds\_i\ k3\_ami\_2\ k4\_ami\_2\ k6\_scmpds\_1 \quad (17)$$

Assume the following.

$$\forall X0.\forall X1.(l1\_extpro\_1\ X1\ X0) \Rightarrow ((v1\_extpro\_1\ X1\ X0) \Rightarrow (X1 = g1\_extpro\_1\ X0\ (u1\_struct\_0\ X1)\ (u2\_struct\_0\ X1)\ (u1\_compos\_1\ X1)\ (u1\_memstr\_0\ X0\ X1)\ (u2\_memstr\_0\ X0\ X1)\ (u1\_extpro\_1\ X0\ X1))) \quad (18)$$

### Theorem 1

$$\begin{aligned} & \forall X0.(m1\_subset\_1\ X0\ (u1\_compos\_1\ k1\_scmpds\_2)) \Rightarrow (\neg(X0 \in \\ & \text{ReplSep3}\ (to\text{set}\ (\lambda X1 : \iota.m1\_subset\_1\ X1\ (k7\_card\_1\ np\_15)))) \\ & (\lambda X1 : \iota.to\text{set}\ (\lambda X2 : \iota.m2\_subset\_1\ X2\ k1\_ami\_2\ k2\_ami\_2)) \\ & (\lambda X1 : \iota.\lambda X2 : \iota.to\text{set}\ (\lambda X3 : \iota.m1\_subset\_1\ X3\ k4\_numbers)) \\ & (\lambda X1 : \iota.\lambda X2 : \iota.\lambda X3 : \iota.X1 \in k2\_tarski\ np\_2\ np\_3) \\ & (\lambda X1 : \iota.\lambda X2 : \iota.\lambda X3 : \iota.k3\_xtuple\_0\ X1\ k1\_xboole\_0 \\ & (k3\_scmpds\_1\ X2\ X3))) \wedge ((k2\_compos\_0\ (u1\_compos\_1\ k1\_scmpds\_2) \\ & X0 \neq np\_2) \wedge (k2\_compos\_0\ (u1\_compos\_1\ k1\_scmpds\_2)\ X0 \neq np\_3)) \end{aligned}$$