

l49_orders_1 (TMHgPgaZcMQTCX- twy62oiPudaCUgbEtVTSq)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $r6_relat_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v6_relat_2 : \iota \Rightarrow o$ be given. Let $k2_wellord1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_relat_1 : \iota \Rightarrow \iota$ be given. Let $k6_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. (v1_relat_1 X2) \Rightarrow ((X0 \in k1_relat_1 (k2_wellord1 X2 X1)) \Rightarrow ((X0 \in k1_relat_1 X2) \wedge (X0 \in X1))) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (v1_relat_1 X1) \Rightarrow (k2_wellord1 X1 X0 = k6_relat_1 X0 (k5_relat_1 X1 X0)) \quad (2)$$

Assume the following.

$$\forall X0. (v1_relat_1 X0) \Rightarrow ((v6_relat_2 X0) \Leftrightarrow (\forall X1. \forall X2. \neg (X1 \in k1_relat_1 X0) \wedge ((X2 \in k1_relat_1 X0) \wedge ((X1 \neq X2) \wedge ((\neg k4_tarski X1 X2 \in X0) \wedge (\neg k4_tarski X2 X1 \in X0)))))) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (v1_relat_1 X0) \Rightarrow (v1_relat_1 (k5_relat_1 X0 X1)) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. (v1_relat_1 X0) \Rightarrow (v1_relat_1 (k2_wellord1 X0 X1)) \quad (5)$$

Assume the following.

$$\forall X0. (v1_relat_1 X0) \Rightarrow (\forall X1. (r6_relat_2 X0 X1) \Leftrightarrow (\forall X2. \forall X3. \neg (X2 \in X1) \wedge ((X3 \in X1) \wedge ((X2 \neq X3) \wedge ((\neg k4_tarski X2 X3 \in X0) \wedge (\neg k4_tarski X3 X2 \in X0)))))) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (v1_relat_1 X1) \Rightarrow (\forall X2. (v1_relat_1 \\ & X2) \Rightarrow ((X2 = k6_relat_1 X0 X1) \Leftrightarrow (\forall X3. \forall X4. (k4_tarski \\ & X3 X4 \in X2) \Leftrightarrow ((X4 \in X0) \wedge (k4_tarski X3 X4 \in X1)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0. (v1_relat_1 X0) \Rightarrow (\forall X1. \forall X2. (v1_relat_1 \\ & X2) \Rightarrow ((X2 = k5_relat_1 X0 X1) \Leftrightarrow (\forall X3. \forall X4. (k4_tarski \\ & X3 X4 \in X2) \Leftrightarrow ((X3 \in X1) \wedge (k4_tarski X3 X4 \in X0)))))) \end{aligned} \quad (8)$$

Theorem 1

$$\begin{aligned} & \forall X0. (v1_relat_1 X0) \Rightarrow (\forall X1. (r6_relat_2 X0 X1) \Rightarrow (v6_relat_2 \\ & (k2_wellord1 X0 X1))) \end{aligned}$$