

l4_rusub_3

(TMZ6ZVVDkUm2FFJJvd5fVFXJvzGbUUGvJ4m)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_bhsp_1 : \iota \Rightarrow o$ be given. Let $l1_bhsp_1 : \iota \Rightarrow o$ be given. Let $r1_struct_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_rusub_1 : \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_rusub_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $v1_bhsp_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1. (m1_rusub_1 X1 X0) \Rightarrow \\ & (r1_struct_0 X1 (k4_struct_0 X0))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \quad (2)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.(m1_rusub_1 X1 X0) \Rightarrow \\ & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\ & v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 \\ & X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v2_bhsp_1 X1) \wedge (l1_bhsp_1 \\ & X1))))))))))))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (5)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (7)$$

Assume the following.

$$\forall X0.(l1_bhsp_1 X0) \Rightarrow (l1_rlvect_1 X0) \quad (8)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (m1_subset_1 (k4_struct_0 X0) (u1_struct_0 X0)) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow ((v1_bhsp_1 (k1_rusub_1 X0)) \wedge \\ & (m1_rusub_1 (k1_rusub_1 X0) X0)) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(r1_struct_0 X0 X1) \Leftrightarrow (X1 \in u1_struct_0 X0)) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.((v1_bhsp_1 X1) \wedge \\ & m1_rusub_1 X1 X0) \Rightarrow ((X1 = k1_rusub_1 X0) \Leftrightarrow (u1_struct_0 X1 = k6_domain_1 \\ & (u1_struct_0 X0) (k4_struct_0 X0)))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.(X1 = k1_tarski\ X0) \Leftrightarrow (\forall X2.(X2 \in X1) \Leftrightarrow (X2 = X0)) \quad (13)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0\ X0) \wedge ((v13_algstr_0\ X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1\ X0) \wedge ((v4_rlvect_1\ X0) \wedge ((v5_rlvect_1\ X0) \wedge \\ & ((v6_rlvect_1\ X0) \wedge ((v7_rlvect_1\ X0) \wedge ((v8_rlvect_1\ X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1\ X0)))))))))) \Rightarrow (\forall X1.(r1_struct_0\ (k1_rusub_1 \\ & X0)\ X1) \Leftrightarrow (X1 = k4_struct_0\ X0)) \end{aligned}$$