

l50_clopban3

(TMb2xAUZz8hJBsyrZvMRKcidDmPXpp63oFz)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v8_clvect_1 : \iota \Rightarrow o$ be given. Let $l2_clvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k1_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $v3_xxreal_0 : \iota \Rightarrow o$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_clvect_1 : \iota \Rightarrow o$ be given. Let $v2_membered : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \neg(v1_xboole_0 X0) \wedge ((X0 \neq X1) \wedge (v1_xboole_0 X1)) \quad (1)$$

Assume the following.

$$\forall X0. (v1_xreal_0 X0) \Rightarrow (\forall X1. (v1_xreal_0 X1) \Rightarrow ((r1_xxreal_0 X0 X1) \Rightarrow ((v1_xboole_0 X0) \vee ((v2_xxreal_0 X1) \vee (v3_xxreal_0 X0)))))) \quad (2)$$

Assume the following.

$$\forall X0. (v1_xreal_0 X0) \Rightarrow (\forall X1. (v1_xreal_0 X1) \Rightarrow (((r1_xxreal_0 X0 X1) \wedge (v3_xxreal_0 X1)) \Rightarrow (v3_xxreal_0 X0))) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge \\ & ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 \\ & X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (r1_xxreal_0 k6_numbers \\ & (k1_normsp_0 X0 X1))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_xxreal_0 X0) \wedge (v1_xxreal_0 X1)) \Rightarrow (r1_xxreal_0 X0 X0) \quad (5)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (6)$$

Assume the following.

$$\exists X0. (v1_xboole_0 X0) \wedge ((v1_xcmplx_0 X0) \wedge ((v1_xxreal_0 X0) \wedge (v1_xreal_0 X0))) \quad (7)$$

Assume the following.

$$v3_membered k1_numbers \quad (8)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (9)$$

Assume the following.

$$\forall X0. (l2_normsp_0 X0) \Rightarrow ((l1_normsp_0 X0) \wedge (l2_struct_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0. (l2_clvect_1 X0) \Rightarrow ((l1_clvect_1 X0) \wedge (l2_normsp_0 X0)) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (l1_normsp_0 X0)) \wedge \\ & (m1_subset_1 X1 (u1_struct_0 X0))) \Rightarrow (m1_subset_1 (k1_normsp_0 \\ & X0 X1) k1_numbers) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (l2_normsp_0 X0)) \Rightarrow ((v3_normsp_0 \\ & X0) \Leftrightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow ((k1_normsp_0 \\ & X0 X1 = k6_numbers) \Rightarrow (X1 = k4_struct_0 X0)))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.((v1_xxreal_0 X0) \wedge (v3_xxreal_0 X0)) \Rightarrow ((\neg v1_xboole_0 X0) \wedge ((v1_xxreal_0 X0) \wedge (\neg v2_xxreal_0 X0))) \quad (14)$$

Assume the following.

$$\forall X0.(v3_membered X0) \Rightarrow (v2_membered X0) \quad (15)$$

Assume the following.

$$\forall X0.((v1_xxreal_0 X0) \wedge (v2_xxreal_0 X0)) \Rightarrow ((\neg v1_xboole_0 X0) \wedge ((v1_xxreal_0 X0) \wedge (\neg v3_xxreal_0 X0))) \quad (16)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (v1_xreal_0 X0) \quad (17)$$

Assume the following.

$$\forall X0.(v2_membered X0) \Rightarrow (\forall X1.(m1_subset_1 X1 X0) \Rightarrow (v1_xxreal_0 X1)) \quad (18)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge \\ & ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 \\ & X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow ((\forall X2.(\\ & m1_subset_1 X2 k1_numbers) \Rightarrow (\neg(\neg r1_xxreal_0 X2 k6_numbers) \wedge (\\ & r1_xxreal_0 X2 (k1_normsp_0 X0 X1)))) \Rightarrow (X1 = k4_struct_0 X0))) \end{aligned}$$