

# l52\_geomtrap (TMGwVxsoDBgYKkT- TAJ213AZJMLQt4yAyfxZ)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k3\_rlvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k1\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v2\_rlvect\_1 X0) \wedge (l1\_algstr\_0 \\ & X0)) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0)))) \Rightarrow (k3\_rlvect\_1 X0 X1 X2 = k1\_algstr\_0 X0 X1 X2) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_rlvect\_1 \\ & X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l2\_algstr\_0 X0)))))) \Rightarrow (\forall X1. (m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0)) \Rightarrow (k4\_algstr\_0 X0 (k1\_algstr\_0 X0 X1 X2) = k1\_algstr\_0 X0 (k4\_algstr\_0 \\ & X0 X2) (k4\_algstr\_0 X0 X1)))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. (l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \quad (3)$$

Assume the following.

$$\forall X0. (l1\_rlvect\_1 X0) \Rightarrow (l2\_algstr\_0 X0) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. ((l2\_algstr\_0 X0) \wedge (m1\_subset\_1 X1 (u1\_struct\_0 X0))) \Rightarrow (m1\_subset\_1 (k4\_algstr\_0 X0 X1) (u1\_struct\_0 X0)) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((v2\_rlvect\_1 X0)\wedge(l1\_algstr\_0 \\ & X0))\wedge((m1\_subset\_1 X1 (u1\_struct\_0 X0))\wedge(m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0))))\Rightarrow(k3\_rlvect\_1 X0 X1 X2 = k3\_rlvect\_1 X0 X2 X1) \end{aligned} \quad (6)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0)\wedge((v13\_algstr\_0 X0)\wedge((v2\_rlvect\_1 \\ & X0)\wedge((v3\_rlvect\_1 X0)\wedge((v4\_rlvect\_1 X0)\wedge((v5\_rlvect\_1 X0)\wedge \\ & ((v6\_rlvect\_1 X0)\wedge((v7\_rlvect\_1 X0)\wedge((v8\_rlvect\_1 X0)\wedge(l1\_rlvect\_1 \\ & X0))))))))))\Rightarrow(\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0))\Rightarrow \\ & (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0))\Rightarrow(k3\_rlvect\_1 X0 \\ & (k4\_algstr\_0 X0 X1) (k4\_algstr\_0 X0 X2) = k4\_algstr\_0 X0 (k3\_rlvect\_1 \\ & X0 X1 X2)))) \end{aligned}$$