

l53_geomtrap (TM- RZPMx7W1rYBDKWwdKuE8Bo6w3ruANw59C)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $k6_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.(v1_xreal_0 X1) \Rightarrow (\forall X2. \\
 & ((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v2_rlvect_1 X2) \wedge ((\\
 & v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge ((v5_rlvect_1 X2) \wedge ((v6_rlvect_1 \\
 & X2) \wedge ((v7_rlvect_1 X2) \wedge ((v8_rlvect_1 X2) \wedge (l1_rlvect_1 X2)))))))))) \Rightarrow \\
 & (\forall X3.(m1_subset_1 X3 (u1_struct_0 X2)) \Rightarrow (k1_rlvect_1 X2 \\
 & X3 (k6_xcmplx_0 X0 X1) = k5_algstr_0 X2 (k1_rlvect_1 X2 X3 X0) (k1_rlvect_1 \\
 & X2 X3 X1))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 \\
 & X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\
 & X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
 & X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (k5_algstr_0 \\
 & X0 X1 (k1_algstr_0 X0 X2 X3) = k5_algstr_0 X0 (k5_algstr_0 X0 X1 X3) \\
 & X2))))
 \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
 & \forall X0.\forall X1.((m1_subset_1 X0 k1_numbers) \wedge (v1_xreal_0 \\
 & X1)) \Rightarrow (k9_real_1 X0 X1 = k6_xcmplx_0 X0 X1)
 \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v2_rlvect_1 X0)\wedge(l1_algstr_0 X0))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(k3_rlvect_1 X0 X1 X2 = k1_algstr_0 X0 X1 X2) \quad (4)$$

Assume the following.

$$v3_membered\ k1_numbers \quad (5)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0)\Rightarrow(l2_algstr_0 X0) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((l2_algstr_0 X0)\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(m1_subset_1 (k5_algstr_0 X0 X1 X2) (u1_struct_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(((l2_algstr_0 X0)\wedge(m1_subset_1 X1 (u1_struct_0 X0)))\Rightarrow(m1_subset_1 (k4_algstr_0 X0 X1) (u1_struct_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v2_rlvect_1 X0)\wedge(l1_algstr_0 X0))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(m1_subset_1 (k3_rlvect_1 X0 X1 X2) (u1_struct_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_rlvect_1 X0))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(v1_xreal_0 X2)))\Rightarrow(m1_subset_1 (k1_rlvect_1 X0 X1 X2) (u1_struct_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0)\Rightarrow((v3_rlvect_1 X0)\Leftrightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow(k1_algstr_0 X0 (k1_algstr_0 X0 X1 X2) X3 = k1_algstr_0 X0 X1 (k1_algstr_0 X0 X2 X3)))))) \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0.(l2_algstr_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k5_algstr_0 \\ X0 X1 X2 = k1_algstr_0 X0 X1 (k4_algstr_0 X0 X2)))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(((v2_rlvect_1 X0) \wedge (l1_algstr_0 \\ X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 \\ X0)))) \Rightarrow (k3_rlvect_1 X0 X1 X2 = k3_rlvect_1 X0 X2 X1) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.(v3_membered X0) \Rightarrow (\forall X1.(m1_subset_1 X1 X0) \Rightarrow \\ (v1_xreal_0 X1)) \end{aligned} \quad (15)$$

Theorem 1

$$\begin{aligned} \forall X0.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\ X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 k1_numbers) \Rightarrow \\ (\forall X5.(m1_subset_1 X5 k1_numbers) \Rightarrow (k5_algstr_0 X0 (k3_rlvect_1 \\ X0 X1 (k1_rlvect_1 X0 X2 X4)) (k3_rlvect_1 X0 X3 (k1_rlvect_1 X0 X2 \\ X5)) = k3_rlvect_1 X0 (k5_algstr_0 X0 X1 X3) (k1_rlvect_1 X0 X2 (k9_real_1 \\ X4 X5)))))))))) \end{aligned}$$