

# l56\_quofield

(TMW4r9coJC5PWHUC5sK4uUrMesaKM1dZRpz)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v6\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v5\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v1\_vectsp\_2 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k19\_quofield : \iota \Rightarrow \iota$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_quofield : \iota \Rightarrow \iota$  be given. Let  $k7\_quofield : \iota \Rightarrow \iota$  be given. Let  $k5\_binop\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k16\_quofield : \iota \Rightarrow \iota$  be given. Let  $k12\_quofield : \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $g6\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v36\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l5\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l3\_struct\_0 : \iota \Rightarrow o$  be given. Let  $u3\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l4\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l4\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l3\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k15\_quofield : \iota \Rightarrow \iota$  be given. Let  $k11\_quofield : \iota \Rightarrow \iota$  be given. Let  $k5\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k6\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u2\_algstr\_0 : \iota \Rightarrow \iota$  be given. Let  $u1\_algstr\_0 : \iota \Rightarrow \iota$  be given. Let  $u2\_struct\_0 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
& X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\
& ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 \\
& X0) \wedge ((v1\_vectsp\_2 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (\forall X1. \\
& (m2\_subset\_1 X1 (k1\_zfmisc\_1 (k1\_quofield X0)) (k7\_quofield X0)) \Rightarrow \\
& ((k5\_binop\_1 (k7\_quofield X0) (k16\_quofield X0) X1 (k12\_quofield \\
& X0) = X1) \wedge (k5\_binop\_1 (k7\_quofield X0) (k16\_quofield X0) (k12\_quofield \\
& X0) X1 = X1)))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge \\
& (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2. (m2\_subset\_1 \\
& X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.(((v1\_funct\_1 \\
& X1)\wedge((v1\_funct\_2 X1 (k2\_zfmisc\_1 X0 X0) X0)\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 \\
& (k2\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0) X0))))\wedge(((v1\_funct\_1 X2)\wedge \\
& (v1\_funct\_2 X2 (k2\_zfmisc\_1 X0 X0) X0)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 \\
& (k2\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0) X0))))\wedge((m1\_subset\_1 X3 X0)\wedge \\
& (m1\_subset\_1 X4 X0))))\Rightarrow(\forall X5.\forall X6.\forall X7.\forall X8. \\
& \forall X9.(g6\_algstr\_0 X0 X1 X2 X3 X4 = g6\_algstr\_0 X5 X6 X7 X8 X9)\Rightarrow \\
& ((X0 = X5)\wedge((X1 = X6)\wedge((X2 = X7)\wedge((X3 = X8)\wedge(X4 = X9))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0)\wedge((\neg v6\_struct\_0 X0)\wedge((v13\_algstr\_0 \\
& X0)\wedge((v2\_rlvect\_1 X0)\wedge((v3\_rlvect\_1 X0)\wedge((v4\_rlvect\_1 X0)\wedge \\
& ((v3\_group\_1 X0)\wedge((v5\_group\_1 X0)\wedge((v4\_vectsp\_1 X0)\wedge((v5\_vectsp\_1 \\
& X0)\wedge((v1\_vectsp\_2 X0)\wedge(l6\_algstr\_0 X0))))))))))\Rightarrow((\neg v2\_struct\_0 \\
& (k19\_quofield X0))\wedge(v36\_algstr\_0 (k19\_quofield X0)))
\end{aligned} \tag{4}$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0 X0)\wedge((\neg v6\_struct\_0 X0)\wedge(l5\_algstr\_0 X0)))\Rightarrow(\neg v1\_xboole\_0 (k7\_quofield X0)) \tag{5}$$

Assume the following.

$$\forall X0.(l3\_struct\_0 X0)\Rightarrow(m1\_subset\_1 (u3\_struct\_0 X0) (u1\_struct\_0 X0)) \tag{6}$$

Assume the following.

$$\forall X0.(l6\_algstr\_0 X0)\Rightarrow((l2\_algstr\_0 X0)\wedge(l5\_algstr\_0 X0)) \tag{7}$$

Assume the following.

$$\forall X0.(l5\_algstr\_0 X0)\Rightarrow((l4\_algstr\_0 X0)\wedge(l4\_struct\_0 X0)) \tag{8}$$

Assume the following.

$$\forall X0.(l4\_algstr\_0 X0)\Rightarrow((l3\_struct\_0 X0)\wedge(l3\_algstr\_0 X0)) \tag{9}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0)\wedge((\neg v6\_struct\_0 X0)\wedge(l5\_algstr\_0 \\
& X0)))\Rightarrow(m1\_subset\_1 (k7\_quofield X0) (k1\_zfmisc\_1 (k1\_zfmisc\_1 \\
& (k1\_quofield X0))))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0)\wedge((\neg v6\_struct\_0 X0)\wedge((v13\_algstr\_0 \\
& X0)\wedge((v2\_rlvect\_1 X0)\wedge((v3\_rlvect\_1 X0)\wedge((v4\_rlvect\_1 X0)\wedge \\
& ((v3\_group\_1 X0)\wedge((v5\_group\_1 X0)\wedge((v4\_vectsp\_1 X0)\wedge((v5\_vectsp\_1 \\
& X0)\wedge((v1\_vectsp\_2 X0)\wedge(l6\_algstr\_0 X0))))))))))\Rightarrow((v36\_algstr\_0 \\
& (k19\_quofield X0))\wedge(l6\_algstr\_0 (k19\_quofield X0)))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned} \forall X0. (& \neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\ & X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\ & ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 \\ & X0) \wedge ((v1\_vectsp\_2 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow ((v1\_funct\_1 \\ & (k16\_quofield X0)) \wedge ((v1\_funct\_2 (k16\_quofield X0) (k2\_zfmisc\_1 \\ & (k7\_quofield X0) (k7\_quofield X0)) (k7\_quofield X0)) \wedge (m1\_subset\_1 \\ & (k16\_quofield X0) (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 (k7\_quofield \\ & X0) (k7\_quofield X0)) (k7\_quofield X0)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0. (& \neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\ & X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\ & ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 \\ & X0) \wedge ((v1\_vectsp\_2 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow ((v1\_funct\_1 \\ & (k15\_quofield X0)) \wedge ((v1\_funct\_2 (k15\_quofield X0) (k2\_zfmisc\_1 \\ & (k7\_quofield X0) (k7\_quofield X0)) (k7\_quofield X0)) \wedge (m1\_subset\_1 \\ & (k15\_quofield X0) (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 (k7\_quofield \\ & X0) (k7\_quofield X0)) (k7\_quofield X0)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0. (& \neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\ & X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\ & ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 \\ & X0) \wedge ((v1\_vectsp\_2 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (m2\_subset\_1 \\ & (k12\_quofield X0) (k1\_zfmisc\_1 (k1\_quofield X0)) (k7\_quofield \\ & X0)) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0. (& \neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\ & X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\ & ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 \\ & X0) \wedge ((v1\_vectsp\_2 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (m2\_subset\_1 \\ & (k11\_quofield X0) (k1\_zfmisc\_1 (k1\_quofield X0)) (k7\_quofield \\ & X0)) \end{aligned} \quad (15)$$

Assume the following.

$$\forall X0. (l3\_struct\_0 X0) \Rightarrow (k5\_struct\_0 X0 = u3\_struct\_0 X0) \quad (16)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge (l4\_algstr\_0 X0)) \Rightarrow ((v4\_vectsp\_1 \\ X0) \Leftrightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow ((k6\_algstr\_0 \\ X0 X1 (k5\_struct\_0 X0) = X1) \wedge (k6\_algstr\_0 X0 (k5\_struct\_0 X0) X1 = \\ X1)))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} \forall X0.(l3\_algstr\_0 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (k6\_algstr\_0 \\ X0 X1 X2 = k5\_binop\_1 (u1\_struct\_0 X0) (u2\_algstr\_0 X0) X1 X2))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\ X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\ ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 \\ X0) \wedge ((v1\_vectsp\_2 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (k19\_quofield \\ X0 = g6\_algstr\_0 (k7\_quofield X0) (k15\_quofield X0) (k16\_quofield \\ X0) (k12\_quofield X0) (k11\_quofield X0)) \end{aligned} \quad (19)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 \\ X0)) \Rightarrow (v1\_xboole\_0 X1)) \quad (20)$$

Assume the following.

$$\begin{aligned} \forall X0.(l6\_algstr\_0 X0) \Rightarrow ((v36\_algstr\_0 X0) \Rightarrow (X0 = g6\_algstr\_0 \\ (u1\_struct\_0 X0) (u1\_algstr\_0 X0) (u2\_algstr\_0 X0) (u3\_struct\_0 \\ X0) (u2\_struct\_0 X0))) \end{aligned} \quad (21)$$

**Theorem 1**

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\ X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\ ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 \\ X0) \wedge ((v1\_vectsp\_2 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (v4\_vectsp\_1 \\ (k19\_quofield X0)) \end{aligned}$$