

l66_topgen_1
(TMLG6zTnXP9CVZYP2ghYCeN9zw6t5ZTGkPU)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_numbers : \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_topmetr : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k6_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_borsuk_5 : \iota$ be given. Assume the following.

$$u1_struct_0 \ k3_topmetr = k1_numbers \tag{1}$$

Assume the following.

$$k3_numbers = k6_subset_1 \ k1_numbers \ k1_borsuk_5 \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. m1_subset_1 \ (k6_subset_1 \ X0 \ X1) \ (k1_zfmisc_1 \ X0) \tag{3}$$

Theorem 1 $m1_subset_1 \ k3_numbers \ (k1_zfmisc_1 \ (u1_struct_0 \ k3_topmetr))$.