

# l67\_transgeo

## (TMK6asP8yorjkjp63iUKSxpecpbDCBhorZf)

October 27, 2020

Let  $v7\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v2\_analoaf : \iota \Rightarrow o$  be given. Let  $l1\_analoaf : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v5\_transgeo : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r3\_diraf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_analoaf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v4\_transgeo : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r2\_diraf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $r2\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k6\_partfun1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v7\_struct\_0 X0) \wedge ((v2\_analoaf X0) \wedge (l1\_analoaf X0))) \Rightarrow (\forall X1. ((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 (u1\_struct\_0 X0) (u1\_struct\_0 X0)) \wedge ((v3\_funct\_2 X1 (u1\_struct\_0 X0) (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X0))))))) \Rightarrow ((v4\_transgeo X1 X0) \Rightarrow ((v5\_transgeo X1 X0) \Leftrightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow (r2\_diraf X0 X2 (k3\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 X0) X1 X2) X3 (k3\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 X0) X1 X3)))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v7\_struct\_0 X0) \wedge ((v2\_analoaf X0) \wedge (l1\_analoaf X0))) \Rightarrow (\forall X1. ((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 (u1\_struct\_0 X0) (u1\_struct\_0 X0)) \wedge ((v3\_funct\_2 X1 (u1\_struct\_0 X0) (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X0))))))) \Rightarrow ((v4\_transgeo X1 X0) \Leftrightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow (r2\_diraf X0 X2 X3 (k3\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 X0) X1 X2) (k3\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 X0) X1 X3))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7\_struct\_0 X0) \wedge ((v2\_analoaf X0) \wedge (l1\_analoaf \\ & X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 \\ & (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow \\ & (((r2\_diraf X0 X1 X2 X3 X4) \wedge (r2\_diraf X0 X1 X3 X2 X4)) \Rightarrow ((r3\_diraf \\ & X0 X1 X2 X3) \vee ((r2\_analoaf X0 X1 X2 X3 X4) \wedge (r2\_analoaf X0 X1 X3 X2 X4))))))))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 (u1\_struct\_0 X0)) \quad (4)$$

Assume the following.

$$\forall X0.(l1\_analoaf X0) \Rightarrow (l1\_struct\_0 X0) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1\_xboole\_0 X0) \wedge \\ & (((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 X0 X1) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 X0 X1)))))) \wedge (m1\_subset\_1 X3 X0)) \Rightarrow (m1\_subset\_1 ( \\ & k3\_funct\_2 X0 X1 X2 X3) X1) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7\_struct\_0 X0) \wedge ((v2\_analoaf X0) \wedge (l1\_analoaf \\ & X0))) \Rightarrow (\forall X1.((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 (u1\_struct\_0 \\ & X0) (u1\_struct\_0 X0)) \wedge ((v3\_funct\_2 X1 (u1\_struct\_0 X0) (u1\_struct\_0 \\ & X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 \\ & X0) (u1\_struct\_0 X0)))))) \Rightarrow ((v5\_transgeo X1 X0) \Leftrightarrow ((v4\_transgeo \\ & X1 X0) \wedge ((r2\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 X0) X1 (k6\_partfun1 \\ & (u1\_struct\_0 X0))) \vee (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0)) \Rightarrow (X2 \neq k3\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 X0) X1 X2)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0.(l1\_struct\_0 X0) \Rightarrow ((v2\_struct\_0 X0) \Rightarrow (v7\_struct\_0 X0)) \quad (8)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v7\_struct\_0 X0) \wedge ((v2\_analoaf X0) \wedge (l1\_analoaf \\ & X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.((v1\_funct\_1 X3) \wedge \\ & ((v1\_funct\_2 X3 (u1\_struct\_0 X0) (u1\_struct\_0 X0)) \wedge ((v3\_funct\_2 \\ & X3 (u1\_struct\_0 X0) (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X0)))))) \Rightarrow ((v5\_transgeo \\ & X3 X0) \Rightarrow ((r3\_diraf X0 X1 (k3\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 \\ & X0) X3 X1) X2) \vee ((r2\_analoaf X0 X1 X2 (k3\_funct\_2 (u1\_struct\_0 X0) \\ & (u1\_struct\_0 X0) X3 X1) (k3\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 \\ & X0) X3 X2)) \wedge (r2\_analoaf X0 X1 (k3\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 \\ & X0) X3 X1) X2 (k3\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 X0) X3 X2)))))))))) \end{aligned}$$