

171_glib_001
(TMVGUFRRwLfgtbShAbie5v9eJTrAYE3fM3Lj)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_glib_000 : \iota \Rightarrow o$ be given. Let $m3_glib_001 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_abian : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_glib_001 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_finseq_1 : \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $np_1 : \iota$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_glib_000 : \iota \Rightarrow \iota$ be given. Let $k7_glib_000 : \iota \Rightarrow \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & (\forall X1.(v7_ordinal1 X1) \Rightarrow ((X1 \in k1_relset_1 k5_numbers X0) \Leftrightarrow \\ & ((r1_xxreal_0 np_1 X1) \wedge (r1_xxreal_0 X1 (k3_finseq_1 X0)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.(v7_ordinal1 X1) \Rightarrow ((\\ & X0 \in k2_finseq_1 X1) \Leftrightarrow ((r1_xxreal_0 np_1 X0) \wedge (r1_xxreal_0 X0 X1)))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1.(m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \quad (3)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v1_funct_1 \\ & X0) \wedge ((v1_finset_1 X0) \wedge (v1_glib_000 X0)))))) \Rightarrow (\forall X1.(m3_glib_001 \\ & X1 X0) \Rightarrow (m2_finseq_1 X1 (k2_xboole_0 (k6_glib_000 X0) (k7_glib_000 \\ & X0)))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.(m1_finseq_1 X1 X0)\Rightarrow((v1_relat_1 X1)\wedge(v1_funct_1 X1)\wedge(v1_finseq_1 X1)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(((v1_relat_1 X0)\wedge((v4_relat_1 X0 k5_numbers)\wedge((v1_funct_1 X0)\wedge((v1_finset_1 X0)\wedge(v1_glib_000 X0))))))\wedge((m3_glib_001 X1 X0)\wedge((m1_subset_1 X2 k5_numbers)\wedge(m1_subset_1 X3 k5_numbers))))\Rightarrow(m3_glib_001 (k9_glib_001 X0 X1 X2 X3) X0) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((v1_xxreal_0 X0)\wedge(v1_xxreal_0 X1))\Rightarrow(r1_xxreal_0 X0 X1)\vee(r1_xxreal_0 X1 X0) \quad (8)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1)\Rightarrow(v7_ordinal1 X0) \quad (9)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0)\Rightarrow(v1_xxreal_0 X0) \quad (10)$$

Theorem 1

$$\forall X0.(((v1_relat_1 X0)\wedge((v4_relat_1 X0 k5_numbers)\wedge((v1_funct_1 X0)\wedge((v1_finset_1 X0)\wedge(v1_glib_000 X0))))))\Rightarrow(\forall X1.(m3_glib_001 X1 X0)\Rightarrow(\forall X2.((\neg v1_abian X2)\wedge(m1_subset_1 X2 k5_numbers))\Rightarrow(\forall X3.((\neg v1_abian X3)\wedge(m1_subset_1 X3 k5_numbers))\Rightarrow(\forall X4.(m1_subset_1 X4 k5_numbers)\Rightarrow(\neg(X4 \in k1_relset_1 k5_numbers (k9_glib_001 X0 X1 X2 X3))\wedge((\neg X4 \in k2_finseq_1 X2)\wedge(\neg(r1_xxreal_0 X2 X4)\wedge(r1_xxreal_0 X4 (k3_finseq_1 (k9_glib_001 X0 X1 X2 X3))))))))))$$