

l76_normform

(TMaNrrSpe1phcs9orwhgsosFk7p8Cr2QzKB)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k12_normform : \iota \Rightarrow \iota$ be given. Let $k1_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_lattices : \iota \Rightarrow o$ be given. Let $k8_normform : \iota \Rightarrow \iota$ be given. Let $l2_lattices : \iota \Rightarrow o$ be given. Let $u2_lattices : \iota \Rightarrow \iota$ be given. Let $l3_lattices : \iota \Rightarrow o$ be given. Let $l1_lattices : \iota \Rightarrow o$ be given. Let $k5_finsub_1 : \iota \Rightarrow \iota$ be given. Let $k7_normform : \iota \Rightarrow \iota$ be given. Let $k9_normform : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_setwiseo : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_lattices : \iota \Rightarrow \iota$ be given. Let $k10_normform : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) X0)))))) \wedge ((m1_subset_1 X2 X0) \wedge (m1_subset_1 X3 X0))) \Rightarrow (k5_binop_1 X0 X1 X2 X3 = k1_binop_1 X1 X2 X3) \quad (4)$$

Assume the following.

$$\forall X0.(\neg v2_struct_0 (k12_normform X0)) \wedge (v3_lattices (k12_normform X0)) \quad (5)$$

Assume the following.

$$\forall X0. \neg v1_xboole_0 (k8_normform X0) \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.(l2_lattices X0) \Rightarrow & ((v1_funct_1 (u2_lattices X0)) \wedge \\ & ((v1_funct_2 (u2_lattices X0) (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)) \wedge (m1_subset_1 (u2_lattices \\ & X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)))))) \quad (7) \end{aligned}$$

Assume the following.

$$\forall X0.(l3_lattices X0) \Rightarrow ((l1_lattices X0) \wedge (l2_lattices X0)) \quad (8)$$

Assume the following.

$$\forall X0.m1_subset_1 (k8_normform X0) (k1_zfmisc_1 (k5_finsub_1 (k7_normform X0))) \quad (9)$$

Assume the following.

$$\forall X0.(v3_lattices (k12_normform X0)) \wedge (l3_lattices (k12_normform X0)) \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l2_lattices X0)) \Rightarrow & (\forall X1. \\ & (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\ & (u1_struct_0 X0)) \Rightarrow (k1_lattices X0 X1 X2 = k5_binop_1 (u1_struct_0 \\ & X0) (u2_lattices X0) X1 X2))) \quad (11) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((v3_lattices X1) \wedge (l3_lattices X1)) \Rightarrow & (\\ & (X1 = k12_normform X0) \Leftrightarrow ((u1_struct_0 X1 = k8_normform X0) \wedge (\forall X2. \\ & (m2_subset_1 X2 (k5_finsub_1 (k7_normform X0)) (k8_normform X0)) \Rightarrow \\ & (\forall X3.(m2_subset_1 X3 (k5_finsub_1 (k7_normform X0)) (k8_normform \\ & X0)) \Rightarrow ((k1_binop_1 (u2_lattices X1) X2 X3 = k9_normform X0 (k5_setwiseo \\ & (k7_normform X0) X2 X3)) \wedge (k1_binop_1 (u1_lattices X1) X2 X3 = k9_normform \\ & X0 (k10_normform X0 X2 X3)))))) \quad (12) \end{aligned}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_subset_1 X1 (k5_finsub_1 X0)) \wedge (m1_subset_1 X2 (k5_finsub_1 X0))) \Rightarrow (k5_setwiseo X0 X1 X2 = k5_setwiseo X0 X2 X1) \quad (13)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (v1_xboole_0 X1)) \quad (14)$$

Theorem 1

$$\forall X0.\forall X1.(m1_subset_1 X1 (u1_struct_0 (k12_normform X0))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 (k12_normform X0))) \Rightarrow (k1_lattices (k12_normform X0) X1 X2 = k1_lattices (k12_normform X0) X2 X1))$$