

t10\_bhsp\_3 (TMaTC-  
NsVC4ptX1GFsn7Ftm7ZQcp6yEvJ29K)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v2\_bhsp\_1 : \iota \Rightarrow o$  be given. Let  $l1\_bhsp\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_bhsp\_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_bhsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_numbers : \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $k1\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_xreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v2\_bhsp\_1 \\ & X0) \wedge (l1\_bhsp\_1 X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0)) \Rightarrow (k4\_bhsp\_1 X0 X1 X1 = k6\_numbers)) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2.(m2\_subset\_1 \\ & X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1)) \end{aligned} \quad (2)$$

Assume the following.

$$k6\_numbers = k1\_xboole\_0 \quad (3)$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \quad (4)$$

Assume the following.

$$(\neg v1\_xboole\_0 k4\_ordinal1) \wedge (v3\_ordinal1 k4\_ordinal1) \quad (5)$$

Assume the following.

$$\neg v1\_xboole\_0 k1\_numbers \quad (6)$$

Assume the following.

$$\forall X0. (l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0. (l1\_rlvect\_1 X0) \Rightarrow (l2\_algstr\_0 X0) \quad (8)$$

Assume the following.

$$\forall X0. (l1\_bhsp\_1 X0) \Rightarrow (l1\_rlvect\_1 X0) \quad (9)$$

Assume the following.

$$\forall X0. (l1\_algstr\_0 X0) \Rightarrow (l1\_struct\_0 X0) \quad (10)$$

Assume the following.

$$m2\_subset\_1 k6\_numbers k1\_numbers k5\_numbers \quad (11)$$

Assume the following.

$$m1\_subset\_1 k5\_numbers (k1\_zfmisc\_1 k1\_numbers) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge (l1\_struct\_0 \\ & X0)) \wedge (((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 \\ & X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\ & X0)))))) \wedge (m1\_subset\_1 X2 k5\_numbers))) \Rightarrow (m1\_subset\_1 (k1\_normsp\_1 \\ & X0 X1 X2) (u1\_struct\_0 X0)) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v2\_bhsp\_1 \\ & X0) \wedge (l1\_bhsp\_1 X0)))))))))) \Rightarrow (\forall X1. ((v1\_funct\_1 X1) \wedge \\ & ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 \\ & (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\ & (\forall X2. ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 \\ & X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\ & X0)))))) \Rightarrow ((r1\_bhsp\_3 X0 X1 X2) \Leftrightarrow (\forall X3. (m1\_subset\_1 X3 k1\_numbers) \Rightarrow \\ & (\neg (\neg r1\_xxreal\_0 X3 k6\_numbers) \wedge (\forall X4. (m2\_subset\_1 X4 k1\_numbers \\ & k5\_numbers) \Rightarrow (\exists X5. (m2\_subset\_1 X5 k1\_numbers k5\_numbers) \wedge \\ & ((r1\_xxreal\_0 X4 X5) \wedge (r1\_xxreal\_0 X3 (k4\_bhsp\_1 X0 (k1\_normsp\_1 \\ & X0 X1 X5) (k1\_normsp\_1 X0 X2 X5)))))))))) \end{aligned} \quad (14)$$

**Theorem 1**

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge (v2\_rlvect\_1 \\ & X0) \wedge (v3\_rlvect\_1 X0) \wedge (v4\_rlvect\_1 X0) \wedge (v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge (v7\_rlvect\_1 X0) \wedge (v8\_rlvect\_1 X0) \wedge (v2\_bhsp\_1 \\ & X0) \wedge (l1\_bhsp\_1 X0)))))) \Rightarrow (\forall X1. ((v1\_funct\_1 X1) \wedge \\ & ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 \\ & (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\ & (r1\_bhsp\_3 X0 X1 X1)) \end{aligned}$$