

t10_bhsp_4

(TMWSWWNgX3Gkt3t6SFy7TewJJskebZmGHrX)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_bhsp_1 : \iota \Rightarrow o$ be given. Let $v3_bhsp_3 : \iota \Rightarrow o$ be given. Let $l1_bhsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_bhsp_4 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_bhsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_bhsp_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_bhsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_bhsp_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
 & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
 & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\
 & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1. ((v1_funct_1 X1) \wedge \\
 & ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
 & (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
 & ((v1_bhsp_2 X1 X0) \Rightarrow (v1_bhsp_3 X1 X0)))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\
& X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge \\
& ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& ((v1_bhsp_3 X1 X0) \Leftrightarrow (\forall X2.(m1_subset_1 X2 k1_numbers) \Rightarrow (\\
& \neg(r1_xxreal_0 X2 k6_numbers) \wedge (\forall X3.(m2_subset_1 X3 k1_numbers \\
& k5_numbers) \Rightarrow (\exists X4.(m2_subset_1 X4 k1_numbers k5_numbers) \wedge \\
& (\exists X5.(m2_subset_1 X5 k1_numbers k5_numbers) \wedge ((r1_xxreal_0 \\
& X3 X4) \wedge ((r1_xxreal_0 X3 X5) \wedge (r1_xxreal_0 X2 (k3_bhsp_1 X0 (k5_algstr_0 \\
& X0 (k1_normsp_1 X0 X1 X4) (k1_normsp_1 X0 X1 X5))))))))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \tag{3}$$

Assume the following.

$$\forall X0.(l1_bhsp_1 X0) \Rightarrow (l1_rlvect_1 X0) \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \wedge \\
& ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow ((v1_funct_1 (k1_bhsp_4 X0 X1)) \wedge ((v1_funct_2 (k1_bhsp_4 \\
& X0 X1) k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 (k1_bhsp_4 X0 \\
& X1) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\
& X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow ((v3_bhsp_3 X0) \Leftrightarrow (\forall X1.(\\
& (v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow ((v1_bhsp_3 X1 X0) \Rightarrow (v1_bhsp_2 X1 X0)))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\
& X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge \\
& ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& ((v1_bhsp_4 X1 X0) \Leftrightarrow (v1_bhsp_2 (k1_bhsp_4 X0 X1) X0)))
\end{aligned} \tag{7}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\
& X0) \wedge ((v3_bhsp_3 X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow ((v1_bhsp_4 X1 X0) \Leftrightarrow (\forall X2.(m1_subset_1 X2 k1_numbers) \Rightarrow \\
& (\neg(\neg r1_xxreal_0 X2 k6_numbers) \wedge (\forall X3.(m2_subset_1 X3 k1_numbers \\
& k5_numbers) \Rightarrow (\exists X4.(m2_subset_1 X4 k1_numbers k5_numbers) \wedge \\
& (\exists X5.(m2_subset_1 X5 k1_numbers k5_numbers) \wedge (r1_xxreal_0 \\
& X3 X4) \wedge (r1_xxreal_0 X3 X5) \wedge (r1_xxreal_0 X2 (k3_bhsp_1 X0 (k5_algstr_0 \\
& X0 (k1_normsp_1 X0 (k1_bhsp_4 X0 X1) X4) (k1_normsp_1 X0 (k1_bhsp_4 \\
& X0 X1) X5))))))))))))))
\end{aligned}$$