

t10_convex1 (TMdeC- gRqCg9iSw3qYyd5T3DoXbCHgVXkLwh)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v1_convex1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $np_1 : \iota$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (l1_rlvect_1 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((v1_convex1 \\ & X1 X0) \Leftrightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4. (m1_subset_1 X4 \\ & k1_numbers) \Rightarrow (((X2 \in X1) \wedge (X3 \in X1)) \Rightarrow ((r1_xxreal_0 X4 k6_numbers) \vee \\ & ((r1_xxreal_0 np_1 X4) \vee (k1_algstr_0 X0 (k1_rlvect_1 X0 X2 X4) \\ & (k1_rlvect_1 X0 X3 (k9_real_1 np_1 X4)) \in X1)))))))))) \quad (3) \end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (l1_rlvect_1 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((X1 = k1_xboole_0) \Rightarrow \\ & (v1_convex1 X1 X0))) \end{aligned}$$