

t10_functor2

(TMFf22cacP4jgBGsLABeRjWP7gtRQdLdaiC)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_altcat_1 : \iota \Rightarrow o$ be given. Let $v12_altcat_1 : \iota \Rightarrow o$ be given. Let $l2_altcat_1 : \iota \Rightarrow o$ be given. Let $v15_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_altcat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_altcat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k6_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((\neg v2_struct_0 \\
& X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))) \wedge \\
& (((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \wedge \\
& ((v15_functor0 X2 X0 X1) \wedge (m2_functor0 X2 \\
& X0 X1) \wedge ((v15_functor0 X3 X0 X1) \wedge (m2_functor0 X3 X0 X1)))) \Rightarrow (\forall X4. \\
& (m2_functor2 X4 X0 X1 X2 X3) \Rightarrow (m1_functor2 X4 X0 X1 X2 X3))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. \forall X5. \\
& \forall X6. (((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 \\
& X0) \wedge (l2_altcat_1 X0)))) \wedge (((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 \\
& X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \wedge ((m2_functor0 X2 \\
& X0 X1) \wedge ((m2_functor0 X3 X0 X1) \wedge ((m2_functor0 X4 X0 X1) \wedge ((m1_functor2 \\
& X5 X0 X1 X2 X3) \wedge (m1_functor2 X6 X0 X1 X3 X4)))))) \Rightarrow (m1_functor2 (\\
& k3_functor2 X0 X1 X2 X3 X4 X5 X6) X0 X1 X2 X4)
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 \\
& X0) \wedge (l2_altcat_1 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 \\
& X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \Rightarrow (\forall X2.((v15_functor0 \\
& X2 X0 X1) \wedge (m2_functor0 X2 X0 X1)) \Rightarrow (\forall X3.((v15_functor0 X3 \\
& X0 X1) \wedge (m2_functor0 X3 X0 X1)) \Rightarrow ((r2_functor2 X0 X1 X2 X3) \Leftrightarrow ((r1_functor2 \\
& X0 X1 X2 X3) \wedge (\exists X4.(m1_functor2 X4 X0 X1 X2 X3) \wedge (\forall X5. \\
& (m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (\forall X6.(m1_subset_1 X6 \\
& (u1_struct_0 X0)) \Rightarrow ((k1_altcat_1 X0 X5 X6 \neq k1_xboole_0) \Rightarrow (\forall X7. \\
& (m1_subset_1 X7 (k1_altcat_1 X0 X5 X6)) \Rightarrow (k5_altcat_1 X1 (k3_functor0 \\
& X0 X1 X2 X5) (k3_functor0 X0 X1 X2 X6) (k3_functor0 X0 X1 X3 X6) (k6_functor0 \\
& X0 X1 X2 X5 X6 X7) (k2_functor2 X0 X1 X2 X3 X4 X6) = k5_altcat_1 X1 (k3_functor0 \\
& X0 X1 X2 X5) (k3_functor0 X0 X1 X3 X5) (k3_functor0 X0 X1 X3 X6) (k2_functor2 \\
& X0 X1 X2 X3 X4 X5) (k6_functor0 X0 X1 X3 X5 X6 X7)))))))))) \\
& \tag{3}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 \\
& X0) \wedge (l2_altcat_1 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 \\
& X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \Rightarrow (\forall X2.(m2_functor0 \\
& X2 X0 X1) \Rightarrow (\forall X3.(m2_functor0 X3 X0 X1) \Rightarrow (\forall X4.(m2_functor0 \\
& X4 X0 X1) \Rightarrow (((r1_functor2 X0 X1 X2 X3) \wedge (r1_functor2 X0 X1 X3 X4)) \Rightarrow \\
& (\forall X5.(m1_functor2 X5 X0 X1 X2 X3) \Rightarrow (\forall X6.(m1_functor2 \\
& X6 X0 X1 X3 X4) \Rightarrow (\forall X7.(m1_functor2 X7 X0 X1 X2 X4) \Rightarrow ((X7 = k3_functor2 \\
& X0 X1 X2 X3 X4 X5 X6) \Leftrightarrow (\forall X8.(m1_subset_1 X8 (u1_struct_0 X0)) \Rightarrow \\
& (k2_functor2 X0 X1 X2 X4 X7 X8 = k5_altcat_1 X1 (k3_functor0 X0 X1 X2 \\
& X8) (k3_functor0 X0 X1 X3 X8) (k3_functor0 X0 X1 X4 X8) (k2_functor2 \\
& X0 X1 X2 X3 X5 X8) (k2_functor2 X0 X1 X3 X4 X6 X8)))))))))) \\
& \tag{4}
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 \\
& X0) \wedge (l2_altcat_1 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 \\
& X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \Rightarrow (\forall X2.((v15_functor0 \\
& X2 X0 X1) \wedge (m2_functor0 X2 X0 X1)) \Rightarrow (\forall X3.((v15_functor0 X3 \\
& X0 X1) \wedge (m2_functor0 X3 X0 X1)) \Rightarrow (\forall X4.((v15_functor0 X4 X0 \\
& X1) \wedge (m2_functor0 X4 X0 X1)) \Rightarrow (((r2_functor2 X0 X1 X2 X3) \wedge (r2_functor2 \\
& X0 X1 X3 X4)) \Rightarrow (\forall X5.(m2_functor2 X5 X0 X1 X2 X3) \Rightarrow (\forall X6. \\
& (m2_functor2 X6 X0 X1 X3 X4) \Rightarrow (\forall X7.(m1_subset_1 X7 (u1_struct_0 \\
& X0)) \Rightarrow (k2_functor2 X0 X1 X2 X4 (k3_functor2 X0 X1 X2 X3 X4 X5 X6) X7 = \\
& k5_altcat_1 X1 (k3_functor0 X0 X1 X2 X7) (k3_functor0 X0 X1 X3 X7) \\
& (k3_functor0 X0 X1 X4 X7) (k2_functor2 X0 X1 X2 X3 X5 X7) (k2_functor2 \\
& X0 X1 X3 X4 X6 X7)))))))))) \\
& \tag{5}
\end{aligned}$$