

## t10\_hahnban

(TMJ9sjcBuoKJJAME43h3MMr5HTDaqNnvW4Z)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $m1\_rlsub\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_rlvect\_3 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_domain\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k1\_tarski : \iota \Rightarrow \iota$  be given. Let  $k3\_rusub\_4 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ &X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ &((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ &X0)))))))))) \Rightarrow (m1\_rlsub\_1 X0 X0) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ &X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ &((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ &X0)))))))))) \Rightarrow (\forall X1. (m1\_rlsub\_1 X1 X0) \Rightarrow (\forall X2. (m1\_subset\_1 \\ &X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (\forall X3. (m1\_subset\_1 \\ &X3 (k1\_zfmisc\_1 (u1\_struct\_0 X1))) \Rightarrow ((X2 = X3) \Rightarrow (k1\_rlvect\_3 X0 \\ &X2 = k1\_rlvect\_3 X1 X3)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge (m1\_subset\_1 X1 X0)) \Rightarrow (k6\_domain\_1 X0 X1 = k1\_tarski X1) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge (m1\_subset\_1 X1 X0)) \Rightarrow (m1\_subset\_1 (k6\_domain\_1 X0 X1) (k1\_zfmisc\_1 X0)) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge \\ & ((v2\_rlvect\_1 X0) \wedge (v3\_rlvect\_1 X0) \wedge (v4\_rlvect\_1 X0) \wedge (v5\_rlvect\_1 \\ & X0) \wedge (v6\_rlvect\_1 X0) \wedge (v7\_rlvect\_1 X0) \wedge (v8\_rlvect\_1 X0) \wedge \\ & (l1\_rlvect\_1 X0)))))) \wedge (m1\_rsub\_1 X1 X0) \Rightarrow ((\neg v1\_xboole\_0 \\ & (k3\_rusub\_4 X0 X1)) \wedge (m1\_subset\_1 (k3\_rusub\_4 X0 X1) (k1\_zfmisc\_1 \\ & (u1\_struct\_0 X0)))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge (v2\_rlvect\_1 \\ & X0) \wedge (v3\_rlvect\_1 X0) \wedge (v4\_rlvect\_1 X0) \wedge (v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge (v7\_rlvect\_1 X0) \wedge (v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ & X0)))))) \Rightarrow (\forall X1. (m1\_rsub\_1 X1 X0) \Rightarrow (k3\_rusub\_4 X0 X1 = \\ & u1\_struct\_0 X1)) \end{aligned} \quad (6)$$

**Theorem 1**

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge (v2\_rlvect\_1 \\ & X0) \wedge (v3\_rlvect\_1 X0) \wedge (v4\_rlvect\_1 X0) \wedge (v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge (v7\_rlvect\_1 X0) \wedge (v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ & X0)))))) \Rightarrow (\forall X1. (m1\_rsub\_1 X1 X0) \Rightarrow (\forall X2. (m1\_subset\_1 \\ & X2 (u1\_struct\_0 X0) \Rightarrow (\forall X3. (m1\_subset\_1 X3 (u1\_struct\_0 \\ & X1) \Rightarrow ((X2 = X3) \Rightarrow (k1\_rlvect\_3 X1 (k6\_domain\_1 (u1\_struct\_0 X1) \\ & X3) = k1\_rlvect\_3 X0 (k6\_domain\_1 (u1\_struct\_0 X0) X2)))))) \end{aligned}$$