

t10\_ideal\_1  
(TMTZRr7AtpFHqQYin3r64qWqmzw2hkR2Sx7)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v1\_ideal\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v2\_ideal\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v3\_ideal\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l5\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l4\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l4\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l3\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l3\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k6\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 (k1\_zfmisc\_1 X1)) \Leftrightarrow (r1\_tarski X0 X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 X1) \Rightarrow ((v1\_xboole\_0 X1) \vee (X0 \in X1)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1\_subset\_1 X0 X1) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. r1\_tarski X0 X0 \quad (4)$$

Assume the following.

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l1\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 (u1\_struct\_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0. (l6\_algstr\_0 X0) \Rightarrow ((l2\_algstr\_0 X0) \wedge (l5\_algstr\_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l5\_algstr\_0 X0) \Rightarrow ((l4\_algstr\_0 X0) \wedge (l4\_struct\_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l4\_algstr\_0 X0) \Rightarrow ((l3\_struct\_0 X0) \wedge (l3\_algstr\_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l3\_algstr\_0 X0) \Rightarrow (l1\_struct\_0 X0) \quad (9)$$

Assume the following.

$$\forall X0.(l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((l3\_algstr\_0 X0) \wedge ((m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (m1\_subset\_1 \\ & (k6\_algstr\_0 X0 X1 X2) (u1\_struct\_0 X0)) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((l1\_algstr\_0 X0) \wedge ((m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (m1\_subset\_1 \\ & (k1\_algstr\_0 X0 X1 X2) (u1\_struct\_0 X0)) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge (l3\_algstr\_0 X0)) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((v3\_ideal\_1 \\ & X1 X0) \Leftrightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\ & (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow ((X3 \in X1) \Rightarrow (k6\_algstr\_0 X0 X3 \\ & X2 \in X1))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge (l3\_algstr\_0 X0)) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((v2\_ideal\_1 \\ & X1 X0) \Leftrightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\ & (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow ((X3 \in X1) \Rightarrow (k6\_algstr\_0 X0 X2 \\ & X3 \in X1))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge (l2\_algstr\_0 X0)) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((v1\_ideal\_1 \\ & X1 X0) \Leftrightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\ & (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow (((X2 \in X1) \wedge (X3 \in X1)) \Rightarrow (k1\_algstr\_0 \\ & X0 X2 X3 \in X1))))) \end{aligned} \quad (15)$$

**Theorem 1**

$$\forall X0.((\neg v2\_struct\_0 X0) \wedge (l6\_algstr\_0 X0)) \Rightarrow ((\neg v1\_xboole\_0 (u1\_struct\_0 X0)) \wedge ((v1\_ideal\_1 (u1\_struct\_0 X0) X0) \wedge ((v2\_ideal\_1 (u1\_struct\_0 X0) X0) \wedge ((v3\_ideal\_1 (u1\_struct\_0 X0) X0) \wedge (m1\_subset\_1 (u1\_struct\_0 X0) (k1\_zfmisc\_1 (u1\_struct\_0 X0))))))))$$