

t10_isomichi

(TMbdBt5ASZeLBNhz3rNyPRkgvHyNXyg9fpC)

October 27, 2020

Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v4_tops_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_tops_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ (u1_struct_0 X0))) \Rightarrow ((v4_tops_1 X1 X0) \Leftrightarrow ((r1_tarski (k1_tops_1 \\ X0 (k2_pre_topc X0 X1)) X1) \wedge (r1_tarski X1 (k2_pre_topc X0 (k1_tops_1 \\ X0 X1)))))) \end{aligned} \tag{1}$$

Theorem 1

$$\begin{aligned} \forall X0.((v2_pre_topc X0) \wedge (l1_pre_topc X0)) \Rightarrow (\forall X1. \\ (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((v4_tops_1 \\ X1 X0) \Leftrightarrow ((r1_tarski (k1_tops_1 X0 (k2_pre_topc X0 X1)) X1) \wedge (r1_tarski \\ X1 (k2_pre_topc X0 (k1_tops_1 X0 X1)))))) \end{aligned}$$