

t10_mesfun6c
(TMEk2GGBbfs2qTeHUsHVZ5cn1AV79UjWfyH)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_numbers : \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_mesfun6c : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_prob_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $r1_mesfunc6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_prob_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_comseq_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_comseq_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge \\ & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))) \Rightarrow (\forall X3.(\\ & m2_subset_1 X3 (k1_zfmisc_1 X0) X1) \Rightarrow (\forall X4.(m2_subset_1 \\ & X4 (k1_zfmisc_1 X0) X1) \Rightarrow (((r1_mesfunc6 X0 X1 X2 X3) \wedge (r1_mesfunc6 \\ & X0 X1 X2 X4)) \Rightarrow (r1_mesfunc6 X0 X1 X2 (k6_prob_1 X0 X1 X3 X4)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X1) \wedge ((v1_prob_1 X1 X0) \wedge \\ & ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\ & X0)))))) \Rightarrow (\forall X2.(m1_prob_1 X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v1_xboole_0 \\ & X1) \wedge ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \wedge ((m1_subset_1 X2 X1) \wedge (m1_subset_1 X3 X1))) \Rightarrow \\ & (m1_prob_1 (k6_prob_1 X0 X1 X2 X3) X0 X1) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.((v1_funct_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 k2_numbers))))\Rightarrow((v1_funct_1 (k6_comseq_3 X0 X1))\wedge(m1_subset_1 (k6_comseq_3 X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((v1_funct_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 k2_numbers))))\Rightarrow((v1_funct_1 (k5_comseq_3 X0 X1))\wedge(m1_subset_1 (k5_comseq_3 X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))) \quad (6)$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((\neg v1_xboole_0 X1)\wedge((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 X0))))))\Rightarrow(\forall X2.((v1_funct_1 X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 k2_numbers))))\Rightarrow(\forall X3.(m2_subset_1 X3 (k1_zfmisc_1 X0) X1)\Rightarrow((r1_mesfun6c X0 X1 X2 X3)\Leftrightarrow((r1_mesfunc6 X0 X1 (k5_comseq_3 X0 X2) X3)\wedge(r1_mesfunc6 X0 X1 (k6_comseq_3 X0 X2) X3)))))) \quad (7)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0))\Rightarrow(v1_xboole_0 X1)) \quad (8)$$

Theorem 1

$$\forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((\neg v1_xboole_0 X1)\wedge((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 X0))))))\Rightarrow(\forall X2.((v1_funct_1 X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 k2_numbers))))\Rightarrow(\forall X3.(m2_subset_1 X3 (k1_zfmisc_1 X0) X1)\Rightarrow(\forall X4.(m2_subset_1 X4 (k1_zfmisc_1 X0) X1)\Rightarrow(((r1_mesfun6c X0 X1 X2 X3)\wedge(r1_mesfun6c X0 X1 X2 X4))\Rightarrow(r1_mesfun6c X0 X1 X2 (k6_prob_1 X0 X1 X3 X4)))))) \quad (9)$$