

t10_rlvect_4
(TMVxUd5c71AwgV3ff4cBoSdAx6QtPXKxfxc)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_rlsub_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_rlvect_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_struct_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_rlsub_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_rlvect_1 : \iota \Rightarrow o$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge \\
& ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 \\
& X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge \\
& (l1_rlvect_1 X1)))))))))) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\
& X1)) \Rightarrow ((r1_struct_0 (k1_rlvect_3 X1 (k6_domain_1 (u1_struct_0 \\
& X1) X2)) X0) \Leftrightarrow (\exists X3. (m1_subset_1 X3 k1_numbers) \wedge (X0 = k1_rlvect_1 \\
& X1 X2 X3))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_rlsub_1 \\
& X3 X0) \Rightarrow ((X1 \in k3_rlsub_1 X0 X2 X3) \Leftrightarrow (\exists X4. (m1_subset_1 X4 (\\
& u1_struct_0 X0)) \wedge ((r1_struct_0 X3 X4) \wedge (X1 = k3_rlvect_1 X0 X2 X4))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (3)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (4)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (5)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (m1_subset_1 (k6_domain_1 X0 X1) (k1_zfmisc_1 X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v2_rlvect_1 X0) \wedge (l1_algstr_0 X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (m1_subset_1 (k3_rlvect_1 X0 X1 X2) (u1_struct_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 X0)))))))))) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (m1_rlsub_1 X2 X0))) \Rightarrow (m1_subset_1 (k3_rlsub_1 X0 X1 X2) (k1_zfmisc_1 (u1_struct_0 X0))) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 X0)))))))))) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow ((v1_rlvect_1 (k1_rlvect_3 X0 X1)) \wedge (m1_rlsub_1 (k1_rlvect_3 X0 X1) X0)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_rlvect_1 X0))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(v1_xreal_0 X2)))\Rightarrow(m1_subset_1 (k1_rlvect_1 X0 X1 X2) (u1_struct_0 X0)) \quad (12)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers)\Rightarrow(v1_xreal_0 X0) \quad (13)$$

Theorem 1

$$\begin{aligned} & \forall X0.\forall X1.((\neg v2_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge \\ & ((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge((v5_rlvect_1 \\ & X1)\wedge((v6_rlvect_1 X1)\wedge((v7_rlvect_1 X1)\wedge((v8_rlvect_1 X1)\wedge \\ & (l1_rlvect_1 X1))))))))))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ & X1))\Rightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 X1))\Rightarrow((X0 \in k3_rlsub_1 \\ & X1 X2 (k1_rlvect_3 X1 (k6_domain_1 (u1_struct_0 X1) X3)))\Leftrightarrow(\exists X4. \\ & (m1_subset_1 X4 k1_numbers)\wedge(X0 = k3_rlvect_1 X1 X2 (k1_rlvect_1 \\ & X1 X3 X4)))))) \end{aligned}$$