

t10_waybel_3
(TMHNMzvoSVgkcfaJ7Zjxx5SGg7Bar85j4LY)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_lattice3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_waybel_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_waybel_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r3_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge (l1_orders_2 \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((X1 \in k2_waybel_3 X0 X2) \Leftrightarrow (r1_waybel_3 \\ & X0 X2 X1)))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v5_orders_2 \\ & X0) \wedge (l1_orders_2 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((r1_waybel_3 \\ & X0 X1 X2) \Rightarrow (r3_orders_2 X0 X1 X2)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge ((v3_orders_2 \\ & X0) \wedge (l1_orders_2 X0))) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (\\ & m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow ((r3_orders_2 X0 X1 X2) \Leftrightarrow (r1_orders_2 \\ & X0 X1 X2)) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow ((r1_lattice3 X0 X1 X2) \Leftrightarrow (\forall X3.(m1_subset_1 \\ & X3 (u1_struct_0 X0)) \Rightarrow ((X3 \in X1) \Rightarrow (r1_orders_2 X0 X2 X3)))) \end{aligned} \tag{4}$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0) \wedge (v3_orders_2 X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (r1_lattice3 X0 (k2_waybel_3 X0 X1) X1))$$