

t10_yellow_2

(TMauaZK2CWX8XDMNUaWEz7jzZKjFq7vAKYb)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_yellow_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_orders_2 : \iota \Rightarrow o$ be given. Let $k5_yellow_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \neg(v1_xboole_0 X0) \wedge ((X0 \neq X1) \wedge (v1_xboole_0 X1)) \quad (1)$$

Assume the following.

$$\forall X0. (v1_relat_1 X0) \Rightarrow ((k9_xtuple_0 X0 = k1_xboole_0) \Leftrightarrow (k10_xtuple_0 X0 = k1_xboole_0)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\ & (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0))) \Rightarrow (k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow(k2_relset_1 X0 X1 = k10_xtuple_0 X1) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(k1_relset_1 X0 X1 = k9_xtuple_0 X1) \quad (7)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (8)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (9)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0)\Rightarrow(l1_struct_0 X0) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.((l1_orders_2 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))))\Rightarrow((v1_orders_2 (k5_yellow_0 X0 X1))\wedge((v4_yellow_0 (k5_yellow_0 X0 X1) X0)\wedge(m1_yellow_0 (k5_yellow_0 X0 X1) X0))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow(m1_subset_1 (k2_relset_1 X0 X1) (k1_zfmisc_1 X0)) \quad (12)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge(v1_funct_1 X0))\Rightarrow(\forall X1.(X1 = k10_xtuple_0 X0)\Leftrightarrow(\forall X2.(X2 \in X1)\Leftrightarrow(\exists X3.(X3 \in k9_xtuple_0 X0)\wedge(X2 = k1_funct_1 X0 X3)))) \quad (13)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\Rightarrow(\forall X2.((v1_funct_1 X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow(k1_yellow_2 X0 X1 X2 = k5_yellow_0 X1 (k2_relset_1 (u1_struct_0 X1) X2)))) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))\Rightarrow(((X1\neq k1_xboole_0)\Rightarrow((v1_funct_2 X2 X0 \\ & X1)\Leftrightarrow(X0 = k1_relset_1 X0 X2)))\wedge((X1 = k1_xboole_0)\Rightarrow((v1_funct_2 \\ & X2 X0 X1)\Leftrightarrow(X2 = k1_xboole_0)))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_orders_2 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0)))\Rightarrow(\forall X2.((v1_orders_2 X2)\wedge((v4_yellow_0 \\ & X2 X0)\wedge(m1_yellow_0 X2 X0)))\Rightarrow((X2 = k5_yellow_0 X0 X1)\Leftrightarrow(u1_struct_0 \\ & X2 = X1)))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \end{aligned} \quad (18)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & ((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\Rightarrow(\forall X2.((v1_funct_1 \\ & X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow \\ & (\forall X3.(m1_subset_1 X3 (u1_struct_0 (k1_yellow_2 X0 X1 X2)))\Rightarrow \\ & (\exists X4.(m1_subset_1 X4 (u1_struct_0 X0))\wedge(k3_funct_2 (u1_struct_0 \\ & X0) (u1_struct_0 X1) X2 X4 = X3)))))) \end{aligned}$$