

t111_group_2
(TMNYQCL7ECb4natwjfJCaqakuCHrdg4AbfD)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k13_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_group_2 : \iota \Rightarrow \iota$ be given. Let $k14_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k2_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_subset_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $g3_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $u2_algstr_0 : \iota \Rightarrow \iota$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v15_algstr_0 : \iota \Rightarrow o$ be given. Let $k8_group_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow ((X1 \neq k1_xboole_0) \Rightarrow ((k2_group_2 X0 (k2_subset_1 \\ & (u1_struct_0 X0)) X1 = u1_struct_0 X0) \wedge (k2_group_2 X0 X1 (k2_subset_1 \\ & (u1_struct_0 X0)) = u1_struct_0 X0)))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (k2_zfmisc_1 \\ & X0 X0) X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 \\ & X0 X0) X0)))))) \Rightarrow (\forall X2. \forall X3. (g3_algstr_0 X0 X1 = g3_algstr_0 \\ & X2 X3) \Rightarrow ((X0 = X2) \wedge (X1 = X3))) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. \neg v1_xboole_0 (k1_tarski X0) \tag{4}$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$v1_xboole_0 \ k1_xboole_0 \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.(l3_algstr_0 X0) \Rightarrow & ((v1_funct_1 (u2_algstr_0 X0)) \wedge \\ & ((v1_funct_2 (u2_algstr_0 X0) (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)) \wedge (m1_subset_1 (u2_algstr_0 \\ & X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)))))) \quad (7) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge (l3_algstr_0 \\ X0))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow ((\neg v2_struct_0 X1) \wedge ((v2_group_1 \\ X1) \wedge (l3_algstr_0 X1)))) \quad (8) \end{aligned}$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0) \Rightarrow (l1_struct_0 X0) \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow ((v15_algstr_0 (k7_group_2 X0)) \wedge (m1_group_2 \\ (k7_group_2 X0) X0)) \quad (10) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow \\ (m1_subset_1 (k6_domain_1 X0 X1) (k1_zfmisc_1 X0)) \quad (11) \end{aligned}$$

Assume the following.

$$\forall X0.m1_subset_1 (k2_subset_1 X0) (k1_zfmisc_1 X0) \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (k8_group_2 \\ X0 X1 = u1_struct_0 X1)) \quad (13) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (k7_group_2 X0 = g3_algstr_0 (u1_struct_0 \\ X0) (u2_algstr_0 X0)) \quad (14) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l3_algstr_0 X0)) \Rightarrow (\forall X1. \\ (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\ (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (k5_group_2 X0 X1 X2 = k2_group_2 \\ X0 X2 (k6_domain_1 (u1_struct_0 X0) X1)))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall X0.k2_subset_1 X0 = X0 \quad (16)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l3_algstr_0 X0)) \Rightarrow (\forall X1. \\ (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\ (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (k4_group_2 X0 X1 X2 = k2_group_2 \\ X0 (k6_domain_1 (u1_struct_0 X0) X1) X2))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (\forall X2. \\ (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k14_group_2 X0 X1 X2 = k5_group_2 \\ X0 X2 (k8_group_2 X0 X1)))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (\forall X2. \\ (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k13_group_2 X0 X1 X2 = k4_group_2 \\ X0 X2 (k8_group_2 X0 X1)))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0) \Rightarrow ((v15_algstr_0 X0) \Rightarrow (X0 = g3_algstr_0 \\ (u1_struct_0 X0) (u2_algstr_0 X0))) \quad (20)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow ((k13_group_2 X0 (k7_group_2 X0) X1 = u1_struct_0 X0) \wedge (k14_group_2 \\ X0 (k7_group_2 X0) X1 = u1_struct_0 X0))) \end{aligned}$$