

t114_finseq_2

(TMRQ3AVas9YEM1FSMjqHwb8x1rS9Ndkkz9k)

October 27, 2020

Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v3_card_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_finseq_1 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $m2_finseq_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k4_finseq_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k4_finseq_1 : \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k3_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Rightarrow (m2_finseq_2 X1 X0 (k4_finseq_2 (k3_finseq_1 X1) X0)) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. (m2_finseq_1 X1 X0) \Rightarrow \\ & (\forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (k4_finseq_1 X1) \\ & (k4_finseq_1 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k4_finseq_1 X1) (k4_finseq_1 X1)))))) \Rightarrow (m2_finseq_1 (k1_partfun1 \\ & (k4_finseq_1 X1) (k4_finseq_1 X1) k5_numbers X0 X2 X1) X0))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & (\forall X1. ((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 \\ & X1))) \Rightarrow (\forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (k4_finseq_1 \\ & X0) (k4_finseq_1 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k4_finseq_1 X0) (k4_finseq_1 X0)))))) \Rightarrow (((k10_xtuple_0 X2 = k4_finseq_1 \\ & X0) \wedge (X1 = k3_relat_1 X2 X0)) \Rightarrow (k3_finseq_1 X1 = k3_finseq_1 X0)))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (k4_finseq_1 X0 = k9_xtuple_0 X0) \quad (4)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (k3_finseq_1 X0 = k1_card_1 X0) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. \forall X5. \\ & (((v1_funct_1 X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))) \wedge ((v1_funct_1 X5) \wedge (m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 X2 X3)))))) \Rightarrow (k1_partfun1 X0 X1 X2 X3 X4 X5 = k3_relat_1 X4 X5) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Rightarrow ((v1_funct_1 X1) \wedge (v1_finseq_1 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))) \quad (7)$$

Assume the following.

$$\forall X0. \forall X1. v1_relat_1 (k3_relat_1 X0 X1) \quad (8)$$

Assume the following.

$$\forall X0. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (m2_subset_1 (k3_finseq_1 X0) k1_numbers k5_numbers) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. \forall X5. \\ & (((v1_funct_1 X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))) \wedge ((v1_funct_1 X5) \wedge (m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 X2 X3)))))) \Rightarrow ((v1_funct_1 (k1_partfun1 X0 X1 X2 X3 X4 X5)) \wedge (m1_subset_1 (k1_partfun1 X0 X1 X2 X3 X4 X5) (k1_zfmisc_1 (k2_zfmisc_1 X0 X3)))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0. \forall X1. (v3_card_1 X1 X0) \Leftrightarrow (k1_card_1 X1 = X0) \quad (11)$$

Assume the following.

$$\forall X0. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (\forall X1. (m2_subset_1 X1 k1_numbers k5_numbers) \Rightarrow ((X1 = k3_finseq_1 X0) \Leftrightarrow (k2_finseq_1 X1 = k9_xtuple_0 X0))) \quad (12)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (13)$$

Theorem 1

$$\begin{aligned} & \forall X0.(v7_ordinal1\ X0) \Rightarrow (\forall X1.(\neg v1_xboole_0\ X1) \Rightarrow (\\ & \quad \forall X2.((v3_card_1\ X2\ X0) \wedge (m2_finseq_1\ X2\ X1)) \Rightarrow (\forall X3. \\ & \quad ((v1_funct_1\ X3) \wedge ((v1_funct_2\ X3\ (k2_finseq_1\ X0)\ (k2_finseq_1 \\ & \quad X0)) \wedge (m1_subset_1\ X3\ (k1_zfmisc_1\ (k2_zfmisc_1\ (k2_finseq_1 \\ & \quad X0)\ (k2_finseq_1\ X0)))))) \Rightarrow ((k10_xtuple_0\ X3 = k2_finseq_1\ X0) \Rightarrow \\ & \quad (m2_finseq_2\ (k1_partfun1\ (k2_finseq_1\ X0)\ (k2_finseq_1\ X0)\ k5_numbers \\ & \quad X1\ X3\ X2)\ X1\ (k4_finseq_2\ X0\ X1)))))) \end{aligned}$$