

t114_scmpds_6
(TMGqFeBb6JZvKKfqH6t98C5i6MFgETUjhxV)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_compos_1 : \iota \Rightarrow \iota$ be given. Let $k1_scmpds_2 : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v5_funct_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_afinsq_1 : \iota \Rightarrow o$ be given. Let $v1_ami_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_int_1 : \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_scmpds_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_scmpds_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_scmpds_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_scmpds_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_card_1 : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k5_scmpds_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\
& X0 (u1_compos_1 k1_scmpds_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\
& X0 k5_numbers)))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 k1_scmpds_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
& X1 (k2_memstr_0 np_2 k1_scmpds_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& k1_scmpds_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\
& k1_scmpds_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\
& X2)))))) \Rightarrow (\forall X3.((v1_ami_2 X3) \wedge (m1_subset_1 X3 (u1_struct_0 \\
& k1_scmpds_2))) \Rightarrow (\forall X4.((v1_ami_2 X4) \wedge (m1_subset_1 X4 (\\
& u1_struct_0 k1_scmpds_2))) \Rightarrow (\forall X5.(v1_int_1 X5) \Rightarrow ((r1_xxreal_0 \\
& (k1_funct_1 X1 (k2_scmpds_2 (k1_funct_1 X1 X3) X5)) k6_numbers) \Rightarrow \\
& (k1_funct_1 (k6_scmpds_4 (k7_scmpds_6 X3 X5 X2) (k8_memstr_0 np_2 \\
& k1_scmpds_2 X1) X0) X4 = k1_funct_1 X1 X4))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\
& X0 (u1_compos_1 k1_scmpds_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\
& X0 k5_numbers)))))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 k1_scmpds_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
& X1 (k2_memstr_0 np_2 k1_scmpds_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& k1_scmpds_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\
& k1_scmpds_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\
& X2)))))) \Rightarrow (\forall X3.((v1_ami_2 X3) \wedge (m1_subset_1 X3 (u1_struct_0 \\
& k1_scmpds_2))) \Rightarrow (\forall X4.(v1_int_1 X4) \Rightarrow ((r1_xxreal_0 (k1_funct_1 \\
& X1 (k2_scmpds_2 (k1_funct_1 X1 X3) X4)) k6_numbers) \Rightarrow (k6_scmpds_4 \\
& (k7_scmpds_6 X3 X4 X2) (k8_memstr_0 np_2 k1_scmpds_2 X1) X0 = k1_funct_4 \\
& X1 (k7_memstr_0 np_2 k1_scmpds_2 (k2_nat_1 (k5_card_1 X2) np_1)))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\
& X0 (u1_compos_1 k1_scmpds_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\
& X0 k5_numbers)))))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 k1_scmpds_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
& X1 (k2_memstr_0 np_2 k1_scmpds_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& k1_scmpds_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\
& k1_scmpds_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\
& X2)))))) \Rightarrow (\forall X3.((v1_ami_2 X3) \wedge (m1_subset_1 X3 (u1_struct_0 \\
& k1_scmpds_2))) \Rightarrow (\forall X4.((v1_ami_2 X4) \wedge (m1_subset_1 X4 (\\
& u1_struct_0 k1_scmpds_2))) \Rightarrow (\forall X5.(v1_int_1 X5) \Rightarrow ((k1_funct_1 \\
& X1 (k2_scmpds_2 (k1_funct_1 X1 X3) X5) \neq k6_numbers) \Rightarrow (k1_funct_1 \\
& (k6_scmpds_4 (k5_scmpds_6 X3 X5 X2) (k8_memstr_0 np_2 k1_scmpds_2 \\
& X1) X0) X4 = k1_funct_1 X1 X4)))))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\
& X0 (u1_compos_1 k1_scmpds_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\
& X0 k5_numbers)))))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 k1_scmpds_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
& X1 (k2_memstr_0 np_2 k1_scmpds_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& k1_scmpds_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\
& k1_scmpds_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\
& X2)))))) \Rightarrow (\forall X3.((v1_ami_2 X3) \wedge (m1_subset_1 X3 (u1_struct_0 \\
& k1_scmpds_2))) \Rightarrow (\forall X4.(v1_int_1 X4) \Rightarrow ((k1_funct_1 X1 (k2_scmpds_2 \\
& (k1_funct_1 X1 X3) X4) \neq k6_numbers) \Rightarrow (k6_scmpds_4 (k5_scmpds_6 \\
& X3 X4 X2) (k8_memstr_0 np_2 k1_scmpds_2 X1) X0 = k1_funct_4 X1 (k7_memstr_0 \\
& np_2 k1_scmpds_2 (k2_nat_1 (k5_card_1 X2) np_1)))))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\
& X0 (u1_compos_1 k1_scmpds_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\
& X0 k5_numbers)))))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 k1_scmpds_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
& X1 (k2_memstr_0 np_2 k1_scmpds_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& k1_scmpds_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\
& k1_scmpds_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\
& X2)))))) \Rightarrow (\forall X3.((v1_ami_2 X3) \wedge (m1_subset_1 X3 (u1_struct_0 \\
& k1_scmpds_2))) \Rightarrow (\forall X4.(v1_int_1 X4) \Rightarrow ((r1_xreal_0 k6_numbers \\
& (k1_funct_1 X1 (k2_scmpds_2 (k1_funct_1 X1 X3) X4)) \Rightarrow (k6_scmpds_4 \\
& (k9_scmpds_6 X3 X4 X2) (k8_memstr_0 np_2 k1_scmpds_2 X1) X0 = k1_funct_4 \\
& X1 (k7_memstr_0 np_2 k1_scmpds_2 (k2_nat_1 (k5_card_1 X2) np_1)))))))))
\end{aligned} \tag{5}$$

Theorem 1

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\ & X0 (u1_compos_1 k1_scmpds_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\ & X0 k5_numbers)))))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\ & X1 (u1_struct_0 k1_scmpds_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\ & X1 (k2_memstr_0 np_2 k1_scmpds_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\ & k1_scmpds_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\ & k1_scmpds_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\ & X2)))))) \Rightarrow (\forall X3.((v1_ami_2 X3) \wedge (m1_subset_1 X3 (u1_struct_0 \\ & k1_scmpds_2))) \Rightarrow (\forall X4.((v1_ami_2 X4) \wedge (m1_subset_1 X4 (\\ & u1_struct_0 k1_scmpds_2))) \Rightarrow (\forall X5.(v1_int_1 X5) \Rightarrow ((r1_xreal_0 \\ & k6_numbers (k1_funct_1 X1 (k2_scmpds_2 (k1_funct_1 X1 X3) X5))) \Rightarrow \\ & (k1_funct_1 (k6_scmpds_4 (k9_scmpds_6 X3 X5 X2) (k8_memstr_0 np_2 \\ & k1_scmpds_2 X1) X0) X4 = k1_funct_1 X1 X4)))))) \end{aligned}$$