

## t115\_finseq\_6

(TMa3aYoPDBPLy6eywQA2aCLiBiAZCHTQa23)

October 27, 2020

Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $np\_1 : \iota$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_funct\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_finseq\_5 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k7\_real\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k9\_real\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_finseq\_1 : \iota \Rightarrow o$  be given. Let  $k4\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k3\_finseq\_5 : \iota \Rightarrow \iota$  be given. Let  $k2\_xcmplx\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_xcmplx\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $m1\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. \neg (X0 \in X1) \wedge ((m1\_subset\_1 X1 (k1\_zfmisc\_1 X2)) \wedge (v1\_xboole\_0 X2)) \quad (1)$$

Assume the following.

$$\forall X0. (v7\_ordinal1 X0) \Rightarrow (\forall X1. ((v1\_relat\_1 X1) \wedge ((v1\_funct\_1 X1) \wedge (v1\_finseq\_1 X1))) \Rightarrow ((X0 \in k4\_finseq\_1 X1) \Rightarrow (k1\_funct\_1 (k3\_finseq\_5 X1) X0 = k1\_funct\_1 X1 (k2\_xcmplx\_0 (k6\_xcmplx\_0 (k3\_finseq\_1 X1) X0) np\_1)))))) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 X1) \Rightarrow ((v1\_xboole\_0 X1) \vee (X0 \in X1)) \quad (3)$$

Assume the following.

$$\forall X0. ((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow (\forall X1. (v7\_ordinal1 X1) \Rightarrow ((X1 \in k1\_relset\_1 k5\_numbers X0) \Leftrightarrow ((r1\_xxreal\_0 np\_1 X1) \wedge (r1\_xxreal\_0 X1 (k3\_finseq\_1 X0)))))) \quad (4)$$

Assume the following.

$$\begin{aligned} & ((v2\_xreal\_0 \ np\_1) \wedge (m2\_subset\_1 \ np\_1 \ k1\_numbers \ k5\_numbers)) \wedge \\ & ((m1\_subset\_1 \ np\_1 \ k5\_numbers) \wedge (m1\_subset\_1 \ np\_1 \ k1\_numbers)) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. (m2\_finseq\_1 \ X1 \ X0) \Leftrightarrow (m1\_finseq\_1 \ X1 \ X0) \quad (6)$$

Assume the following.

$$\forall X0. \forall X1. ((m1\_subset\_1 \ X0 \ k1\_numbers) \wedge (v1\_xreal\_0 \ X1)) \Rightarrow (k9\_real\_1 \ X0 \ X1 = k6\_xcmplx\_0 \ X0 \ X1) \quad (7)$$

Assume the following.

$$\forall X0. \forall X1. ((m1\_subset\_1 \ X0 \ k1\_numbers) \wedge (v1\_xreal\_0 \ X1)) \Rightarrow (k7\_real\_1 \ X0 \ X1 = k2\_xcmplx\_0 \ X0 \ X1) \quad (8)$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \quad (9)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_finseq\_1 \ X1 \ X0) \Rightarrow (k4\_finseq\_5 \ X0 \ X1 = k3\_finseq\_5 \ X1) \quad (10)$$

Assume the following.

$$\forall X0. ((v1\_relat\_1 \ X0) \wedge ((v1\_funct\_1 \ X0) \wedge (v1\_finseq\_1 \ X0))) \Rightarrow (k4\_finseq\_1 \ X0 = k9\_xtuple\_0 \ X0) \quad (11)$$

Assume the following.

$$\forall X0. \forall X1. ((v1\_relat\_1 \ X1) \wedge (v4\_relat\_1 \ X1 \ X0)) \Rightarrow (k1\_relset\_1 \ X0 \ X1 = k9\_xtuple\_0 \ X1) \quad (12)$$

Assume the following.

$$(\neg v1\_xboole\_0 \ k4\_ordinal1) \wedge (v3\_ordinal1 \ k4\_ordinal1) \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1\_xboole\_0 \ X0) \wedge ((\neg v1\_xboole\_0 \ X1) \wedge \\ & (m1\_subset\_1 \ X1 \ (k1\_zfmisc\_1 \ X0)))) \Rightarrow (\forall X2. (m2\_subset\_1 \ X2 \ X0 \ X1) \Rightarrow (m1\_subset\_1 \ X2 \ X0)) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m2\_finseq\_1 \ X1 \ X0) \Rightarrow ((v1\_funct\_1 \ X1) \wedge \\ & (v1\_finseq\_1 \ X1) \wedge (m1\_subset\_1 \ X1 \ (k1\_zfmisc\_1 \ (k2\_zfmisc\_1 \ k5\_numbers \ X0)))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_finseq\_1 X1 X0)\Rightarrow((v1\_relat\_1 X1)\wedge(v1\_funct\_1 X1)\wedge(v1\_finseq\_1 X1)) \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.((m1\_subset\_1 X0 k1\_numbers)\wedge(v1\_xreal\_0 X1))\Rightarrow(m1\_subset\_1 (k9\_real\_1 X0 X1) k1\_numbers) \quad (17)$$

Assume the following.

$$m1\_subset\_1 k5\_numbers (k1\_zfmisc\_1 k1\_numbers) \quad (18)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0)\wedge((v1\_funct\_1 X0)\wedge(v1\_finseq\_1 X0)))\Rightarrow(m2\_subset\_1 (k3\_finseq\_1 X0) k1\_numbers k5\_numbers) \quad (19)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k4\_ordinal1)\Rightarrow(v7\_ordinal1 X0) \quad (20)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0)\wedge((v1\_funct\_1 X0)\wedge(v1\_finseq\_1 X0)))\Rightarrow((v1\_relat\_1 X0)\wedge((v4\_relat\_1 X0 k5\_numbers)\wedge((v1\_funct\_1 X0)\wedge(v1\_finseq\_1 X0)))) \quad (21)$$

Assume the following.

$$\forall X0.(v7\_ordinal1 X0)\Rightarrow(v1\_xreal\_0 X0) \quad (22)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k1\_numbers)\Rightarrow(v1\_xreal\_0 X0) \quad (23)$$

**Theorem 1**

$$\forall X0.(\neg v1\_xboole\_0 X0)\Rightarrow(\forall X1.(m1\_subset\_1 X1 k5\_numbers)\Rightarrow(\forall X2.(m2\_finseq\_1 X2 X0)\Rightarrow(((r1\_xxreal\_0 np\_1 X1)\wedge(r1\_xxreal\_0 X1 (k3\_finseq\_1 X2))\Rightarrow(k1\_funct\_1 (k4\_finseq\_5 X0 X2) X1 = k1\_funct\_1 X2 (k7\_real\_1 (k9\_real\_1 (k3\_finseq\_1 X2) X1) np\_1))))))$$