

# t119\_pboole

(TMbsNDCUcr855BX7iv2R8H2hPe8dRahkNLd)

October 27, 2020

Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_partfun1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r2\_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r7\_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge ((v4\_relat\_1 X1 X0) \wedge \\
& (v1\_funct\_1 X1) \wedge (v1\_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1\_relat\_1 \\
& X2) \wedge ((v4\_relat\_1 X2 X0) \wedge ((v1\_funct\_1 X2) \wedge (v1\_partfun1 X2 X0)))) \Rightarrow \\
& (\forall X3. ((v1\_relat\_1 X3) \wedge ((v4\_relat\_1 X3 X0) \wedge ((v1\_funct\_1 \\
& X3) \wedge (v1\_partfun1 X3 X0)))) \Rightarrow (((r1\_pboole X0 X1 X2) \wedge (r2\_pboole \\
& X0 X2 X3)) \Rightarrow (r1\_pboole X0 X1 X3)))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge ((v4\_relat\_1 X1 X0) \wedge \\
& (v1\_funct\_1 X1) \wedge (v1\_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1\_relat\_1 \\
& X2) \wedge ((v4\_relat\_1 X2 X0) \wedge ((v1\_funct\_1 X2) \wedge (v1\_partfun1 X2 X0)))) \Rightarrow \\
& ((r7\_pboole X0 X1 X2) \Leftrightarrow (\forall X3. ((v1\_relat\_1 X3) \wedge ((v4\_relat\_1 \\
& X3 X0) \wedge ((v1\_funct\_1 X3) \wedge (v1\_partfun1 X3 X0)))) \Rightarrow ((r1\_pboole X0 \\
& X3 X1) \Rightarrow (r1\_pboole X0 X3 X2))))
\end{aligned} \tag{2}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge ((v4\_relat\_1 X1 X0) \wedge \\
& (v1\_funct\_1 X1) \wedge (v1\_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1\_relat\_1 \\
& X2) \wedge ((v4\_relat\_1 X2 X0) \wedge ((v1\_funct\_1 X2) \wedge (v1\_partfun1 X2 X0)))) \Rightarrow \\
& ((r2\_pboole X0 X1 X2) \Rightarrow (r7\_pboole X0 X1 X2))
\end{aligned}$$