

t11_clvect_2
(TMUiab8SE9PzKJdqwHcXx4BVz7kL3F7bHoi)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v2_csspace : \iota \Rightarrow o$ be given. Let $l1_csspace : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_funct_1 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k1_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_clvect_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_clvect_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0. ((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow (\forall X1. ((\\ \neg v2_struct_0 X1) \wedge (l1_struct_0 X1)) \Rightarrow (\forall X2. (m1_subset_1 \\ X2 (u1_struct_0 X1)) \Rightarrow (((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers \\ (u1_struct_0 X1)) \wedge (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 \\ k5_numbers (u1_struct_0 X1)))))) \Leftrightarrow ((k9_xtuple_0 X0 = k5_numbers) \wedge \\ (\forall X3. (X3 \in k5_numbers) \Rightarrow (m1_subset_1 (k1_funct_1 X0 X3) \\ (u1_struct_0 X1))))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\ & ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\ & X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (\\ & u1_struct_0 X0)) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 \\ & X2 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow ((v3_funct_1 \\ & X2) \wedge (X1 \in k10_xtuple_0 X2)) \Rightarrow (k1_clvect_2 X0 X2 = X1))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (4)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge (l1_struct_0 \\ & X0)) \wedge (((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \wedge (m1_subset_1 X2 k5_numbers))) \Rightarrow (k1_normsp_1 X0 X1 X2 = \\ & k1_funct_1 X1 X2) \end{aligned} \quad (6)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (7)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (8)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l1_csspace X0) \Rightarrow (l1_clvect_1 X0) \quad (10)$$

Assume the following.

$$\forall X0.(l1_clvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (11)$$

Assume the following.

$$m1_subset_1 \ k5_numbers \ (k1_zfmisc_1 \ k1_numbers) \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0.((v1_relat_1 \ X0) \wedge (v1_funct_1 \ X0)) \Rightarrow (\forall X1.(X1 = \\ k10_xtuple_0 \ X0) \Leftrightarrow (\forall X2.(X2 \in X1) \Leftrightarrow (\exists X3.(X3 \in k9_xtuple_0 \\ X0) \wedge (X2 = k1_funct_1 \ X0 \ X3)))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.(v1_xboole_0 \ X0) \Rightarrow (\forall X1.(m1_subset_1 \ X1 \ (k1_zfmisc_1 \ X0)) \Rightarrow (v1_xboole_0 \ X1)) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 \ X2 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \ X0 \ X1))) \Rightarrow (v1_relat_1 \ X2) \quad (15)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 \ X0) \wedge ((v13_algstr_0 \ X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 \ X0) \wedge ((v4_rlvect_1 \ X0) \wedge ((v2_clvect_1 \ X0) \wedge \\ ((v3_clvect_1 \ X0) \wedge ((v4_clvect_1 \ X0) \wedge ((v5_clvect_1 \ X0) \wedge ((v2_csspace \\ X0) \wedge (l1_csspace \ X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 \ X1 \ (\\ u1_struct_0 \ X0)) \Rightarrow (\forall X2.((v1_funct_1 \ X2) \wedge ((v1_funct_2 \\ X2 \ k5_numbers \ (u1_struct_0 \ X0)) \wedge (m1_subset_1 \ X2 \ (k1_zfmisc_1 \\ (k2_zfmisc_1 \ k5_numbers \ (u1_struct_0 \ X0)))))) \Rightarrow ((v3_funct_1 \\ X2) \Rightarrow ((\forall X3.(m2_subset_1 \ X3 \ k1_numbers \ k5_numbers) \Rightarrow (k1_normsp_1 \\ X0 \ X2 \ X3 \neq X1)) \vee (k1_clvect_2 \ X0 \ X2 = X1)))))) \end{aligned}$$